



# SEPA Request-To-Pay (SRTP)

## Inter-RTP Service Provider SRTP Enrolment and Activation Implementation Guidelines

EPC254-23 / Version 1.0 / Date issued: 22 December 2023 / Date effective: 22 December 2023

### Abstract

This document sets out the rules for implementing the activation processes as described in version 3.2 of the SEPA Request-to-Pay (SRTP) Scheme Rulebook based on relevant ISO 20022 XML message standards.

© 2023 Copyright European Payments Council (EPC) AISBL: Reproduction for non-commercial purposes is authorised, with acknowledgement of the source



Table of Contents	
<b>0</b>	<b>Document Information ..... 4</b>
0.1	References ..... 4
0.2	Change History ..... 4
0.3	Purpose of Document..... 4
<b>1</b>	<b>Introduction ..... 5</b>
1.1	Coverage of the SRTP Activation Implementation Guidelines ..... 5
1.2	Use of these Guidelines by the SRTP Service Providers ..... 7
1.3	Notation Conventions..... 8
1.4	Character Set ..... 9
1.5	General Message Element Specifications..... 10
1.5.1	BIC..... 10
1.6	Implementation of ISO 20022 XML rules ..... 10
<b>2</b>	<b>Optional Inter-SRTP Service Provider Activation messages ..... 11</b>
2.1	Payer's to Payee's RTP Service Provider RTP Activation Request Dataset (DSO-22) ..... 12
2.1.1	Use of the Request To Pay Debtor Activation Request (reda.070.001.01) ..... 12
2.2	Payee's to Payer's RTP Service Provider RTP Activation Request Dataset (DSO-06) ..... 36
2.2.1	Use of the Request To Pay Debtor Activation Request (reda.070.001.01) ..... 36
2.3	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request Dataset (DSO-25) ..... 60
2.3.1	Use of the Request To Pay Debtor Activation Amendment Request (reda.071.001.01) ..... 60
2.4	Payee's to Payer's RTP Service Provider Activation Amendment Request Dataset (DSO-09) ..... 96
2.4.1	Use of the Request To Pay Debtor Activation Amendment Request (reda.071.001.01) ..... 96
2.5	Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request Dataset (DSO-28) ... 132
2.5.1	Use of the Request To Pay Debtor Activation Cancellation Request (reda.072.001.01) ..... 132
2.6	Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request Dataset (DSO-12) ... 144
2.6.1	Use of the Request To Pay Debtor Activation Cancellation Request (reda.072.001.01) ..... 144
2.7	Payee's to Payer's RTP Service Provider RTP Activation/Amendment/Cancellation Status Report Dataset (DSO-31) ..... 156
2.7.1	Use of the Request To Pay Debtor Activation Status Report (reda.073.001.01) ..... 156
2.8	Payer's to Payee's RTP Service Provider RTP Activation/Amendment/Cancellation Status Report Dataset (DSO-15) ..... 168
2.8.1	Use of the Request To Pay Debtor Activation Status Report (reda.073.001.01) ..... 168



3	Annex: Overview of functional activation flows.....	180
---	---	-----



## 0 Document Information

### 0.1 References

This section lists relevant documents of interest.

	Document Number	Title	Issued by:
[1]	EPC014-20	SEPA Request-To-Pay Scheme Rulebook Version 3.2	<a href="#">EPC</a>
[2]	-	ISO 20022 XML Request To Pay (RTP) Service (reda.066 – reda.073)	<a href="#">ISO 20022</a>
[3]	ISO 3166	Country Codes	<a href="#">ISO</a>
[4]	ISO 4217	Currency Code List	<a href="#">ISO</a>
[5]	ISO 9362	Business Identifier Codes (BIC)	<a href="#">ISO</a>
[6]	ISO 13616	IBAN: International Bank Account Number	<a href="#">ISO</a> <sup>1</sup>
[7]	EPC217-08	SEPA Requirements for an Extended Character Set	<a href="#">EPC</a>
[8]	EPC230-15	Clarification Paper on the Use of Slashes in References, Identifications and Identifiers	<a href="#">EPC</a>
[9]	EPC260-20	Clarification Paper on the SRTP Rulebook	<a href="#">EPC</a>

### 0.2 Change History

Issue number	Dated	Reason for revision
V1.0	22122023	EPC Board approval

### 0.3 Purpose of Document

The objective of these Guidelines is to define the rules to be applied to the ISO 20022 XML message standards for the implementation of the SEPA Request-to-Pay (SRTP) Activation messages in the Inter-SRTP Service Provider space.

<sup>1</sup> See also [http://www.swift.com/products/bic\\_registration/iban\\_format\\_registration](http://www.swift.com/products/bic_registration/iban_format_registration)  
[www.epc-cep.eu](http://www.epc-cep.eu)



## 1 Introduction

The following table maps the datasets as defined in the SRTP Rulebook to the relevant ISO 20022 XML message standard:

SEPA Request-to-Pay (SRTP) Rulebook Datasets	ISO 20022 XML Message Standards
DSO-06 Payee's to Payer's RTP Service Provider RTP Activation Request DSO-22 Payer's to Payee's RTP Service Provider RTP Activation Request	RequestToPayDebtorActivationRequestV01 (reda.070.001.01)
DSO-09 Payee's to Payer's RTP Service Provider RTP Activation Amendment Request DSO-25 Payer's to Payee's RTP Service Provider RTP Activation Amendment Request	RequestToPayDebtorActivationAmendmentRequestV01 (reda.071.001.01)
DSO-12 Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request DSO-28 Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request	RequestToPayDebtorActivationCancellationRequestV01 (reda.072.001.01)
DSO-15 Payer's to Payee's RTP Service Provider RTP Activation/Amendment/Cancellation Status Report DSO-31 Payee's to Payer's RTP Service Provider RTP Activation/Amendment/Cancellation Status Report	RequestToPayDebtorActivationStatusReportV01 (reda.073.001.001.01)

The Guidelines for the Activation related XML message standard are optional. This means that the SRTP Service Providers can bilaterally decide whether to use these messages or not, and these messages may be rejected if sent to an SRTP Service Provider which does not support this option.

### 1.1 Coverage of the SRTP Activation Implementation Guidelines

The purpose of the SRTP Activation Implementation Guidelines, hereafter referred to as the Guidelines, is to provide guidance on the use of the ISO 20022 XML message standards for SRTP Activation related messages as defined in the SRTP scheme rulebook.

The Guidelines are fully aligned to the SEPA core requirements when defined in the rulebook and identify message elements needed for SRTP related Activation processes while recognising message elements that may be available for use in Additional Optional Services (AOS), as shown below.



Global ISO 20022 XML Message Standards			
Message elements from the ISO messages corresponding to rulebook requirements	Message elements that are mandatory in the ISO messages or needed for processing	Message elements from the ISO messages available for use by AOS within an EPC governance framework	Message elements from ISO messages not applicable to SEPA
<b>EPC implementation guidelines for SEPA Core subset, identifying elements</b> <ul style="list-style-type: none"> <li>- to be used as defined in ISO</li> <li>- to be used with SEPA usage rules (from or completing the Rulebook)</li> </ul> <b>Note: yellow fields can be used in a specific way for an AOS.</b>		To be developed and documented by AOS Communities	Not available for use in SEPA
SEPA Request-to-Pay Enrolment and Activation			

Figure 1

These Guidelines define the SEPA Core Mandatory Subset<sup>2</sup> of the global ISO 20022 XML standard that consists of message elements:

- required in the rulebook as business requirements
- needed for processing by SRTP Service Providers and customers of SRTP Service Providers

Elements needed for specific national regulatory requirements are not considered in these guidelines. They have to be dealt with at national level without being regarded as an AOS.

These message elements define the **SEPA core service** and are denoted by yellow shading in the message structures given in the following chapters. Only these elements are further detailed with relevant SEPA core requirements, such as the use of the message element, its components or the values that must be used. Usage rules, for example, may indicate limits on the number of repetitions, or code value restrictions, while format rules may be used to indicate the allowable combinations of components of a message element.

These Guidelines also recognise message elements and the usage rules in the ISO 20022 XML standard that may be available for use in an AOS, subject to a governance framework to be defined by the EPC. The definition and documentation of these message elements are a matter for the AOS communities involved. These message elements are denoted by white shading.

Where there are message elements that do not apply to SRTP Activation, these are denoted with red shading in the right-most column of the message structures. To date, few such message elements have been identified.

<sup>2</sup> The SEPA Core Mandatory Subset is hereafter known as the SEPA core service.



## 1.2 Use of these Guidelines by the SRTP Service Providers

- SEPA core SRTP Activations are executed using messages only containing message elements defined as part of the SEPA Core Subset (shaded yellow in Figure 2).
- SRTP Activation messages that include message elements that are defined and documented by AOS communities (shaded white/yellow in Figure 2) are considered as SRTP Activation, but not as SEPA core SRTP Activation.
- It is the responsibility of every SRTP Service Provider to ensure that message elements defined for use in an AOS are only included in messages sent to AOS community members.
- An SRTP Service Provider receiving a message containing AOS message elements, but which is not a member of this AOS community, may ignore the information, that is, not use it for processing, nor forward it to the next party in the chain (if applicable). This SRTP Service Provider, however, may reject the message for this reason.
- SRTP Service Providers that do not support the optional SRTP Activation messages can reject these messages.



### 1.3 Notation Conventions

The Guidelines are presented in a similar format than the one used in the ISO 20022 XML message standard.

#	SEPA Mul	Message Element	SEPA Core Requirements
1.00	1..1	Message root +Group Header ++Sublevel 1 +++Sublevel 2	<i>SEPA Usage Rule(s)</i> (e.g. Mandatory) <i>SEPA Format Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> (Yellow: Message Element that is part of the SEPA core service)
	1..1		<b>XML Tag</b> xs:choice
1.01	1..1	Message root +Group Header ++Sublevel 1 +++Sublevel 2 ++++Sublevel 3	<i>SEPA Rulebook</i> (Attribute used in Rulebook) <i>SEPA Usage Rule(s)</i> (e.g. Only 'SEPA' is allowed.) <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b> (Yellow: Message Element that is part of the SEPA core service)
			<b>SEPA Code restrictions</b>
			<b>SEPA</b> <i>SingleEuroPaymentsArea</i> <i>Payment must be executed following the Single Euro Payments Area scheme.</i>
1.02	1..1	Message root +Group Header ++Sublevel 1 +++Sublevel 2 ++++Sublevel 3	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> (White: Message Element that is not part of the core service but is available for use in a SEPA AOS)
1.0n	0..1	Message root +Group Header ++Sublevel 1	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> (Red: Message Element that is not available for use in SEPA)

Figure 2

Where:

- Column 1 indicates the message element index number specific to these Guidelines. As a result, the index numbers differ from the ones used in the relating ISO 20022 Message Definition Report, PDF version.

Components of message elements that are not allowed in SRTP Activation or where no SEPA Core Requirements are defined are not displayed in full as the ISO 20022 XML standard applies.

- Column 2 indicates the mandatory or optional status and the number of repetitions defined by the SEPA Core Requirements, e.g.:
  - 0..1 element is optional and may only be present once
  - 0..n element is optional with unlimited repetition



- 1..1 element is mandatory and must be present exactly once
- 1..n element is mandatory with unlimited repetition

The displayed 'SEPA multiplicity' may thus differ from the one of the ISO 20022 XML message standard. When an element is shaded yellow, possible remaining ISO 20022 occurrences are available for use in an AOS.

Empty elements are not allowed (i.e. a message shall not contain elements without content).

- Column 3 indicates the full path of an element where the last line contains the name of the message element as defined in the ISO 20022 XML message standard. When an element contains sub-elements, these are indented to the right and noted with a plus sign (+) per level.
- Column 4 specifies in italic characters the SEPA Core Requirements as additional rules to those specified in the ISO 20022 XML message standard, which are shown in non-italic characters.
  - When defined in the Rulebook, the attribute is indicated by the attribute name and where applicable, the number, i.e., AT-nnnn. Those message elements are shaded yellow.
  - When the message element specified in the ISO 20022 XML message standard is used for SRTP Activation without change (regarding the definition and any usage rules), no specific SEPA Core requirements are provided and is shaded yellow.
  - When the message element is specified in the ISO 20022 XML message standard as optional, but is mandatory in SEPA Core requirements, this is specified as 'Mandatory' and is shaded yellow.
  - When the message element is not available for use in SRTP Activation, this is indicated with red shading. Note that these message elements are similarly not available for use in an AOS.
  - The SEPA length is indicated for every message element (if applicable), even if it is the same length as in the ISO 20022 XML standard.

Column 4 may also indicate conditional relations between message components or elements, e.g. either component 1 or component 2 must be present, component 1 and component 2 are mutually exclusive. For XML Tag "xs:choice" (containing just one subsequent component or element due to applied restrictions on subsequent components or elements), column 4 may indicate that the "choice" nature is lost due to applied restrictions i.e. only one element is shaded yellow.

## 1.4 Character Set

The character set issue centres on the use of the full set characters in the message elements. Two considerations are:

- While SRTP Service Providers and their customers must be allowed to use the character set currently in use at national level,
- SRTP Service Providers and their customers throughout SEPA cannot be required to support the full character set used in SEPA countries.

Therefore:



- The ISO 20022 XML messages allow for the full range of global language requirements (UTF-8).
- SRTP Service Providers and their customers must be able to support the Latin character set commonly used in international communication, as follows:

a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z  
0 1 2 3 4 5 6 7 8 9  
/ - ? : ( ) . , ' +  
Space

- References, identifications and identifiers must respect the following [8]:
  - Content is restricted to the Latin character set as defined above
  - Content must not start or end with a '/'
  - Content must not contain '/'

However, there may be bilateral or multilateral agreements to support one or more sets of characters beyond the Latin character set referred to above.

## 1.5 General Message Element Specifications

### 1.5.1 BIC

The BIC used to identify financial institutions ( Agents in the ISO 20022 XML standards) may be either BIC 11 or BIC 8.

## 1.6 Implementation of ISO 20022 XML rules

This document should be read in conjunction with the ISO 20022 XML message standards.



## 2 Optional Inter-SRTP Service Provider Activation messages

This document describes all the SRTP Activation related messages that are exchanged between the Payee's and Payer's RTP Service Provider (in both directions).

### **Important Note:**

The ISO 20022 activation related messages (reda.070 – reda.073) were created to accommodate the activation of Payers (Debtors) only. As the SRTP rulebook also covers the possibility to 'activate' Payees (Creditors), it means that the ISO 20022 activation messages will be used in the context of the SRTP Enrolment & Activation IGs for the activation of both the Payer and Payee. In the activation related messages there are however separate message elements for Debtor and Creditor, which can be used to respectively provide the details of the Payer and Payee (irrespective of whether the activation relates to a Payer or Payee). However, in case of a Payee's activation, every time the term "Creditor" is used in ISO definitions of these messages, it is to be understood as referring to the Payer. Conversely, when "Debtor" is used, it is to be understood as referring to the Payee.



## 2.1 Payer's to Payee's RTP Service Provider RTP Activation Request Dataset (DSO-22)

This dataset and the message description below correspond with line '1- Act-01' in Annex 'Overview of functional activation flows'.

### 2.1.1 Use of the Request To Pay Debtor Activation Request (reda.070.001.01)

The Payer's RTP Service Provider sends the RTP Activation Request to the Payee's RTP Service Provider.

The message caters for one single Activation Request.

The following should be noted:

- Index 1.1 'Message Identification' must start with "PAYER/".
- The Payer (or a technical provider of the Payer) is identified as the 'Initiating Party' of the Activation Request.
- Index 2.48 'Debtor Solution Provider/Identification' to be populated with AT-N001 'Identifier of the Payer's RTP Service Provider'.
- Index 2.62 'Customer Identification' to be populated with AT-B028 'Identification of the Payer expected by the Payee'.
- Index 2.112 'Activation Request Delivery Party/Identification' is to be populated with the Payee's SRTP address, which is the combination of AT-E005 'Payee's identification code' and AT-N002 'Identifier of the Payee's RTP Service Provider'. Depending on whether the Payee is a corporate or natural person, data element 'Activation Request Delivery Party/Identification/Organisation Identification' or 'Activation Request Delivery Party/Identification/Private Identification' is to be used.
- When a SEPA Usage Rule refers to "DSO-21", please consider that this message is covered under document 'EPC255-23 Payer-Payer's RTP SP SRTP E&A IG 2023 V1.0'.



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22	
		Document	<b>XML Tag Type</b>	Document Document
	1..1	Document +Request To Pay Debtor Activation Request V01	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Request To Pay Debtor Activation Request V01 The RequestToPayDebtorActivationRequest message is sent by the debtor RTP (Request To Pay) provider to the creditor RTP provider and optionally from the debtor to its RTP provider and from the creditor RTP provider to the creditor to request the debtor activation of the RTP service with that specific creditor. ReqToPayDbtrActvtnReq RequestToPayDebtorActivationRequestV01
1.0	1..1	Document +Request To Pay Debtor Activation Request V01 ++Header	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Header Header data for the creditor enrolment request. Hdr ActivationHeader2
1.1	1..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Message Identification	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>Must start with "PAYER/"</i> Message Identification Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.  Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period. MsgId Max35Text 1 .. 35 1 .. 35
1.2	1..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Creation Date Time	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Creation Date Time Date and time at which the message was created. CreDtTm ISODateTime
1.3	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Message Originator	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Originator Party that sends the message. MsgOrgtr RTPPartyIdentification1
1.4	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Message Recipient	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Recipient Party that receives the message. MsgRcpt RTPPartyIdentification1
1.5	1..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Initiating Party	<b>SEPA Usage Rule(s)</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	<i>The initiating party may either be the Payer or a technical provider of the Payer. The identification of the initiating party is agreed with the Payer's RTP Service Provider.</i> Initiating Party Party that initiates the message. This can either be the debtor himself or the party that initiates the request on behalf of the debtor. InitgPty RTPPartyIdentification1
1.6	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Initiating Party ++++Name	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>'Name' is limited to 70 characters in length.</i> Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 70



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22	
1.7	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Initiating Party ++++Postal Address	ISO Name ISO Definition XML Tag Type	Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
1.8	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Initiating Party ++++Identification	ISO Name ISO Definition XML Tag Type	Identification Unique and unambiguous identification of a party. Id Party49Choice
1.9	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Initiating Party ++++Country Of Residence	ISO Name ISO Definition XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
1.10	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Initiating Party ++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.0	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Only one occurrence is allowed. Debtor Activation Specific attributes provided the debtor, as requested by the creditor, for the activation request. DbtrActvtn DebtorActivation3
2.1	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Activation Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-B027 Activation counterpart reference. Mandatory if provided in DSO-21. Debtor Activation Identification Unique identification, as assigned by the initiating party, to unambiguously identify the activation.  Usage: This element may be used for technical reconciliation purpose. DbtrActvtnId Max35Text 1 .. 35 1 .. 35
2.2	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Display Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Display Name Name by which the debtor is known, other than legal name, such as the name to be shown to the creditor. DispNm Max140Text 1 .. 140 1 .. 140
2.3	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Ultimate Debtor	ISO Name ISO Definition XML Tag Type	Ultimate Debtor Ultimate party that owes an amount of money to the (ultimate) creditor. UltmtDbtr RTPPartyIdentification1



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22	
2.4	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor	ISO Name ISO Definition XML Tag Type	Debtor Party that owes an amount of money to the (ultimate) creditor. Dbtr RTPPartyIdentification1
2.5	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Name	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-P001 Name of the Payer. 'Name' is limited to 70 characters in length. Mandatory. Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 70
2.6	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-P005 Address of the Payer. Mandatory. Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.7	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Address Type	ISO Name ISO Definition XML Tag Type	Address Type Identifies the nature of the postal address. AdrTp AddressType3Choice
2.8	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Department	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Department Identification of a division of a large organisation or building. Dept Max70Text 1 .. 70 1 .. 70
2.9	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Sub Department	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Sub Department Identification of a sub-division of a large organisation or building. SubDept Max70Text 1 .. 70 1 .. 70
2.10	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Street Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Street Name Name of a street or thoroughfare. StrtNm Max70Text 1 .. 70 1 .. 70
2.11	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Building Number	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Building Number Number that identifies the position of a building on a street. BldgNb Max16Text 1 .. 16 1 .. 16



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22	
2.12	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Building Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Building Name Name of the building or house. BldgNm Max35Text 1 .. 35 1 .. 35
2.13	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Floor	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Floor Floor or storey within a building. Flr Max70Text 1 .. 70 1 .. 70
2.14	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Post Box	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Box Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for. PstBx Max16Text 1 .. 16 1 .. 16
2.15	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Room	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Room Building room number. Room Max70Text 1 .. 70 1 .. 70
2.16	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Post Code	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Code Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail. PstCd Max16Text 1 .. 16 1 .. 16
2.17	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Town Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Name Name of a built-up area, with defined boundaries, and a local government. TwnNm Max35Text 1 .. 35 1 .. 35
2.18	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Town Location Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Location Name Specific location name within the town. TwnLctnNm Max35Text 1 .. 35 1 .. 35
2.19	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++District Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	District Name Identifies a subdivision within a country sub-division. DstrctNm Max35Text 1 .. 35 1 .. 35



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22	
2.20	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Country Sub Division	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Country Sub Division Identifies a subdivision of a country such as state, region, county. CtrySubDvsn Max35Text 1 .. 35 1 .. 35
2.21	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Country	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type Pattern	<i>It is recommended that this element is populated even if the country of the Payer is also mentioned under 'Address Line'.</i> Country Nation with its own government. Ctry CountryCode [A-Z]{2,2}
2.22	0..2	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Address Line	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	<i>Only two occurrences are allowed.</i> Address Line Information that locates and identifies a specific address, as defined by postal services, presented in free format text. AdrLine Max70Text 1 .. 70 1 .. 70
2.23	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. AT-P017 Customer Category Code. <i>AT-P009 must always be present and be provided either under 'Organisation Identification' or Private Identification'. Mandatory. AT-P002 and AT-P017 are mandatory if provided in DSO-21.</i> Identification Unique and unambiguous identification of a party. Id Party49Choice
	1..1		XML Tag	xs:choice
2.24	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	<i>If AT-P009 is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. If AT-P002 and/or AT-P017 are also needed, then up to three occurrences of 'Other' are to be used.</i> <i>- The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'.</i> <i>- The occurrence of 'Other' related to AT-P002 must contain the Trade Name of the Payer under 'Identification' and "BCID" is to be populated in 'Scheme Name/Proprietary'.</i> <i>- The occurrence of 'Other' related to AT-P017 must contain the Customer Category Code under 'Identification' and "BDID" is to be populated in 'Scheme Name/Code'.</i> Organisation Identification Unique and unambiguous way to identify an organisation. OrgId OrganisationIdentification37



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22	
2.25	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++Any BIC	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>Pattern</b>	<i>AT-P009 Identifier of the Payer.</i> Any BIC Business identification code of the organisation. AnyBIC AnyBICDec2014Identifier [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.26	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++LEI	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>Pattern</b>	<i>AT-P009 Identifier of the Payer.</i> LEI Legal entity identification as an alternate identification for a party. LEI LEIIdentifier [A-Z0-9]{18,18}[0-9]{2,2}
2.27	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++Email Address	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.28	0..3	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++Other	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>Up to 3 occurrences are allowed.</i> Other Unique identification of an organisation, as assigned by an institution, using an identification scheme. Othr GenericOrganisationIdentification1
2.29	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++Other +++++++Identification	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-P009 Identifier of the Payer.</i> <i>AT-P002 Trade Name of the Payer.</i> <i>AT-P017 Customer Category Code.</i> Identification Identification assigned by an institution. Id Max35Text 1 .. 35 1 .. 35
2.30	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++Other +++++++Scheme Name	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>Mandatory.</i> Scheme Name Name of the identification scheme. SchmeNm OrganisationIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b>	xs:choice
2.31	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++Other +++++++Scheme Name +++++++Code	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>Only "BOID" (AT-P009) or "BDID" (AT-P017) is allowed.</i> Code Name of the identification scheme, in a coded form as published in an external list. Cd ExternalOrganisationIdentification1Code 1 .. 4 1 .. 4



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22
			<b>SEPA Code Restrictions</b>
			<b>BDID</b> BusinessDomainIdentifier Identifier of the business domain in which the organisation is active.
			<b>BOID</b> BusinessOtherIdentification Other identification of the organisation.
2.32	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification +++++Other +++++Scheme Name +++++Proprietary	<b>SEPA Usage Rule(s)</b> Only "BCID" (AT-P002) is allowed. <b>ISO Name</b> Proprietary <b>ISO Definition</b> Name of the identification scheme, in a free text form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
			<b>SEPA Code Restrictions</b>
			<b>BCID</b> CommercialIdentification Commercial Identification of the organisation (e.g. Trade Name)
2.33	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification +++++Other +++++Issuer	<b>ISO Name</b> Issuer <b>ISO Definition</b> Entity that assigns the identification. <b>XML Tag</b> Issr <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.34	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification	<b>SEPA Usage Rule(s)</b> If both AT-P009 and AT-P002 are present, then up to two occurrences of 'Other' are to be used. - The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'. - The occurrence of 'Other' related to AT-P002 must contain the Trade Name of the Payer under 'Identification' and "PCID" is to be populated in 'Scheme Name/Proprietary'. <b>ISO Name</b> Private Identification <b>ISO Definition</b> Unique and unambiguous identification of a person, for example a passport. <b>XML Tag</b> PrvtId <b>Type</b> PersonIdentification17
2.35	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification +++++Date And Place Of Birth	<b>ISO Name</b> Date And Place Of Birth <b>ISO Definition</b> Date and place of birth of a person. <b>XML Tag</b> DtAndPlcOfBirth <b>Type</b> DateAndPlaceOfBirth1



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22
2.36	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification ++++++Email Address	ISO Name      Email Address ISO Definition      Address for electronic mail (e-mail). XML Tag      EmailAdr Type      Max256Text ISO Length      1 .. 256 SEPA Length      1 .. 256
2.37	1..2	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification ++++++Other	SEPA Usage Rule(s) <i>Mandatory.</i> <i>Up to two occurrences are allowed.</i> ISO Name      Other ISO Definition      Unique identification of a person, as assigned by an institution, using an identification scheme. XML Tag      Othr Type      GenericPersonIdentification1
2.38	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification ++++++Other +++++++Identification	SEPA Rulebook      AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. ISO Name      Identification ISO Definition      Unique and unambiguous identification of a person. XML Tag      Id Type      Max35Text ISO Length      1 .. 35 SEPA Length      1 .. 35
2.39	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name	SEPA Usage Rule(s) <i>Mandatory.</i> ISO Name      Scheme Name ISO Definition      Name of the identification scheme. XML Tag      SchmeNm Type      PersonIdentificationSchemeName1Choice
	1..1		XML Tag      xs:choice
2.40	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name +++++++Code	SEPA Usage Rule(s) <i>Only "POID" (AT-P009) is allowed.</i> ISO Name      Code ISO Definition      Name of the identification scheme, in a coded form as published in an external list. XML Tag      Cd Type      ExternalPersonIdentification1Code ISO Length      1 .. 4 SEPA Length      1 .. 4
			SEPA Code Restrictions
			POID      PersonCommercialIdentification Other identification of the person.
2.41	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name +++++++Proprietary	SEPA Usage Rule(s) <i>Only "PCID" (AT-P002) is allowed.</i> ISO Name      Proprietary ISO Definition      Name of the identification scheme, in a free text form. XML Tag      Prtry Type      Max35Text ISO Length      1 .. 35 SEPA Length      1 .. 35
			SEPA Code Restrictions
			PCID      CommercialIdentification Commercial Identification of the person (e.g.



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22	
			<i>SEPA Code Restrictions</i>	
			<i>Trade Name)</i>	
2.42	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification +++++Other ++++++Issuer	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.43	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Country Of Residence	ISO Name ISO Definition  XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.44	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Contact Details	ISO Name ISO Definition  XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.45	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider	ISO Name ISO Definition  XML Tag Type	Debtor Solution Provider Organisation servicing the e-invoicing for the debtor (to which the activation status report must be sent). DbtrSolPrvdr RTPPartyIdentification1
2.46	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 140
2.47	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Postal Address	ISO Name ISO Definition XML Tag Type	Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.48	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-N001 Identifier of the Payer's RTP Service Provider. Mandatory. Identification Unique and unambiguous identification of a party. Id Party49Choice
	1..1		XML Tag	xs:choice



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22
2.49	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification	<b>SEPA Usage Rule(s)</b> <i>If the Payer's RTP Service Provider is a PSP, either 'AnyBIC', 'LEI' or 'Other/Identification' must be used. If the Payer's RTP Service Provider is not a PSP, 'Other/Identification' must be used.</i> <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.50	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification ++++++Any BIC	<b>SEPA Usage Rule(s)</b> <i>To be used only if the Payer's RTP Service Provider is a PSP.</i> <b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.51	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification ++++++LEI	<b>SEPA Usage Rule(s)</b> <i>To be used only if the Payer's RTP Service Provider is a PSP.</i> <b>ISO Name</b> LEI <b>ISO Definition</b> Legal entity identification as an alternate identification for a party. <b>XML Tag</b> LEI <b>Type</b> LEIIdentifier <b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}
2.52	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification ++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.53	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification ++++++Other	<b>SEPA Usage Rule(s)</b> <i>To be used if the Payer's RTP Service Provider is a PSP and AT-N001 relates to another identifier than 'AnyBIC' or 'LEI'. Always to be used if the Payer's RTP Service Provider is NOT a PSP. Only one occurrence is allowed.</i> <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1
2.54	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification ++++++Other +++++++Identification	<b>SEPA Usage Rule(s)</b> <i>To be used if the Payer's RTP Service Provider is a PSP and AT-N001 relates to another identifier than 'BIC' or 'LEI'. If the Payer's RTP Service Provider is NOT a PSP, any type of identifier which AT-N001 relates to must be provided here.</i> <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22
2.55	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification +++++Other +++++Scheme Name	<i>SEPA Usage Rule(s)</i> If the Payer's RTP Service Provider is a PSP and 'Other/Identification' is used then the appropriate 'Scheme Name' may be populated here. If the Payer's RTP Service Provider is NOT a PSP, this element should be populated with "ANYBIC" or "LEI" under 'Proprietary', if applicable. In case of another identification, the appropriate 'Scheme Name' may be populated here.  ISO Name Scheme Name ISO Definition Name of the identification scheme. XML Tag SchmeNm Type OrganisationIdentificationSchemeName1Choice
	1..1		XML Tag xs:choice
2.56	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification +++++Other +++++Scheme Name +++++Code	ISO Name Code ISO Definition Name of the identification scheme, in a coded form as published in an external list.  XML Tag Cd Type ExternalOrganisationIdentification1Code ISO Length 1 .. 4 SEPA Length 1 .. 4
2.57	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification +++++Other +++++Scheme Name +++++Proprietary	<i>SEPA Usage Rule(s)</i> If applicable, "ANYBIC" or "LEI" must be mentioned here.  ISO Name Proprietary ISO Definition Name of the identification scheme, in a free text form.  XML Tag Prtry Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.58	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification +++++Other +++++Issuer	ISO Name Issuer ISO Definition Entity that assigns the identification. XML Tag Issr Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.59	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Private Identification	ISO Name Private Identification ISO Definition Unique and unambiguous identification of a person, for example a passport.  XML Tag PrvtId Type PersonIdentification17
2.60	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Country Of Residence	ISO Name Country Of Residence ISO Definition Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.  XML Tag CtryOfRes Type CountryCode Pattern [A-Z]{2,2}



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22	
2.61	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.62	0..n	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Customer Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-B028 Identification of the Payer expected by the Payee. Mandatory if provided in DSO-21. Customer Identification Unique identifier of the debtor required by the creditor, for example the reference number or customer number. Unique identification provided by the web bank or web payment services user, with which the creditor may identify the debtor in its system. CstmrId Party49Choice
2.63	0..n	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Contract Format Type	ISO Name ISO Definition XML Tag Type	Contract Format Type Document format type supported to exchange the contracts. CtctFrmtTp DocumentFormat2Choice
2.64	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Contract Reference	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Only one occurrence is allowed. Mandatory if provided in DSO-21. Contract Reference Code choice external/prop Description  identical to the Instruction for Debtor CtctRef ContractReference1
2.65	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Contract Reference ++++Type	ISO Name ISO Definition XML Tag Type	Type Type of the contract referred to. Tp DocumentType1Choice
2.66	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Contract Reference ++++Reference	SEPA Rulebook ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-B026 Activation contract reference. Reference Reference of the contract. Ref Max500Text 1 .. 500 1 .. 500
2.67	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor	ISO Name ISO Definition XML Tag Type	Creditor Party to which an amount of money is due. Cdtr RTPPartyIdentification1
2.68	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Name	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-E001 Name of the Payee. Mandatory. 'Name' is limited to 70 characters in length. Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 70



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22
2.69	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address	<i>SEPA Rulebook</i> AT-E004 Address of the Payee. <i>SEPA Usage Rule(s)</i> Mandatory. <b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
2.70	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Address Type	<b>ISO Name</b> Address Type <b>ISO Definition</b> Identifies the nature of the postal address. <b>XML Tag</b> AdrTp <b>Type</b> AddressType3Choice
2.71	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Department	<b>ISO Name</b> Department <b>ISO Definition</b> Identification of a division of a large organisation or building. <b>XML Tag</b> Dept <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.72	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Sub Department	<b>ISO Name</b> Sub Department <b>ISO Definition</b> Identification of a sub-division of a large organisation or building. <b>XML Tag</b> SubDept <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.73	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Street Name	<b>ISO Name</b> Street Name <b>ISO Definition</b> Name of a street or thoroughfare. <b>XML Tag</b> StrtNm <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.74	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Building Number	<b>ISO Name</b> Building Number <b>ISO Definition</b> Number that identifies the position of a building on a street. <b>XML Tag</b> BldgNb <b>Type</b> Max16Text <b>ISO Length</b> 1 .. 16 <b>SEPA Length</b> 1 .. 16
2.75	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Building Name	<b>ISO Name</b> Building Name <b>ISO Definition</b> Name of the building or house. <b>XML Tag</b> BldgNm <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.76	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Floor	<b>ISO Name</b> Floor <b>ISO Definition</b> Floor or storey within a building. <b>XML Tag</b> Flr <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22	
2.77	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Post Box	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Box Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for. PstBx Max16Text 1 .. 16 1 .. 16
2.78	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Room	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Room Building room number. Room Max70Text 1 .. 70 1 .. 70
2.79	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Post Code	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Code Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail. PstCd Max16Text 1 .. 16 1 .. 16
2.80	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Town Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Name Name of a built-up area, with defined boundaries, and a local government. TwnNm Max35Text 1 .. 35 1 .. 35
2.81	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Town Location Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Location Name Specific location name within the town. TwnLctnNm Max35Text 1 .. 35 1 .. 35
2.82	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++District Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	District Name Identifies a subdivision within a country sub-division. DstrctNm Max35Text 1 .. 35 1 .. 35
2.83	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Country Sub Division	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Country Sub Division Identifies a subdivision of a country such as state, region, county. CtrySubDvsn Max35Text 1 .. 35 1 .. 35
2.84	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Country	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type Pattern	<i>It is recommended that this element is populated even if the country of the Payee is also mentioned under 'Address Line'.</i> Country Nation with its own government. Ctry CountryCode [A-Z]{2,2}



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22
2.85	0..2	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Address Line	<i>SEPA Usage Rule(s)</i> Only two occurrences are allowed. <b>ISO Name</b> Address Line <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services, presented in free format text. <b>XML Tag</b> AdrLine <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.86	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification	<i>SEPA Rulebook</i> AT-E005 Payee's identification code. AT-E002 Trade Name of the Payee. AT-E006 Merchant Category Code of the Payee. <i>SEPA Usage Rule(s)</i> Mandatory. AT-E005 must always be present and be provided either under 'Organisation Identification' or 'Private Identification'. AT-E002 and AT-E006 are mandatory if provided in DSO-21. <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
	1..1		<b>XML Tag</b> xs:choice
2.87	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification	<i>SEPA Usage Rule(s)</i> If AT-E005 'Payee's identification code' is provided it must be present either in 'AnyBIC', 'LEI' or 'Other'. If AT-E005 'Payee's identification code' is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. If AT-E002 'Trade Name of the Payee' and/or AT-E006 'Merchant Category Code of the Payee' are also needed, then up to three occurrences of 'Other' are to be used. - The occurrence of 'Other' related to AT-E005 must contain the Identification Code of the Payee under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'. - The occurrence of 'Other' related to AT-E002 must contain the Trade Name of the Payee under 'Identification' and "BCID" is to be populated in 'Scheme Name/Proprietary'. - The occurrence of 'Other' related to AT-E006 must contain the Merchant Category Code of the Payee under 'Identification' and "BDID" is to be populated in 'Scheme Name/Code'. <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.88	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Any BIC	<i>SEPA Rulebook</i> AT-E005 Payee's identification code. <b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22	
2.89	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++LEI	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>Pattern</b>	<i>AT-E005 Payee's identification code.</i> LEI Legal entity identification as an alternate identification for a party. LEI LEIIdentifier [A-Z0-9]{18,18}[0-9]{2,2}
2.90	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Email Address	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.91	0..3	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Other	<i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>Up to three occurrences are allowed.</i> Other Unique identification of an organisation, as assigned by an institution, using an identification scheme. Othr GenericOrganisationIdentification1
2.92	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Other +++++++Identification	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-E005 Payee's identification code.</i> <i>AT-E002 Trade Name of the Payee.</i> <i>AT-E006 Merchant Category Code of the Payee.</i> Identification Identification assigned by an institution. Id Max35Text 1 .. 35 1 .. 35
2.93	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>Mandatory.</i> Scheme Name Name of the identification scheme. SchmeNm OrganisationIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b>	xs:choice
2.94	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>Only "BOID" (AT-E005) or "BDID" (AT-E006) is allowed.</i> Code Name of the identification scheme, in a coded form as published in an external list. Cd ExternalOrganisationIdentification1Code 1 .. 4 1 .. 4
			<b>SEPA Code Restrictions</b>	
			<b>BDID</b>	<i>BusinessDomainIdentifier</i> Identifier of the business domain in which the organisation is active.
			<b>BOID</b>	<i>BusinessOtherIdentification</i> Other identification of the organisation.



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22
2.95	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Other +++++++Scheme Name +++++++Proprietary	<p><b>SEPA Usage Rule(s)</b> Only "BCID" (AT-E002) is allowed.</p> <p><b>ISO Name</b> Proprietary</p> <p><b>ISO Definition</b> Name of the identification scheme, in a free text form.</p> <p><b>XML Tag</b> Prtry</p> <p><b>Type</b> Max35Text</p> <p><b>ISO Length</b> 1 .. 35</p> <p><b>SEPA Length</b> 1 .. 35</p> <p><b>SEPA Code Restrictions</b></p> <p><b>BCID</b> CommercialIdentification Commercial Identification of the organisation (e.g. Trade Name)</p>
2.96	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Other +++++++Issuer	<p><b>ISO Name</b> Issuer</p> <p><b>ISO Definition</b> Entity that assigns the identification.</p> <p><b>XML Tag</b> Issr</p> <p><b>Type</b> Max35Text</p> <p><b>ISO Length</b> 1 .. 35</p> <p><b>SEPA Length</b> 1 .. 35</p>
2.97	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification	<p><b>SEPA Usage Rule(s)</b> If AT-E005 'Payee's identification code' is provided it must be present in 'Other'. If AT-E005 'Payee's identification code' and/or AT-E002 'Trade Name of the Payee' is to be provided, then up to two occurrences of 'Other' are to be used.</p> <p>- The occurrence of 'Other' related to AT-E005 must contain the Identification Code of the Payee under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'.</p> <p>- The occurrence of 'Other' related to AT-E002 must contain the Trade Name of the Payee under 'Identification' and "PCID" is to be populated in 'Scheme Name/Proprietary'.</p> <p><b>ISO Name</b> Private Identification</p> <p><b>ISO Definition</b> Unique and unambiguous identification of a person, for example a passport.</p> <p><b>XML Tag</b> PrvtId</p> <p><b>Type</b> PersonIdentification17</p>
2.98	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Date And Place Of Birth	<p><b>ISO Name</b> Date And Place Of Birth</p> <p><b>ISO Definition</b> Date and place of birth of a person.</p> <p><b>XML Tag</b> DtAndPlcOfBirth</p> <p><b>Type</b> DateAndPlaceOfBirth1</p>
2.99	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Email Address	<p><b>ISO Name</b> Email Address</p> <p><b>ISO Definition</b> Address for electronic mail (e-mail).</p> <p><b>XML Tag</b> EmailAdr</p> <p><b>Type</b> Max256Text</p> <p><b>ISO Length</b> 1 .. 256</p> <p><b>SEPA Length</b> 1 .. 256</p>



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22
2.100	1..2	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Other	<i>SEPA Usage Rule(s) Mandatory.</i> <i>Up to two occurrences are allowed.</i> <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of a person, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericPersonIdentification1
2.101	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Other +++++++Identification	<i>SEPA Rulebook</i> AT-E005 Payee's Identification Code. AT-E002 Trade Name of the Payee. <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a person. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.102	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s) Mandatory.</i> <b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> PersonIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b> xs:choice
2.103	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s) Only "POID" (AT-E005) is allowed.</i> <b>ISO Name</b> Code <b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list. <b>XML Tag</b> Cd <b>Type</b> ExternalPersonIdentification1 Code <b>ISO Length</b> 1 .. 4 <b>SEPA Length</b> 1 .. 4
			<i>SEPA Code Restrictions</i>
			<b>POID</b> PersonCommercialIdentification Other identification of the person.
2.104	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name +++++++Proprietary	<i>SEPA Usage Rule(s) Only "PCID" (AT-E002) is allowed.</i> <b>ISO Name</b> Proprietary <b>ISO Definition</b> Name of the identification scheme, in a free text form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
			<i>SEPA Code Restrictions</i>
			<b>PCID</b> CommercialIdentification Commercial Identification of the person (e.g. Trade Name)



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22	
2.105	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Other +++++++Issuer	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.106	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Country Of Residence	ISO Name ISO Definition XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.107	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.108	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Ultimate Creditor	ISO Name ISO Definition XML Tag Type	Ultimate Creditor Ultimate party to which an amount of money is due. UltmtCdtr RTPPartyIdentification1
2.109	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party	SEPA Usage Rule(s) Mandatory. The 'Activation Request Delivery Party' is the Payee's SRTP address. ISO Name ISO Definition XML Tag Type Activation Request Delivery Party Creditor's service provider address to which the debtor activation has to be delivered. ActvtnReqDlvryPty RTPPartyIdentification1	
2.110	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 140
2.111	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Postal Address	ISO Name ISO Definition XML Tag Type	Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.112	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification	SEPA Usage Rule(s) Mandatory. The SRTP address of the Payee is to be provided here, which is the combination of AT-E005 Payee's identification code and AT-N002 Identifier of the Payee's RTP Service Provider. 'Private Identification' is to be used if the Payee is a natural person. ISO Name ISO Definition XML Tag Type Identification Unique and unambiguous identification of a party. Id Party49Choice	
	1..1		XML Tag	xs:choice



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22
2.113	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification	<i>SEPA Usage Rule(s) Only 'Other' is allowed.</i> <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.114	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++Any BIC	<b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.115	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++LEI	<b>ISO Name</b> LEI <b>ISO Definition</b> Legal entity identification as an alternate identification for a party. <b>XML Tag</b> LEI <b>Type</b> LEIIdentifier <b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}
2.116	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.117	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++Other	<i>SEPA Usage Rule(s) Only one occurrence is allowed. Mandatory.</i> <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1
2.118	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++Other +++++++Identification	<i>SEPA Rulebook AT-E005 Payee's identification code.</i> <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.119	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++Other +++++++Scheme Name	<b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> OrganisationIdentificationSchemeName1Choice



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22
2.120	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification +++++Other +++++Issuer	<i>SEPA Rulebook</i> AT-N002 Identifier of the Payee's RTP Service Provider. <i>SEPA Usage Rule(s)</i> Mandatory. <b>ISO Name</b> Issuer <b>ISO Definition</b> Entity that assigns the identification. <b>XML Tag</b> Issr <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.121	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification	<i>SEPA Usage Rule(s)</i> Only 'Other' is allowed. <b>ISO Name</b> Private Identification <b>ISO Definition</b> Unique and unambiguous identification of a person, for example a passport. <b>XML Tag</b> PrvtId <b>Type</b> PersonIdentification17
2.122	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification +++++Date And Place Of Birth	<b>ISO Name</b> Date And Place Of Birth <b>ISO Definition</b> Date and place of birth of a person. <b>XML Tag</b> DtAndPlcOfBirth <b>Type</b> DateAndPlaceOfBirth1
2.123	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification +++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.124	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification +++++Other	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed. <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of a person, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericPersonIdentification1
2.125	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification +++++Other +++++Identification	<i>SEPA Rulebook</i> AT-E005 Payee's identification code. <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a person. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.126	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification +++++Other +++++Scheme Name	<b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> PersonIdentificationSchemeName1Choice



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22	
2.127	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification ++++++Other +++++++Issuer	<i>SEPA Rulebook</i> <i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <i>SEPA Length</i>	<i>AT-N002 Identifier of the Payee's RTP Service Provider.</i> <i>Mandatory.</i> Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 <i>1 .. 35</i>
2.128	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Country Of Residence	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b> <b>Pattern</b>	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.129	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Contact Details	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.130	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Start Date	<i>SEPA Rulebook</i> <i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	<i>AT-B024 Activation start date.</i> <i>Mandatory if provided in DSO-21.</i> Start Date Date and time at which the debtor activation will be activated. StartDt DateAndDateTime2Choice
	1..1		<b>XML Tag</b>	xs:choice
2.131	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Start Date ++++Date	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Date Specified date. Dt ISODate
2.132	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Start Date ++++Date Time	<i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>Only UTC time format or local time with UTC offset format can be used.</i> Date Time Specified date and time. DtTm ISODateTime
2.133	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++End Date	<i>SEPA Rulebook</i> <i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	<i>AT-B025 Activation end date.</i> <i>Mandatory if provided in DSO-21.</i> End Date Date and time at which the debtor activation will be deactivated. EndDt DateAndDateTime2Choice
	1..1		<b>XML Tag</b>	xs:choice
2.134	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++End Date ++++Date	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Date Specified date. Dt ISODate



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-22
2.135	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++End Date ++++Date Time	<i>SEPA Usage Rule(s)</i> Only UTC time format or local time with UTC offset format can be used. <b>ISO Name</b> Date Time <b>ISO Definition</b> Specified date and time. <b>XML Tag</b> DtTm <b>Type</b> ISODateTime
2.136	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Dedicated Activation Code	<i>SEPA Rulebook</i> AT-B029 Dedicated activation code. <i>SEPA Usage Rule(s)</i> Mandatory if provided in DSO-21. <b>ISO Name</b> Dedicated Activation Code <b>ISO Definition</b> Unique, one-time code that a creditor may require from a debtor for activation purposes, and which is known only by the creditor and the debtor. <b>XML Tag</b> DdctdActvtnCd <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <i>SEPA Length</i> 1 .. 35
3.0	1..1	Document +Request To Pay Debtor Activation Request V01 ++Electronic Invoice Data	<b>ISO Name</b> Electronic Invoice Data <b>ISO Definition</b> Further data related to the electronic invoice (e-invoice). <b>XML Tag</b> ElectrncInvcData <b>Type</b> ElectronicInvoice1
3.1	1..1	Document +Request To Pay Debtor Activation Request V01 ++Electronic Invoice Data +++Presentment Type	<i>SEPA Rulebook</i> AT-B030 Requested e-invoice type. <b>ISO Name</b> Presentment Type <b>ISO Definition</b> Type of elements to be presented in the electronic invoice (e-invoice). <b>XML Tag</b> PresntmntTp <b>Type</b> PresentmentType1Code
4.0	0..n	Document +Request To Pay Debtor Activation Request V01 ++Supplementary Data	<b>ISO Name</b> Supplementary Data <b>ISO Definition</b> Additional information that cannot be captured in the structured elements and/or any other specific block. <b>XML Tag</b> SplmtryData <b>Type</b> SupplementaryData1



## 2.2 Payee's to Payer's RTP Service Provider RTP Activation Request Dataset (DSO-06)

This dataset and the message description below correspond with line '1 - ActA-01' in Annex 'Overview of functional activation flows'.

### 2.2.1 Use of the Request To Pay Debtor Activation Request (reda.070.001.01)

The Payee's RTP Service Provider sends the RTP Activation Request to the Payer's RTP Service Provider.

The message caters for one single Activation Request.

The following should be noted:

- Index 1.1 'Message Identification' must start with "PAYEE/".
- The Payee (or a technical provider of the Payee) is identified as the 'Initiating Party' of the Activation Request.
- Index 2.48 'Debtor Solution Provider/Identification' to be populated with AT-N002 'Identifier of the Payee's RTP Service Provider'.
- Index 2.62 'Customer Identification' to be populated with AT-B036 'Identification of the Payee expected by the Payer'.
- Index 2.112 'Activation Request Delivery Party/Identification' is to be populated with the Payer's SRTP address, which is the combination of AT-P009 'Identifier of the Payer' and AT-N001 'Identifier of the Payer's RTP Service Provider'. Depending on whether the Payer is a corporate or natural person, data element 'Activation Request Delivery Party/Identification/Organisation Identification' or 'Activation Request Delivery Party/Identification/Private Identification' is to be used.
- When a SEPA Usage Rule refers to "DSO-05", please consider that this message is covered under document 'EPC253-23 Payee-Payee's RTP SP SRTP E&A IG 2023 V1.0'.



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06	
		Document	<b>XML Tag Type</b>	Document Document
	1..1	Document +Request To Pay Debtor Activation Request V01	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Request To Pay Debtor Activation Request V01 The RequestToPayDebtorActivationRequest message is sent by the debtor RTP (Request To Pay) provider to the creditor RTP provider and optionally from the debtor to its RTP provider and from the creditor RTP provider to the creditor to request the debtor activation of the RTP service with that specific creditor. ReqToPayDbtrActvtnReq RequestToPayDebtorActivationRequestV01
1.0	1..1	Document +Request To Pay Debtor Activation Request V01 ++Header	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Header Header data for the creditor enrolment request. Hdr ActivationHeader2
1.1	1..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Message Identification	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>Must start with "PAYEE/"</i> Message Identification Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.  Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period. MsgId Max35Text 1 .. 35 1 .. 35
1.2	1..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Creation Date Time	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Creation Date Time Date and time at which the message was created. CreDtTm ISODateTime
1.3	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Message Originator	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Originator Party that sends the message. MsgOrgtr RTPPartyIdentification1
1.4	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Message Recipient	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Recipient Party that receives the message. MsgRcpt RTPPartyIdentification1
1.5	1..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Initiating Party	<b>SEPA Usage Rule(s)</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	<i>The initiating party may either be the Payee or a technical provider of the Payee. The identification of the initiating party is agreed with the Payee's RTP Service Provider.</i> Initiating Party Party that initiates the message. This can either be the debtor himself or the party that initiates the request on behalf of the debtor. InitgPty RTPPartyIdentification1
1.6	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Initiating Party ++++Name	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>'Name' is limited to 70 characters in length.</i> Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 70



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06	
1.7	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Initiating Party ++++Postal Address	ISO Name ISO Definition XML Tag Type	Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
1.8	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Initiating Party ++++Identification	ISO Name ISO Definition XML Tag Type	Identification Unique and unambiguous identification of a party. Id Party49Choice
1.9	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Initiating Party ++++Country Of Residence	ISO Name ISO Definition XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
1.10	0..1	Document +Request To Pay Debtor Activation Request V01 ++Header +++Initiating Party ++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.0	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Only one occurrence is allowed. Activation request initiated by the Payee. Debtor Activation Specific attributes provided the debtor, as requested by the creditor, for the activation request. DbtrActvtn DebtorActivation3
2.1	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Activation Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-B027 Activation counterpart reference. Mandatory if provided in DSO-05. Debtor Activation Identification Unique identification, as assigned by the initiating party, to unambiguously identify the activation.  Usage: This element may be used for technical reconciliation purpose. DbtrActvtnId Max35Text 1 .. 35 1 .. 35
2.2	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Display Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Display Name Name by which the debtor is known, other than legal name, such as the name to be shown to the creditor. DispNm Max140Text 1 .. 140 1 .. 140
2.3	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Ultimate Debtor	ISO Name ISO Definition XML Tag Type	Ultimate Debtor Ultimate party that owes an amount of money to the (ultimate) creditor. UltmtDbtr RTPPartyIdentification1



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06	
2.4	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor	ISO Name ISO Definition XML Tag Type	Debtor Party that owes an amount of money to the (ultimate) creditor. Dbtr RTPPartyIdentification1
2.5	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Name	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-P001 Name of the Payer. 'Name' is limited to 70 characters in length. Mandatory. Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 70
2.6	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-P005 Address of the Payer. Mandatory. Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.7	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Address Type	ISO Name ISO Definition XML Tag Type	Address Type Identifies the nature of the postal address. AdrTp AddressType3Choice
2.8	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Department	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Department Identification of a division of a large organisation or building. Dept Max70Text 1 .. 70 1 .. 70
2.9	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Sub Department	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Sub Department Identification of a sub-division of a large organisation or building. SubDept Max70Text 1 .. 70 1 .. 70
2.10	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Street Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Street Name Name of a street or thoroughfare. StrtNm Max70Text 1 .. 70 1 .. 70
2.11	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Building Number	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Building Number Number that identifies the position of a building on a street. BldgNb Max16Text 1 .. 16 1 .. 16



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06	
2.12	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Building Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Building Name Name of the building or house. BldgNm Max35Text 1 .. 35 1 .. 35
2.13	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Floor	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Floor Floor or storey within a building. Flr Max70Text 1 .. 70 1 .. 70
2.14	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Post Box	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Box Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for. PstBx Max16Text 1 .. 16 1 .. 16
2.15	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Room	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Room Building room number. Room Max70Text 1 .. 70 1 .. 70
2.16	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Post Code	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Code Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail. PstCd Max16Text 1 .. 16 1 .. 16
2.17	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Town Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Name Name of a built-up area, with defined boundaries, and a local government. TwnNm Max35Text 1 .. 35 1 .. 35
2.18	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Town Location Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Location Name Specific location name within the town. TwnLctnNm Max35Text 1 .. 35 1 .. 35
2.19	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++District Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	District Name Identifies a subdivision within a country sub-division. DstrctNm Max35Text 1 .. 35 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.20	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Country Sub Division	ISO Name Country Sub Division ISO Definition Identifies a subdivision of a country such as state, region, county. XML Tag CtrySubDvsn Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.21	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Country	SEPA Usage Rule(s) It is recommended that this element is populated even if the country of the Payer is also mentioned under 'Address Line'. ISO Name Country ISO Definition Nation with its own government. XML Tag Ctry Type CountryCode Pattern [A-Z]{2,2}
2.22	0..2	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Postal Address +++++Address Line	SEPA Usage Rule(s) Only two occurrences are allowed. ISO Name Address Line ISO Definition Information that locates and identifies a specific address, as defined by postal services, presented in free format text. XML Tag AdrLine Type Max70Text ISO Length 1 .. 70 SEPA Length 1 .. 70
2.23	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification	SEPA Rulebook AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. AT-P017 Customer Category Code. SEPA Usage Rule(s) AT-P009 must always be present and be provided either under 'Organisation Identification' or 'Private Identification'. Mandatory. AT-P002 and AT-P017 are mandatory if provided in DSO-05. ISO Name Identification ISO Definition Unique and unambiguous identification of a party. XML Tag Id Type Party49Choice
	1..1		XML Tag xs:choice
2.24	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification	SEPA Usage Rule(s) If AT-P009 is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. If AT-P002 and/or AT-P017 are also needed, then up to three occurrences of 'Other' are to be used. - The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'. - The occurrence of 'Other' related to AT-P002 must contain the Trade Name of the Payer under 'Identification' and "BCID" is to be populated in 'Scheme Name/Proprietary'. - The occurrence of 'Other' related to AT-P017 must contain the Customer Category Code under 'Identification' and "BDID" is to be populated in 'Scheme Name/Code'. ISO Name Organisation Identification ISO Definition Unique and unambiguous way to identify an organisation. XML Tag OrgId Type OrganisationIdentification37



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.25	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++Any BIC	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer. <i>ISO Name</i> Any BIC <i>ISO Definition</i> Business identification code of the organisation. <i>XML Tag</i> AnyBIC <i>Type</i> AnyBICDec2014Identifier <i>Pattern</i> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.26	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++LEI	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer. <i>ISO Name</i> LEI <i>ISO Definition</i> Legal entity identification as an alternate identification for a party. <i>XML Tag</i> LEI <i>Type</i> LEIIdentifier <i>Pattern</i> [A-Z0-9]{18,18}[0-9]{2,2}
2.27	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++Email Address	<i>ISO Name</i> Email Address <i>ISO Definition</i> Address for electronic mail (e-mail). <i>XML Tag</i> EmailAdr <i>Type</i> Max256Text <i>ISO Length</i> 1 .. 256 <i>SEPA Length</i> 1 .. 256
2.28	0..3	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++Other	<i>SEPA Usage Rule(s)</i> Up to 3 occurrences are allowed. <i>ISO Name</i> Other <i>ISO Definition</i> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <i>XML Tag</i> Othr <i>Type</i> GenericOrganisationIdentification1
2.29	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++Other ++++++Identification	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. AT-P017 Customer Category Code. <i>ISO Name</i> Identification <i>ISO Definition</i> Identification assigned by an institution. <i>XML Tag</i> Id <i>Type</i> Max35Text <i>ISO Length</i> 1 .. 35 <i>SEPA Length</i> 1 .. 35
2.30	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++Other ++++++Scheme Name	<i>SEPA Usage Rule(s)</i> Mandatory. <i>ISO Name</i> Scheme Name <i>ISO Definition</i> Name of the identification scheme. <i>XML Tag</i> SchmeNm <i>Type</i> OrganisationIdentificationSchemeName1Choice
	1..1		<i>XML Tag</i> xs:choice
2.31	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification ++++++Other ++++++Scheme Name ++++++Code	<i>SEPA Usage Rule(s)</i> Only "BOID" (AT-P009) or "BDID" (AT-P017) are allowed. <i>ISO Name</i> Code <i>ISO Definition</i> Name of the identification scheme, in a coded form as published in an external list. <i>XML Tag</i> Cd <i>Type</i> ExternalOrganisationIdentification1Code <i>ISO Length</i> 1 .. 4 <i>SEPA Length</i> 1 .. 4

#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
			<b>SEPA Code Restrictions</b>
			<b>BDID</b> BusinessDomainIdentifier Identifier of the business domain in which the organisation is active.
			<b>BOID</b> BusinessOtherIdentification Other identification of the organisation.
2.32	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification +++++Other +++++Scheme Name +++++Proprietary	<b>SEPA Usage Rule(s)</b> Only "BCID" (AT-P002) is allowed. <b>ISO Name</b> Proprietary <b>ISO Definition</b> Name of the identification scheme, in a free text form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
			<b>SEPA Code Restrictions</b>
			<b>BCID</b> CommercialIdentification Commercial Identification of the organisation (e.g. Trade Name)
2.33	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Organisation Identification +++++Other +++++Issuer	<b>ISO Name</b> Issuer <b>ISO Definition</b> Entity that assigns the identification. <b>XML Tag</b> Issr <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.34	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification	<b>SEPA Usage Rule(s)</b> If both AT-P009 and AT-P002 are present, then up to two occurrences of 'Other' are to be used. - The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'. - The occurrence of 'Other' related to AT-P002 must contain the Trade Name of the Payer under 'Identification' and "PCID" is to be populated in 'Scheme Name/Proprietary'. <b>ISO Name</b> Private Identification <b>ISO Definition</b> Unique and unambiguous identification of a person, for example a passport. <b>XML Tag</b> PrvtId <b>Type</b> PersonIdentification17
2.35	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification +++++Date And Place Of Birth	<b>ISO Name</b> Date And Place Of Birth <b>ISO Definition</b> Date and place of birth of a person. <b>XML Tag</b> DtAndPlcOfBirth <b>Type</b> DateAndPlaceOfBirth1



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.36	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification ++++++Email Address	ISO Name      Email Address ISO Definition      Address for electronic mail (e-mail). XML Tag      EmailAdr Type      Max256Text ISO Length      1 .. 256 SEPA Length      1 .. 256
2.37	1..2	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification ++++++Other	SEPA Usage Rule(s) <i>Mandatory.</i> <i>Up to two occurrences are allowed.</i> ISO Name      Other ISO Definition      Unique identification of a person, as assigned by an institution, using an identification scheme. XML Tag      Othr Type      GenericPersonIdentification1
2.38	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification ++++++Other +++++++Identification	SEPA Rulebook      AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. ISO Name      Identification ISO Definition      Unique and unambiguous identification of a person. XML Tag      Id Type      Max35Text ISO Length      1 .. 35 SEPA Length      1 .. 35
2.39	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name	SEPA Usage Rule(s) <i>Mandatory.</i> ISO Name      Scheme Name ISO Definition      Name of the identification scheme. XML Tag      SchmeNm Type      PersonIdentificationSchemeName1Choice
	1..1		XML Tag      xs:choice
2.40	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name +++++++Code	SEPA Usage Rule(s) <i>Only "POID" (AT-P009) is allowed.</i> ISO Name      Code ISO Definition      Name of the identification scheme, in a coded form as published in an external list. XML Tag      Cd Type      ExternalPersonIdentification1Code ISO Length      1 .. 4 SEPA Length      1 .. 4
			SEPA Code Restrictions
			POID      PersonCommercialIdentification Other identification of the person.
2.41	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name +++++++Proprietary	SEPA Usage Rule(s) <i>Only "PCID" (AT-P002) is allowed.</i> ISO Name      Proprietary ISO Definition      Name of the identification scheme, in a free text form. XML Tag      Prtry Type      Max35Text ISO Length      1 .. 35 SEPA Length      1 .. 35
			SEPA Code Restrictions
			PCID      CommercialIdentification Commercial Identification of the person (e.g.



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06	
			<i>SEPA Code Restrictions</i>	
			<i>Trade Name)</i>	
2.42	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Identification +++++Private Identification +++++Other ++++++Issuer	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.43	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Country Of Residence	ISO Name ISO Definition  XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.44	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor ++++Contact Details	ISO Name ISO Definition  XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.45	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider	ISO Name ISO Definition  XML Tag Type	Debtor Solution Provider Organisation servicing the e-invoicing for the debtor (to which the activation status report must be sent). DbtrSolPrvdr RTPPartyIdentification1
2.46	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 140
2.47	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Postal Address	ISO Name ISO Definition  XML Tag Type	Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.48	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-N002 Identifier of the Payee's RTP Service Provider. Mandatory. Identification Unique and unambiguous identification of a party. Id Party49Choice
	1..1		XML Tag	xs:choice



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.49	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification	<b>SEPA Usage Rule(s)</b> <i>If the Payee's RTP Service Provider is a PSP, either 'AnyBIC', 'LEI' or 'Other/Identification' must be used. If the Payee's RTP Service Provider is not a PSP, 'Other/Identification' must be used.</i>  <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.50	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification ++++++Any BIC	<b>SEPA Usage Rule(s)</b> <i>To be used only if the Payee's RTP Service Provider is a PSP.</i>  <b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.51	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification ++++++LEI	<b>SEPA Usage Rule(s)</b> <i>To be used only if the Payee's RTP Service Provider is a PSP.</i>  <b>ISO Name</b> LEI <b>ISO Definition</b> Legal entity identification as an alternate identification for a party. <b>XML Tag</b> LEI <b>Type</b> LEIIdentifier <b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}
2.52	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification ++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.53	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification ++++++Other	<b>SEPA Usage Rule(s)</b> <i>To be used if the Payee's RTP Service Provider is a PSP and AT-N002 relates to another identifier than 'AnyBIC' or 'LEI'. Always to be used if the Payee's RTP Service Provider is NOT a PSP. Only one occurrence is allowed.</i>  <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1
2.54	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification ++++++Other +++++++Identification	<b>SEPA Usage Rule(s)</b> <i>To be used if the Payee's RTP Service Provider is a PSP and AT-N002 relates to another identifier than 'BIC' or 'LEI'. If the Payee's RTP Service Provider is NOT a PSP, any type of identifier which AT-N002 relates to must be provided here.</i>  <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.55	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification +++++Other +++++Scheme Name	<b>SEPA Usage Rule(s)</b> <i>If the Payee's RTP Service Provider is a PSP and 'Other/Identification' is used then the appropriate 'Scheme Name' may be populated here.</i> <i>If the Payee's RTP Service Provider is NOT a PSP, this element should be populated with "ANYBIC" or "LEI" under 'Proprietary', if applicable. In case of another identification, the appropriate 'Scheme Name' may be populated here.</i> <b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> OrganisationIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b> xs:choice
2.56	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification +++++Other +++++Scheme Name +++++Code	<b>ISO Name</b> Code <b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list. <b>XML Tag</b> Cd <b>Type</b> ExternalOrganisationIdentification1Code <b>ISO Length</b> 1 .. 4 <b>SEPA Length</b> 1 .. 4
2.57	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification +++++Other +++++Scheme Name +++++Proprietary	<b>SEPA Usage Rule(s)</b> <i>If applicable, "ANYBIC" or "LEI" must be mentioned here.</i> <b>ISO Name</b> Proprietary <b>ISO Definition</b> Name of the identification scheme, in a free text form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.58	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Organisation Identification +++++Other +++++Issuer	<b>ISO Name</b> Issuer <b>ISO Definition</b> Entity that assigns the identification. <b>XML Tag</b> Issr <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.59	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Identification +++++Private Identification	<b>ISO Name</b> Private Identification <b>ISO Definition</b> Unique and unambiguous identification of a person, for example a passport. <b>XML Tag</b> PrvtId <b>Type</b> PersonIdentification17
2.60	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Country Of Residence	<b>ISO Name</b> Country Of Residence <b>ISO Definition</b> Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. <b>XML Tag</b> CtryOfRes <b>Type</b> CountryCode <b>Pattern</b> [A-Z]{2,2}



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06	
2.61	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Debtor Solution Provider ++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.62	0..n	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Customer Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-B036 Identification of the Payee expected by the Payer. Mandatory if provided in DSO-05. Customer Identification Unique identifier of the debtor required by the creditor, for example the reference number or customer number. Unique identification provided by the web bank or web payment services user, with which the creditor may identify the debtor in its system. CstmrId Party49Choice
2.63	0..n	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Contract Format Type	ISO Name ISO Definition XML Tag Type	Contract Format Type Document format type supported to exchange the contracts. CtctFrmtTp DocumentFormat2Choice
2.64	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Contract Reference	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Only one occurrence is allowed. Mandatory if provided in DSO-05. Contract Reference Code choice external/prop Description  identical to the Instruction for Debtor CtctRef ContractReference1
2.65	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Contract Reference ++++Type	ISO Name ISO Definition XML Tag Type	Type Type of the contract referred to. Tp DocumentType1Choice
2.66	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Contract Reference ++++Reference	SEPA Rulebook ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-B026 Activation contract reference. Reference Reference of the contract. Ref Max500Text 1 .. 500 1 .. 500
2.67	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor	ISO Name ISO Definition XML Tag Type	Creditor Party to which an amount of money is due. Cdtr RTPPartyIdentification1
2.68	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Name	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-E001 Name of the Payee. Mandatory. 'Name' is limited to 70 characters in length. Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 70



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.69	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address	<i>SEPA Rulebook</i> AT-E004 Address of the Payee. <i>SEPA Usage Rule(s)</i> Mandatory. <b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
2.70	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Address Type	<b>ISO Name</b> Address Type <b>ISO Definition</b> Identifies the nature of the postal address. <b>XML Tag</b> AdrTp <b>Type</b> AddressType3Choice
2.71	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Department	<b>ISO Name</b> Department <b>ISO Definition</b> Identification of a division of a large organisation or building. <b>XML Tag</b> Dept <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.72	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Sub Department	<b>ISO Name</b> Sub Department <b>ISO Definition</b> Identification of a sub-division of a large organisation or building. <b>XML Tag</b> SubDept <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.73	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Street Name	<b>ISO Name</b> Street Name <b>ISO Definition</b> Name of a street or thoroughfare. <b>XML Tag</b> StrtNm <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.74	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Building Number	<b>ISO Name</b> Building Number <b>ISO Definition</b> Number that identifies the position of a building on a street. <b>XML Tag</b> BldgNb <b>Type</b> Max16Text <b>ISO Length</b> 1 .. 16 <b>SEPA Length</b> 1 .. 16
2.75	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Building Name	<b>ISO Name</b> Building Name <b>ISO Definition</b> Name of the building or house. <b>XML Tag</b> BldgNm <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.76	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Floor	<b>ISO Name</b> Floor <b>ISO Definition</b> Floor or storey within a building. <b>XML Tag</b> Flr <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06	
2.77	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Post Box	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Box Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for. PstBx Max16Text 1 .. 16 1 .. 16
2.78	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Room	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Room Building room number. Room Max70Text 1 .. 70 1 .. 70
2.79	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Post Code	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Code Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail. PstCd Max16Text 1 .. 16 1 .. 16
2.80	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Town Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Name Name of a built-up area, with defined boundaries, and a local government. TwnNm Max35Text 1 .. 35 1 .. 35
2.81	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Town Location Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Location Name Specific location name within the town. TwnLctnNm Max35Text 1 .. 35 1 .. 35
2.82	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++District Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	District Name Identifies a subdivision within a country sub-division. DstrctNm Max35Text 1 .. 35 1 .. 35
2.83	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Country Sub Division	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Country Sub Division Identifies a subdivision of a country such as state, region, county. CtrySubDvsn Max35Text 1 .. 35 1 .. 35
2.84	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Country	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type Pattern	<i>It is recommended that this element is populated even if the country of the Payee is also mentioned under 'Address Line'.</i> Country Nation with its own government. Ctry CountryCode [A-Z]{2,2}



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.85	0..2	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Postal Address +++++Address Line	<i>SEPA Usage Rule(s)</i> Only two occurrences are allowed. <b>ISO Name</b> Address Line <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services, presented in free format text. <b>XML Tag</b> AdrLine <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.86	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification	<i>SEPA Rulebook</i> AT-E005 Payee's identification code. AT-E002 Trade Name of the Payee. AT-E006 Merchant Category Code of the Payee. <i>SEPA Usage Rule(s)</i> Mandatory. AT-E005 must always be present and be provided either under 'Organisation Identification' or 'Private Identification'. AT-E002 and AT-E006 are mandatory if provided in DSO-05. <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
	1..1		<b>XML Tag</b> xs:choice
2.87	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification	<i>SEPA Usage Rule(s)</i> If AT-E005 'Payee's identification code' is provided it must be present either in 'AnyBIC', 'LEI' or 'Other'. If AT-E005 'Payee's identification code' is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. If AT-E002 'Trade Name of the Payee' and/or AT-E006 'Merchant Category Code of the Payee' are also needed, then up to three occurrences of 'Other' are to be used. - The occurrence of 'Other' related to AT-E005 must contain the Identification Code of the Payee under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'. - The occurrence of 'Other' related to AT-E002 must contain the Trade Name of the Payee under 'Identification' and "BCID" is to be populated in 'Scheme Name/Proprietary'. - The occurrence of 'Other' related to AT-E006 must contain the Merchant Category Code of the Payee under 'Identification' and "BDID" is to be populated in 'Scheme Name/Code'. <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.88	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Any BIC	<i>SEPA Rulebook</i> AT-E005 Payee's identification code. <b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.89	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++LEI	<i>SEPA Rulebook</i> AT-E005 Payee's identification code. <b>ISO Name</b> LEI <b>ISO Definition</b> Legal entity identification as an alternate identification for a party. <b>XML Tag</b> LEI <b>Type</b> LEIIdentifier <b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}
2.90	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.91	0..3	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Other	<i>SEPA Usage Rule(s)</i> Up to three occurrences are allowed. <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1
2.92	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Other +++++++Identification	<i>SEPA Rulebook</i> AT-E005 Payee's identification code. AT-E002 Trade Name of the Payee. AT-E006 Merchant Category Code of the Payee. <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.93	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s)</i> Mandatory. <b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> OrganisationIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b> xs:choice
2.94	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s)</i> Only "BOID" (AT-E005) or "BDID" (AT-E006) are allowed. <b>ISO Name</b> Code <b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list. <b>XML Tag</b> Cd <b>Type</b> ExternalOrganisationIdentification1Code <b>ISO Length</b> 1 .. 4 <b>SEPA Length</b> 1 .. 4
			<b>SEPA Code Restrictions</b>
			<b>BDID</b> BusinessDomainIdentifier Identifier of the business domain in which the organisation is active.
			<b>BOID</b> BusinessOtherIdentification Other identification of the organisation.



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.95	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Other +++++++Scheme Name +++++++Proprietary	<p><b>SEPA Usage Rule(s)</b> Only "BCID" (AT-E002) is allowed.</p> <p><b>ISO Name</b> Proprietary</p> <p><b>ISO Definition</b> Name of the identification scheme, in a free text form.</p> <p><b>XML Tag</b> Prtry</p> <p><b>Type</b> Max35Text</p> <p><b>ISO Length</b> 1 .. 35</p> <p><b>SEPA Length</b> 1 .. 35</p> <p><b>SEPA Code Restrictions</b></p> <p><b>BCID</b> CommercialIdentification Commercial Identification of the organisation (e.g. Trade Name)</p>
2.96	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Organisation Identification ++++++Other +++++++Issuer	<p><b>ISO Name</b> Issuer</p> <p><b>ISO Definition</b> Entity that assigns the identification.</p> <p><b>XML Tag</b> Issr</p> <p><b>Type</b> Max35Text</p> <p><b>ISO Length</b> 1 .. 35</p> <p><b>SEPA Length</b> 1 .. 35</p>
2.97	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification	<p><b>SEPA Usage Rule(s)</b> If AT-E005 'Payee's identification code' is provided it must be present in 'Other'. If AT-E005 'Payee's identification code' and/or AT-E002 'Trade Name of the Payee' is to be provided, then up to two occurrences of 'Other' are to be used.</p> <p>- The occurrence of 'Other' related to AT-E005 must contain the Identification Code of the Payee under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'.</p> <p>- The occurrence of 'Other' related to AT-E002 must contain the Trade Name of the Payee under 'Identification' and "PCID" is to be populated in 'Scheme Name/Proprietary'.</p> <p><b>ISO Name</b> Private Identification</p> <p><b>ISO Definition</b> Unique and unambiguous identification of a person, for example a passport.</p> <p><b>XML Tag</b> PrvtId</p> <p><b>Type</b> PersonIdentification17</p>
2.98	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Date And Place Of Birth	<p><b>ISO Name</b> Date And Place Of Birth</p> <p><b>ISO Definition</b> Date and place of birth of a person.</p> <p><b>XML Tag</b> DtAndPlcOfBirth</p> <p><b>Type</b> DateAndPlaceOfBirth1</p>
2.99	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Email Address	<p><b>ISO Name</b> Email Address</p> <p><b>ISO Definition</b> Address for electronic mail (e-mail).</p> <p><b>XML Tag</b> EmailAdr</p> <p><b>Type</b> Max256Text</p> <p><b>ISO Length</b> 1 .. 256</p> <p><b>SEPA Length</b> 1 .. 256</p>



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.100	1..2	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Other	<i>SEPA Usage Rule(s) Mandatory.</i> <i>Up to two occurrences are allowed.</i> <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of a person, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericPersonIdentification1
2.101	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Other +++++++Identification	<i>SEPA Rulebook</i> AT-E005 Payee's Identification Code. AT-E002 Trade Name of the Payee. <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a person. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.102	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s) Mandatory.</i> <b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> PersonIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b> xs:choice
2.103	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s) Only "POID" (AT-E005) is allowed.</i> <b>ISO Name</b> Code <b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list. <b>XML Tag</b> Cd <b>Type</b> ExternalPersonIdentification1 Code <b>ISO Length</b> 1 .. 4 <b>SEPA Length</b> 1 .. 4
			<i>SEPA Code Restrictions</i>
			<b>POID</b> PersonCommercialIdentification Other identification of the person.
2.104	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name +++++++Proprietary	<i>SEPA Usage Rule(s) Only "PCID" (AT-E002) is allowed.</i> <b>ISO Name</b> Proprietary <b>ISO Definition</b> Name of the identification scheme, in a free text form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
			<i>SEPA Code Restrictions</i>
			<b>PCID</b> CommercialIdentification Commercial Identification of the person (e.g. Trade Name)



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06	
2.105	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Identification +++++Private Identification ++++++Other +++++++Issuer	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.106	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Country Of Residence	ISO Name ISO Definition XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.107	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Creditor ++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.108	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Ultimate Creditor	ISO Name ISO Definition XML Tag Type	Ultimate Creditor Ultimate party to which an amount of money is due. UltmtCdtr RTPPartyIdentification1
2.109	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party	SEPA Usage Rule(s) <i>Mandatory.</i> <i>The 'Activation Request Delivery Party' is the Payer's SRTP address.</i> ISO Name ISO Definition XML Tag Type	
2.110	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 140
2.111	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Postal Address	ISO Name ISO Definition XML Tag Type	Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.112	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification	SEPA Usage Rule(s) <i>The SRTP address of the Payer is to be provided here, which is the combination of AT-P009 Identifier of the Payer and AT-N001 Identifier of the Payer's RTP Service Provider.</i> <i>Mandatory.</i> <i>'Private Identification' is to be used if the Payer is a natural person.</i> ISO Name ISO Definition XML Tag Type	
	1..1		XML Tag	xs:choice



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.113	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification	<i>SEPA Usage Rule(s) Only 'Other' is allowed.</i> <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.114	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++Any BIC	<b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.115	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++LEI	<b>ISO Name</b> LEI <b>ISO Definition</b> Legal entity identification as an alternate identification for a party. <b>XML Tag</b> LEI <b>Type</b> LEIIdentifier <b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}
2.116	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.117	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++Other	<i>SEPA Usage Rule(s) Only one occurrence is allowed. Mandatory.</i> <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1
2.118	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++Other +++++++Identification	<i>SEPA Rulebook AT-P009 Identifier of the Payer.</i> <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.119	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++Other +++++++Scheme Name	<b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> OrganisationIdentificationSchemeName1Choice



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.120	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Organisation Identification ++++++Other +++++++Issuer	<i>SEPA Rulebook</i> AT-N001 Identifier of the Payer's RTP Service Provider. <i>SEPA Usage Rule(s)</i> Mandatory. <b>ISO Name</b> Issuer <b>ISO Definition</b> Entity that assigns the identification. <b>XML Tag</b> Issr <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.121	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification	<i>SEPA Usage Rule(s)</i> Only 'Other' is allowed. <b>ISO Name</b> Private Identification <b>ISO Definition</b> Unique and unambiguous identification of a person, for example a passport. <b>XML Tag</b> PrvtId <b>Type</b> PersonIdentification17
2.122	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification +++++Date And Place Of Birth	<b>ISO Name</b> Date And Place Of Birth <b>ISO Definition</b> Date and place of birth of a person. <b>XML Tag</b> DtAndPlcOfBirth <b>Type</b> DateAndPlaceOfBirth1
2.123	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification +++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.124	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification +++++Other	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed. <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of a person, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericPersonIdentification1
2.125	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification ++++++Other +++++++Identification	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer. <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a person. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.126	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification ++++++Other +++++++Scheme Name	<b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> PersonIdentificationSchemeName1Choice



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06	
2.127	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Identification +++++Private Identification ++++++Other +++++++Issuer	<i>SEPA Rulebook</i> <i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <i>SEPA Length</i>	<i>AT-N001 Identifier of the Payer's RTP Service Provider.</i> <i>Mandatory.</i> Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 <i>1 .. 35</i>
2.128	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Country Of Residence	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b> <b>Pattern</b>	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.129	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Activation Request Delivery Party ++++Contact Details	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.130	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Start Date	<i>SEPA Rulebook</i> <i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	<i>AT-B024 Activation start date.</i> <i>Mandatory if provided in DSO-05.</i> Start Date Date and time at which the debtor activation will be activated. StartDt DateAndDateTime2Choice
	1..1		<b>XML Tag</b>	xs:choice
2.131	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Start Date ++++Date	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Date Specified date. Dt ISODate
2.132	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Start Date ++++Date Time	<i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>Only UTC time format or local time with UTC offset format can be used.</i> Date Time Specified date and time. DtTm ISODateTime
2.133	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++End Date	<i>SEPA Rulebook</i> <i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	<i>AT-B025 Activation end date.</i> <i>Mandatory if provided in DSO-05.</i> End Date Date and time at which the debtor activation will be deactivated. EndDt DateAndDateTime2Choice
	1..1		<b>XML Tag</b>	xs:choice
2.134	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++End Date ++++Date	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Date Specified date. Dt ISODate



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Request SEPA Core Requirements - DSO-06
2.135	1..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++End Date ++++Date Time	<i>SEPA Usage Rule(s)</i> Only UTC time format or local time with UTC offset format can be used. <b>ISO Name</b> Date Time <b>ISO Definition</b> Specified date and time. <b>XML Tag</b> DtTm <b>Type</b> ISODatetime
2.136	0..1	Document +Request To Pay Debtor Activation Request V01 ++Debtor Activation +++Dedicated Activation Code	<i>SEPA Rulebook</i> AT-B029 Dedicated activation code. <i>SEPA Usage Rule(s)</i> Mandatory if provided in DSO-05. <b>ISO Name</b> Dedicated Activation Code <b>ISO Definition</b> Unique, one-time code that a creditor may require from a debtor for activation purposes, and which is known only by the creditor and the debtor. <b>XML Tag</b> DdctdActvtnCd <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <i>SEPA Length</i> 1 .. 35
3.0	1..1	Document +Request To Pay Debtor Activation Request V01 ++Electronic Invoice Data	<b>ISO Name</b> Electronic Invoice Data <b>ISO Definition</b> Further data related to the electronic invoice (e-invoice). <b>XML Tag</b> ElectrncInvData <b>Type</b> ElectronicInvoice1
3.1	1..1	Document +Request To Pay Debtor Activation Request V01 ++Electronic Invoice Data +++Presentment Type	<i>SEPA Rulebook</i> AT-B031 Proposed e-invoice type. <b>ISO Name</b> Presentment Type <b>ISO Definition</b> Type of elements to be presented in the electronic invoice (e-invoice). <b>XML Tag</b> PresntmntTp <b>Type</b> PresentmentType1Code
4.0	0..n	Document +Request To Pay Debtor Activation Request V01 ++Supplementary Data	<b>ISO Name</b> Supplementary Data <b>ISO Definition</b> Additional information that cannot be captured in the structured elements and/or any other specific block. <b>XML Tag</b> SplmtryData <b>Type</b> SupplementaryData1



## 2.3 Payer's to Payee's RTP Service Provider RTP Activation Amendment Request Dataset (DSO-25)

This dataset and the message description below correspond with line '3 - ActA-02' in Annex 'Overview of functional activation flows'.

### 2.3.1 Use of the Request To Pay Debtor Activation Amendment Request (reda.071.001.01)

The Payer's RTP Service Provider sends an RTP Activation Amendment Request to the Payee's RTP Service Provider.

The message caters for one single Activation Amendment Request.

The following should be noted:

- Index 1.1 'Message Identification' must start with "PAYER/".
- The Payer (or a technical provider of the Payer) is identified as the 'Initiating Party' of the Activation Amendment Request.
- Index 2.1 'Original Business Instruction' can refer to information from the original reda.070 or reda.071 (in case of a previous amendment).
- Index 2.32 'Reason/Code' (under 'Amendment Reason') to be populated only with ISO code "CUST" (Requested by Customer).
- Index 2.35 'Amendment': The underlying message elements must be exactly the same as the message elements provided under 'Amendment' in DSO-24 'Payer to Payer's RTP Service Provider RTP Activation Amendment Request Dataset' (EPC255-23).
- Index 2.177 'Original Activation Data': The underlying message elements must be the same as the mandatory message elements - and where applicable the optional message elements to be changed (if data element available) - of the original activation request 'reda.070' message, populated either with the value of the original reda.070 or when applicable with the value updated in a subsequent reda.071 message, according to the information given under element 'Message Name Identification'.



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
		Document	<b>XML Tag Type</b>	Document Document
	1..1	Document +Request To Pay Debtor Activation Amendment Request V01	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Request To Pay Debtor Activation Amendment Request V01 The RequestToPayDebtorActivationAmendmentRequest message is sent by the debtor RTP (Request To Pay) provider to the creditor RTP provider and optionally from the debtor to its RTP provider and from the creditor RTP provider to the creditor to request for the amendment of the debtor activation of the RTP service with that specific creditor. ReqToPayDbtrActvtnAmdmntReq RequestToPayDebtorActivationAmendmentRequestV01
1.0	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Header Set of characteristics to identify the message and parties playing a role in the amendment of the mandate, but which are not part of the mandate. Hdr ActivationHeader2
1.1	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Message Identification	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>Must start with "PAYER/"</i> Message Identification Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.  Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period. MsgId Max35Text 1 .. 35 1 .. 35
1.2	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Creation Date Time	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Creation Date Time Date and time at which the message was created. CreDtTm ISODateTime
1.3	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Message Originator	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Originator Party that sends the message. MsgOrgtr RTPPartyIdentification1
1.4	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Message Recipient	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Recipient Party that receives the message. MsgRcpt RTPPartyIdentification1
1.5	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Initiating Party	<b>SEPA Usage Rule(s)</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	<i>The initiating party may either be the Payer or a technical provider of the Payer. The identification of the initiating party is agreed with the Payer's RTP Service Provider.</i> Initiating Party Party that initiates the message. This can either be the debtor himself or the party that initiates the request on behalf of the debtor. InitgPty RTPPartyIdentification1



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25
1.6	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Initiating Party ++++Name	<i>SEPA Usage Rule(s)</i> 'Name' is limited to 70 characters in length. <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70
1.7	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Initiating Party ++++Postal Address	<b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
1.8	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Initiating Party ++++Identification	<b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
1.9	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Initiating Party ++++Country Of Residence	<b>ISO Name</b> Country Of Residence <b>ISO Definition</b> Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. <b>XML Tag</b> CtryOfRes <b>Type</b> CountryCode <b>Pattern</b> [A-Z]{2,2}
1.10	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Initiating Party ++++Contact Details	<b>ISO Name</b> Contact Details <b>ISO Definition</b> Set of elements used to indicate how to contact the party. <b>XML Tag</b> CtctDtls <b>Type</b> Contact4
2.0	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed. <b>ISO Name</b> Amendment Data <b>ISO Definition</b> Provides details on the amendment of a debtor activation request. <b>XML Tag</b> AmdmntData <b>Type</b> DebtorActivationAmendment3
2.1	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Business Instruction	<i>SEPA Usage Rule(s)</i> Information from the original reda.070 or reda.071 (in case of a previous amendment). Mandatory. <b>ISO Name</b> Original Business Instruction <b>ISO Definition</b> Unique identification of the original instruction. <b>XML Tag</b> OrgnlBizInstr <b>Type</b> OriginalBusinessInstruction1
2.2	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Business Instruction ++++Message Identification	<b>ISO Name</b> Message Identification <b>ISO Definition</b> Point to point reference, as assigned by the original initiating party, to unambiguously identify the original instruction message. <b>XML Tag</b> MsgId <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25
2.3	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Business Instruction ++++Message Name Identification	<b>SEPA Usage Rule(s)</b> <i>Mandatory.</i> <i>This should reflect the last message exchange i.e. either 'reda.070' or 'reda.071' if a previous amendment was made.</i> <b>ISO Name</b> Message Name Identification <b>ISO Definition</b> Specifies the instruction message name identifier to which the message refers. <b>XML Tag</b> MsgNmId <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.4	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Business Instruction ++++Creation Date Time	<b>ISO Name</b> Creation Date Time <b>ISO Definition</b> Date and time at which the message was created. <b>XML Tag</b> CrDtTm <b>Type</b> ISODateTime
2.5	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason	<b>SEPA Usage Rule(s)</b> <i>Mandatory.</i> <b>ISO Name</b> Amendment Reason <b>ISO Definition</b> Provides detailed information on the amendment reason. <b>XML Tag</b> AmdmntRsn <b>Type</b> DebtorActivationAmendmentReason2
2.6	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator	<b>SEPA Usage Rule(s)</b> <i>The Payer is the Originator of the amendment request.</i> <i>Mandatory.</i> <b>ISO Name</b> Originator <b>ISO Definition</b> Party that issues the amendment request. <b>XML Tag</b> Orgtr <b>Type</b> RTPPartyIdentification1
2.7	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator ++++Name	<b>SEPA Rulebook</b> <i>AT-P001 Name of the Payer.</i> <b>SEPA Usage Rule(s)</b> <i>'Name' is limited to 70 characters in length.</i> <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70
2.8	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator ++++Postal Address	<b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
2.9	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator ++++Identification	<b>SEPA Rulebook</b> <i>AT-P009 Identifier of the Payer.</i> <b>SEPA Usage Rule(s)</b> <i>Mandatory.</i> <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
	1..1		<b>XML Tag</b> xs:choice



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.10	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification	<b>SEPA Usage Rule(s)</b> If AT-P009 is provided it must be present either in 'AnyBIC', 'LEI' or 'Other'. If AT-P009 is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'.	ISO Name ISO Definition XML Tag Type
			Organisation Identification Unique and unambiguous way to identify an organisation. OrgId OrganisationIdentification37	
2.11	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Any BIC	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>Pattern</b>	AT-P009 Identifier of the Payer. Any BIC Business identification code of the organisation. AnyBIC AnyBICDec2014Identifier [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.12	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++LEI	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>Pattern</b>	AT-P009 Identifier of the Payer. LEI Legal entity identification as an alternate identification for a party. LEI LEIIdentifier [A-Z0-9]{18,18}[0-9]{2,2}
2.13	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Email Address	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.14	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other	<b>SEPA Usage Rule(s)</b> Only one occurrence is allowed. <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Other Unique identification of an organisation, as assigned by an institution, using an identification scheme. Othr GenericOrganisationIdentification1
2.15	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Identification	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	AT-P009 Identifier of the Payer. Identification Identification assigned by an institution. Id Max35Text 1 .. 35 1 .. 35



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25
2.16	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s) Mandatory.</i> ISO Name Scheme Name ISO Definition Name of the identification scheme. XML Tag SchmeNm Type OrganisationIdentificationSchemeName1Choice
	1..1		XML Tag xs:choice
2.17	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s) Only "BOID" is allowed.</i> ISO Name Code ISO Definition Name of the identification scheme, in a coded form as published in an external list. XML Tag Cd Type ExternalOrganisationIdentification1Code ISO Length 1 .. 4 SEPA Length 1 .. 4
			<i>SEPA Code Restrictions</i>
			<b>BOID</b> BusinessOtherIdentification Other identification of the organisation.
2.18	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Proprietary	ISO Name Proprietary ISO Definition Name of the identification scheme, in a free text form. XML Tag Prtry Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.19	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Issuer	ISO Name Issuer ISO Definition Entity that assigns the identification. XML Tag Issr Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.20	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification	<i>SEPA Usage Rule(s) If AT-P009 is provided it must be present in 'Other'. The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'.</i> ISO Name Private Identification ISO Definition Unique and unambiguous identification of a person, for example a passport. XML Tag PrvId Type PersonIdentification17



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.21	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Date And Place Of Birth	ISO Name ISO Definition XML Tag Type	Date And Place Of Birth Date and place of birth of a person. DtAndPlcOfBirth DateAndPlaceOfBirth1
2.22	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Email Address	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.23	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other	<b>SEPA Usage Rule(s) Mandatory.</b> <i>Only one occurrence is allowed.</i> ISO Name: Other ISO Definition: Unique identification of a person, as assigned by an institution, using an identification scheme. XML Tag: Othr Type: GenericPersonIdentification1	
2.24	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Identification	<b>SEPA Rulebook</b> AT-P009 Identifier of the Payer. ISO Name: Identification ISO Definition: Unique and unambiguous identification of a person. XML Tag: Id Type: Max35Text ISO Length: 1 .. 35 SEPA Length: 1 .. 35	
2.25	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name	<b>SEPA Usage Rule(s) Mandatory.</b> ISO Name: Scheme Name ISO Definition: Name of the identification scheme. XML Tag: SchmeNm Type: PersonIdentificationSchemeName1Choice	
	1..1		XML Tag	xs:choice
2.26	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name +++++++Code	<b>SEPA Usage Rule(s) Only "POID" is allowed.</b> ISO Name: Code ISO Definition: Name of the identification scheme, in a coded form as published in an external list. XML Tag: Cd Type: ExternalPersonIdentification1Code ISO Length: 1 .. 4 SEPA Length: 1 .. 4	
			<b>SEPA Code Restrictions</b>	
			<b>POID</b> PersonCommercialIdentification Other identification of the person.	



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.27	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name +++++++Proprietary	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Proprietary Name of the identification scheme, in a free text form. Prtry Max35Text 1 .. 35 1 .. 35
2.28	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Issuer	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.29	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Country Of Residence	ISO Name ISO Definition XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.30	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.31	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Reason	ISO Name ISO Definition XML Tag Type	Reason Specifies the reason for the amendment request. Rsn DebtorActivationAmendmentReason1Choice
	1..1		XML Tag	xs:choice
2.32	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Reason +++++Code	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-B032 Activation amendment reason Code. Only "CUST" is allowed. Code Reason, as published in an external reason code list. Cd ExternalDebtorActivationAmendmentReason1Code 1 .. 4 1 .. 4
			SEPA Code Restrictions	
			CUST	RequestedByCustomer Amendment requested by the customer.



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.33	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Reason +++++Proprietary	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Proprietary Reason, in a proprietary form. Prtry Max35Text 1 .. 35 1 .. 35
2.34	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Additional Information	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Additional Information Further details on the amendment request reason. AddtlInf Max105Text 1 .. 105 1 .. 105
2.35	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment	<b>SEPA Usage Rule(s)</b> <i>The message elements under 'Amendment' in DSO-25 must be exactly the same as the message elements provided under 'Amendment' in DSO-24.</i>  ISO Name ISO Definition XML Tag Type	
2.36	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation	ISO Name ISO Definition  XML Tag Type	Amendment Provides the amended enrolment data. Amdmnt DebtorActivationAmendment4  Debtor Activation Specific attributes provided the debtor, as requested by the creditor, for the activation request. DbtrActvtn DebtorActivation4
2.37	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Activation Identification	<b>SEPA Rulebook</b> ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	<i>AT-B027 Activation counterpart reference.</i> Debtor Activation Identification Unique identification, as assigned by the initiating party, to unambiguously identify the activation.  Usage: This element may be used for technical reconciliation purpose. DbtrActvtnId Max35Text 1 .. 35 1 .. 35
2.38	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Display Name	ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	Display Name Name by which the debtor is known, other than legal name, such as the name to be shown to the creditor. DispNm Max140Text 1 .. 140 1 .. 140
2.39	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Ultimate Debtor	ISO Name ISO Definition  XML Tag Type	Ultimate Debtor Ultimate party that owes an amount of money to the (ultimate) creditor. UltmtDbtr RTPPartyIdentification1
2.40	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor	ISO Name ISO Definition  XML Tag Type	Debtor Party that owes an amount of money to the (ultimate) creditor. Dbtr RTPPartyIdentification1



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.41	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Name	<b>SEPA Rulebook</b> <b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-P001 Name of the Payer.</i> <i>'Name' is limited to 70 characters in length.</i> Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 70
2.42	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>AT-P005 Address of the Payer.</i> Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.43	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Address Type	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Address Type Identifies the nature of the postal address. AdrTp AddressType3Choice
2.44	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Department	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Department Identification of a division of a large organisation or building. Dept Max70Text 1 .. 70 1 .. 70
2.45	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Sub Department	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Sub Department Identification of a sub-division of a large organisation or building. SubDept Max70Text 1 .. 70 1 .. 70
2.46	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Street Name	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Street Name Name of a street or thoroughfare. StrtNm Max70Text 1 .. 70 1 .. 70
2.47	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Building Number	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Building Number Number that identifies the position of a building on a street. BldgNb Max16Text 1 .. 16 1 .. 16



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.48	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Building Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Building Name Name of the building or house. BldgNm Max35Text 1 .. 35 1 .. 35
2.49	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Floor	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Floor Floor or storey within a building. Flr Max70Text 1 .. 70 1 .. 70
2.50	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Post Box	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Box Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for. PstBx Max16Text 1 .. 16 1 .. 16
2.51	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Room	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Room Building room number. Room Max70Text 1 .. 70 1 .. 70
2.52	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Post Code	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Code Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail. PstCd Max16Text 1 .. 16 1 .. 16
2.53	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Town Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Name Name of a built-up area, with defined boundaries, and a local government. TwnNm Max35Text 1 .. 35 1 .. 35



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.54	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Town Location Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Location Name Specific location name within the town. TwnLctnNm Max35Text 1 .. 35 1 .. 35
2.55	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++District Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	District Name Identifies a subdivision within a country sub-division. DstrctNm Max35Text 1 .. 35 1 .. 35
2.56	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Country Sub Division	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Country Sub Division Identifies a subdivision of a country such as state, region, county. CtrySubDvsn Max35Text 1 .. 35 1 .. 35
2.57	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Country	<i>SEPA Usage Rule(s)</i> It is recommended that this element is populated even if the country of the Payer is also mentioned under 'Address Line'.  ISO Name ISO Definition XML Tag Type Pattern	
2.58	0..2	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Address Line	<i>SEPA Usage Rule(s)</i> Only two occurrences are allowed.  ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	
2.59	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. AT-P017 Customer Category Code.  ISO Name ISO Definition XML Tag Type	
	1..1		XML Tag xs:choice	



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.60	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification	<p><b>SEPA Usage Rule(s)</b> If AT-P009 is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. If AT-P002 and/or AT-P017 are also needed, then up to three occurrences of 'Other' are to be used.</p> <p>- The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "BOLD" is to be populated in 'Scheme Name/Code'.</p> <p>- The occurrence of 'Other' related to AT-P002 must contain the Trade Name of the Payer under 'Identification' and "BCID" is to be populated in 'Scheme Name/Proprietary'.</p> <p>- The occurrence of 'Other' related to AT-P017 must contain the Customer Category Code under 'Identification' and "BDID" is to be populated in 'Scheme Name/Code'.</p> <p>Organisation Identification Unique and unambiguous way to identify an organisation. OrgId OrganisationIdentification37</p>	
2.61	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Any BIC	<p><b>SEPA Rulebook</b> AT-P009 Identifier of the Payer.</p> <p><b>ISO Name</b> Any BIC</p> <p><b>ISO Definition</b> Business identification code of the organisation.</p> <p><b>XML Tag</b> AnyBIC</p> <p><b>Type</b> AnyBICDec2014Identifier</p> <p><b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}</p>	
2.62	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++LEI	<p><b>SEPA Rulebook</b> AT-P009 Identifier of the Payer.</p> <p><b>ISO Name</b> LEI</p> <p><b>ISO Definition</b> Legal entity identification as an alternate identification for a party.</p> <p><b>XML Tag</b> LEI</p> <p><b>Type</b> LEIIdentifier</p> <p><b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}</p>	
2.63	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Email Address	<p><b>ISO Name</b> Email Address</p> <p><b>ISO Definition</b> Address for electronic mail (e-mail).</p> <p><b>XML Tag</b> EmailAdr</p> <p><b>Type</b> Max256Text</p> <p><b>ISO Length</b> 1 .. 256</p> <p><b>SEPA Length</b> 1 .. 256</p>	



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25
2.64	0..3	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Other	<i>SEPA Usage Rule(s)</i> Up to 3 occurrences are allowed. <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1
2.65	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. AT-P017 Customer Category Code. <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.66	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s)</i> Mandatory. <b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> OrganisationIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b> xs:choice
2.67	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s)</i> Only "BOID" (AT-P009) or "BDID" (AT-P017) is allowed. <b>ISO Name</b> Code <b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list. <b>XML Tag</b> Cd <b>Type</b> ExternalOrganisationIdentification1Code <b>ISO Length</b> 1 .. 4 <b>SEPA Length</b> 1 .. 4
			<i>SEPA Code Restrictions</i>
			<b>BOID</b> BusinessOtherIdentification Other identification of the organisation.
2.68	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Proprietary	<i>SEPA Usage Rule(s)</i> Only "BCID" (AT-P002) is allowed. <b>ISO Name</b> Proprietary <b>ISO Definition</b> Name of the identification scheme, in a free text form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
			<b>SEPA Code Restrictions</b>	
			<b>BCID</b>	<i>CommercialIdentification</i> Commercial Identification of the organisation (e.g. Trade Name)
2.69	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Issuer	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.70	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification	<b>SEPA Usage Rule(s)</b> <i>If both AT-P009 and AT-P002 are present, then up to two occurrences of 'Other' are to be used. - The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'. - The occurrence of 'Other' related to AT-P002 must contain the Trade Name of the Payer under 'Identification' and "PCID" is to be populated in 'Scheme Name/Proprietary'.</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	
				Private Identification Unique and unambiguous identification of a person, for example a passport. PrvtId PersonIdentification17
2.71	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Date And Place Of Birth	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Date And Place Of Birth Date and place of birth of a person. DtAndPlcOfBirth DateAndPlaceOfBirth1
2.72	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Email Address	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.73	1..2	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Other	<b>SEPA Usage Rule(s)</b> <i>Mandatory. Up to two occurrences are allowed.</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	
				Other Unique identification of a person, as assigned by an institution, using an identification scheme. Othr GenericPersonIdentification1



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25
2.74	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a person. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.75	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s)</i> Mandatory. <b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> PersonIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b> xs:choice
2.76	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s)</i> Only "POID" (AT-P009) is allowed. <b>ISO Name</b> Code <b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list. <b>XML Tag</b> Cd <b>Type</b> ExternalPersonIdentification1Code <b>ISO Length</b> 1 .. 4 <b>SEPA Length</b> 1 .. 4
			<b>SEPA Code Restrictions</b>
			<b>POID</b> PersonCommercialIdentification Other identification of the person.
2.77	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name +++++++Proprietary	<i>SEPA Usage Rule(s)</i> Only "PCID" (AT-P002) is allowed. <b>ISO Name</b> Proprietary <b>ISO Definition</b> Name of the identification scheme, in a free text form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
			<b>SEPA Code Restrictions</b>
			<b>PCID</b> CommercialIdentification Commercial Identification of the person (e.g. Trade Name)



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.78	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Other +++++++Issuer	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.79	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Country Of Residence	ISO Name ISO Definition XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.80	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.81	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider	ISO Name ISO Definition XML Tag Type	Debtor Solution Provider Organisation servicing the e-invoicing for the debtor (to which the activation status report must be sent). DbtrSolPrvdr RTPPartyIdentification1
2.82	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 140
2.83	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Postal Address	ISO Name ISO Definition XML Tag Type	Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.84	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-N001 Identifier of the Payer's RTP Service Provider. Mandatory. Identification Unique and unambiguous identification of a party. Id Party49Choice
	1..1		XML Tag	xs:choice



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25
2.85	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification +++++++Organisation Identification	<b>SEPA Usage Rule(s)</b> <i>If the Payer's RTP Service Provider is a PSP, either 'AnyBIC', 'LEI' or 'Other/Identification' must be used. If the Payer's RTP Service Provider is not a PSP, 'Other/Identification' must be used.</i>  <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.86	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification +++++++Organisation Identification +++++++Any BIC	<b>SEPA Usage Rule(s)</b> <i>To be used only if the Payer's RTP Service Provider is a PSP.</i>  <b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.87	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification +++++++Organisation Identification +++++++LEI	<b>SEPA Usage Rule(s)</b> <i>To be used only if the Payer's RTP Service Provider is a PSP.</i>  <b>ISO Name</b> LEI <b>ISO Definition</b> Legal entity identification as an alternate identification for a party. <b>XML Tag</b> LEI <b>Type</b> LEIIdentifier <b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}
2.88	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification +++++++Organisation Identification +++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.89	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification +++++++Organisation Identification +++++++Other	<b>SEPA Usage Rule(s)</b> <i>To be used if the Payer's RTP Service Provider is a PSP and AT-N001 relates to another identifier than 'AnyBIC' or 'LEI'. Always to be used if the Payer's RTP Service Provider is NOT a PSP. Only one occurrence is allowed.</i>  <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25
2.90	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++Debtor Solution Provider +++++Identification ++++++Organisation Identification +++++++Other +++++++Identification	<i>SEPA Usage Rule(s)</i> To be used if the Payer's RTP Service Provider is a PSP and AT-N001 relates to another identifier than 'BIC' or 'LEI'. If the Payer's RTP Service Provider is NOT a PSP, any type of identifier which AT-N001 relates to must be provided here.  <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.91	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++Debtor Solution Provider +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s)</i> If the Payer's RTP Service Provider is a PSP and 'Other/Identification' is used then the appropriate 'Scheme Name' may be populated here. If the Payer's RTP Service Provider is NOT a PSP, this element should be populated with "ANYBIC" or "LEI" under 'Proprietary', if applicable. In case of another identification, the appropriate 'Scheme Name' may be populated here.  <b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> OrganisationIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b> xs:choice
2.92	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++Debtor Solution Provider +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Code	<b>ISO Name</b> Code <b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list.  <b>XML Tag</b> Cd <b>Type</b> ExternalOrganisationIdentification1Code <b>ISO Length</b> 1 .. 4 <b>SEPA Length</b> 1 .. 4
2.93	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++Debtor Solution Provider +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Proprietary	<i>SEPA Usage Rule(s)</i> If applicable, "ANYBIC" or "LEI" must be mentioned here.  <b>ISO Name</b> Proprietary <b>ISO Definition</b> Name of the identification scheme, in a free text form.  <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.94	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++Debtor Solution Provider +++++Identification ++++++Organisation Identification +++++++Other +++++++Issuer	<b>ISO Name</b> Issuer <b>ISO Definition</b> Entity that assigns the identification. <b>XML Tag</b> Issr <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.95	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification +++++++Private Identification	ISO Name ISO Definition XML Tag Type	Private Identification Unique and unambiguous identification of a person, for example a passport. PrvtId PersonIdentification17
2.96	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Country Of Residence	ISO Name ISO Definition XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.97	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.98	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Customer Identification	SEPA Rulebook ISO Name ISO Definition XML Tag Type	AT-B028 Identification of the Payer expected by the Payee. Customer Identification Unique identifier of the debtor required by the creditor, for example the reference number or customer number. Unique identification provided by the web bank or web payment services user, with which the creditor may identify the debtor in its system. CstmId Party49Choice
2.99	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Contract Format Type	ISO Name ISO Definition XML Tag Type	Contract Format Type Document format type supported to exchange the contracts. CtrctFmtTp DocumentFormat2Choice
2.100	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Contract Reference	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Only one occurrence is allowed. Contract Reference Code choice external/prop Description  identical to the Instruction for Debtor CtrctRef ContractReference1
2.101	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Contract Reference ++++++Type	ISO Name ISO Definition XML Tag Type	Type Type of the contract referred to. Tp DocumentType1Choice



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.102	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Contract Reference ++++++Reference	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-B026 Activation contract reference.</i> Reference Reference of the contract. Ref Max500Text 1 .. 500 1 .. 500
2.103	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Creditor Party to which an amount of money is due. Cdr RTPPartyIdentification1
2.104	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Name	<i>SEPA Rulebook</i> <i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-E001 Name of the Payee.</i> <i>'Name' is limited to 70 characters in length.</i> Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 70
2.105	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>AT-E004 Address of the Payee.</i> Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.106	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address ++++++Address Type	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Address Type Identifies the nature of the postal address. AdrTp AddressType3Choice
2.107	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address ++++++Department	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Department Identification of a division of a large organisation or building. Dept Max70Text 1 .. 70 1 .. 70
2.108	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address ++++++Sub Department	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Sub Department Identification of a sub-division of a large organisation or building. SubDept Max70Text 1 .. 70 1 .. 70



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.109	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Street Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Street Name Name of a street or thoroughfare. StrtNm Max70Text 1 .. 70 1 .. 70
2.110	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Building Number	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Building Number Number that identifies the position of a building on a street. BldgNb Max16Text 1 .. 16 1 .. 16
2.111	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Building Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Building Name Name of the building or house. BldgNm Max35Text 1 .. 35 1 .. 35
2.112	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Floor	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Floor Floor or storey within a building. Flr Max70Text 1 .. 70 1 .. 70
2.113	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Post Box	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Box Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for. PstBx Max16Text 1 .. 16 1 .. 16
2.114	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Room	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Room Building room number. Room Max70Text 1 .. 70 1 .. 70



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.115	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Post Code	ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	Post Code Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.  PstCd Max16Text 1 .. 16 1 .. 16
2.116	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Town Name	ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	Town Name Name of a built-up area, with defined boundaries, and a local government.  TwnNm Max35Text 1 .. 35 1 .. 35
2.117	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Town Location Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Location Name Specific location name within the town. TwnLctnNm Max35Text 1 .. 35 1 .. 35
2.118	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++District Name	ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	District Name Identifies a subdivision within a country sub-division. DstrctNm Max35Text 1 .. 35 1 .. 35
2.119	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Country Sub Division	ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	Country Sub Division Identifies a subdivision of a country such as state, region, county. CtrySubDvsn Max35Text 1 .. 35 1 .. 35
2.120	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Country	<b>SEPA Usage Rule(s)</b> <i>It is recommended that this element is populated even if the country of the Payee is also mentioned under 'Address Line'.</i>  ISO Name ISO Definition XML Tag Type Pattern	

#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25
2.121	0..2	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Address Line	<b>SEPA Usage Rule(s)</b> Only two occurrences are allowed. <b>ISO Name</b> Address Line <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services, presented in free format text. <b>XML Tag</b> AdrLine <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.122	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification	<b>SEPA Rulebook</b> AT-E005 Payee's identification code. AT-E002 Trade Name of the Payee. AT-E006 Merchant Category Code of the Payee. <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
	1..1		<b>XML Tag</b> xs:choice
2.123	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification	<b>SEPA Usage Rule(s)</b> If AT-E005 'Payee's identification code' is provided it must be present either in 'AnyBIC', 'LEI' or 'Other'. If AT-E005 'Payee's identification code' is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. If AT-E002 'Trade Name of the Payee' and/or AT-E006 'Merchant Category Code of the Payee' are also needed, then up to three occurrences of 'Other' are to be used. - The occurrence of 'Other' related to AT-E005 must contain the Identification Code of the Payee under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'. - The occurrence of 'Other' related to AT-E002 must contain the Trade Name of the Payee under 'Identification' and "BCID" is to be populated in 'Scheme Name/Proprietary'. - The occurrence of 'Other' related to AT-E006 must contain the Merchant Category Code of the Payee under 'Identification' and "BDID" is to be populated in 'Scheme Name/Code'. <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.124	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Any BIC	<b>SEPA Rulebook</b> AT-E005 Payee's identification code. <b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.125	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++LEI	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>Pattern</b>	<i>AT-E005 Payee's identification code.</i> LEI Legal entity identification as an alternate identification for a party. LEI LEIIdentifier [A-Z0-9]{18,18}[0-9]{2,2}
2.126	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Email Address	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.127	0..3	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Other	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>Up to three occurrences are allowed.</i> Other Unique identification of an organisation, as assigned by an institution, using an identification scheme. Othr GenericOrganisationIdentification1
2.128	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Identification	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-E005 Payee's identification code.</i> <i>AT-E002 Trade Name of the Payee.</i> <i>AT-E006 Merchant Category Code of the Payee.</i> Identification Identification assigned by an institution. Id Max35Text 1 .. 35 1 .. 35
2.129	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>Mandatory.</i> Scheme Name Name of the identification scheme. SchmeNm OrganisationIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b>	xs:choice



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25
2.130	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Code	<p><b>SEPA Usage Rule(s)</b> Only "BOID" (AT-E005) or "BDID" (AT-E006) is allowed.</p> <p><b>ISO Name</b> Code</p> <p><b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list.</p> <p><b>XML Tag</b> Cd</p> <p><b>Type</b> ExternalOrganisationIdentification1Code</p> <p><b>ISO Length</b> 1 .. 4</p> <p><b>SEPA Length</b> 1 .. 4</p> <p><b>SEPA Code Restrictions</b></p> <p><b>BDID</b> BusinessDomainIdentifier Identifier of the business domain in which the organisation is active.</p> <p><b>BOID</b> BusinessOtherIdentification Other identification of the organisation.</p>
2.131	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Proprietary	<p><b>SEPA Usage Rule(s)</b> Only "BCID" (AT-E002) is allowed.</p> <p><b>ISO Name</b> Proprietary</p> <p><b>ISO Definition</b> Name of the identification scheme, in a free text form.</p> <p><b>XML Tag</b> Prtry</p> <p><b>Type</b> Max35Text</p> <p><b>ISO Length</b> 1 .. 35</p> <p><b>SEPA Length</b> 1 .. 35</p> <p><b>SEPA Code Restrictions</b></p> <p><b>BCID</b> CommercialIdentification Commercial Identification of the organisation (e.g. Trade Name)</p>
2.132	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Issuer	<p><b>ISO Name</b> Issuer</p> <p><b>ISO Definition</b> Entity that assigns the identification.</p> <p><b>XML Tag</b> Issr</p> <p><b>Type</b> Max35Text</p> <p><b>ISO Length</b> 1 .. 35</p> <p><b>SEPA Length</b> 1 .. 35</p>



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.133	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification	<b>SEPA Usage Rule(s)</b> If AT-E005 'Payee's identification code' is provided it must be present in 'Other'. If AT-E005 'Payee's identification code' and/or AT-E002 'Trade Name of the Payee' is to be provided, then up to two occurrences of 'Other' are to be used. - The occurrence of 'Other' related to AT-E005 must contain the Identification Code of the Payee under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'. - The occurrence of 'Other' related to AT-E002 must contain the Trade Name of the Payee under 'Identification' and "PCID" is to be populated in 'Scheme Name/Proprietary'.  <b>ISO Name</b> Private Identification <b>ISO Definition</b> Unique and unambiguous identification of a person, for example a passport.  <b>XML Tag</b> PrvtId <b>Type</b> PersonIdentification17	
2.134	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Date And Place Of Birth	<b>ISO Name</b> Date And Place Of Birth <b>ISO Definition</b> Date and place of birth of a person. <b>XML Tag</b> DtAndPlcOfBirth <b>Type</b> DateAndPlaceOfBirth1	
2.135	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256	
2.136	1..2	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Other	<b>SEPA Usage Rule(s)</b> <i>Mandatory.</i> <i>Up to two occurrences are allowed.</i>  <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of a person, as assigned by an institution, using an identification scheme.  <b>XML Tag</b> Othr <b>Type</b> GenericPersonIdentification1	
2.137	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Other +++++++Identification	<b>SEPA Rulebook</b> AT-E005 Payee's Identification Code. AT-E002 Trade Name of the Payee.  <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a person.  <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35	

#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25
2.138	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s) Mandatory.</i> ISO Name Scheme Name ISO Definition Name of the identification scheme. XML Tag SchmeNm Type PersonIdentificationSchemeName1Choice
	1..1		XML Tag xs:choice
2.139	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s) Only "POID" (AT-E005) is allowed.</i> ISO Name Code ISO Definition Name of the identification scheme, in a coded form as published in an external list. XML Tag Cd Type ExternalPersonIdentification1Code ISO Length 1 .. 4 SEPA Length 1 .. 4
			<i>SEPA Code Restrictions</i>
			<b>POID</b> PersonCommercialIdentification Other identification of the person.
2.140	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name +++++++Proprietary	<i>SEPA Usage Rule(s) Only "PCID" (AT-E002) is allowed.</i> ISO Name Proprietary ISO Definition Name of the identification scheme, in a free text form. XML Tag Prtry Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
			<i>SEPA Code Restrictions</i>
			<b>PCID</b> CommercialIdentification Commercial Identification of the person (e.g. Trade Name)
2.141	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Other +++++++Issuer	ISO Name Issuer ISO Definition Entity that assigns the identification. XML Tag Issr Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.142	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Country Of Residence	ISO Name ISO Definition  XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.143	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Contact Details	ISO Name ISO Definition  XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.144	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Ultimate Creditor	ISO Name ISO Definition  XML Tag Type	Ultimate Creditor Ultimate party to which an amount of money is due. UltmtCdtr RTPPartyIdentification1
2.145	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++++Activation Request Delivery Party	ISO Name ISO Definition  XML Tag Type	Activation Request Delivery Party Creditor's service provider address to which the debtor activation has to be delivered. ActvtnReqDlvryPty RTPPartyIdentification1
2.146	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++++Activation Request Delivery Party ++++++Name	ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 140
2.147	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++++Activation Request Delivery Party ++++++Postal Address	ISO Name ISO Definition  XML Tag Type	Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.148	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++++Activation Request Delivery Party ++++++Identification	SEPA Usage Rule(s)   ISO Name ISO Definition  XML Tag Type	<i>The SRTP address of the Payee is to be provided here, which is the combination of AT-E005 Payee's identification code and AT-N002 Identifier of the Payee's RTP Service Provider. Mandatory.</i> <i>'Private Identification' is to be used if the Payer is a natural person.</i> Identification Unique and unambiguous identification of a party. Id Party49Choice
	1..1		XML Tag	xs:choice



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.149	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification	<i>SEPA Usage Rule(s) Only 'Other' is allowed.</i> <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37	
2.150	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++Any BIC	<b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	
2.151	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++LEI	<b>ISO Name</b> LEI <b>ISO Definition</b> Legal entity identification as an alternate identification for a party. <b>XML Tag</b> LEI <b>Type</b> LEIIdentifier <b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}	
2.152	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256	
2.153	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++Other	<i>SEPA Usage Rule(s) Mandatory.</i> <i>Only one occurrence is allowed.</i> <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1	
2.154	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> AT-E005 Payee's identification code. <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35	



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.155	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name	ISO Name ISO Definition XML Tag Type	Scheme Name Name of the identification scheme. SchmeNm OrganisationIdentificationSchemeName1Choice
2.156	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++Other +++++++Issuer	SEPA Rulebook ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-N002 Identifier of the Payee's RTP Service Provider. Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.157	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Only 'Other' is allowed. Private Identification Unique and unambiguous identification of a person, for example a passport. PrvtId PersonIdentification17
2.158	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification +++++++Date And Place Of Birth	ISO Name ISO Definition XML Tag Type	Date And Place Of Birth Date and place of birth of a person. DtAndPlcOfBirth DateAndPlaceOfBirth1
2.159	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification +++++++Email Address	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.160	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification +++++++Other	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Mandatory. Only one occurrence is allowed. Other Unique identification of a person, as assigned by an institution, using an identification scheme. Othr GenericPersonIdentification1



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.161	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-E005 Payee's identification code.</i> Identification Unique and unambiguous identification of a person. Id Max35Text 1 .. 35 1 .. 35
2.162	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Scheme Name Name of the identification scheme. SchmeNm PersonIdentificationSchemeName1Choice
2.163	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification +++++++Other +++++++Issuer	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-N002 Identifier of the Payee's RTP Service Provider.</i> Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.164	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Country Of Residence	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>Pattern</b>	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.165	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Contact Details	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.166	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Start Date	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>AT-B024 Activation start date.</i> Start Date Date and time at which the debtor activation will be activated. StartDt DateAndDateTime2Choice
	1..1		<b>XML Tag</b>	xs:choice



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.167	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Start Date ++++++Date	ISO Name ISO Definition XML Tag Type	Date Specified date. Dt ISODate
2.168	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Start Date ++++++Date Time	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Only UTC time format or local time with UTC offset format can be used. Date Time Specified date and time. DtTm ISODateTime
2.169	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++End Date	SEPA Rulebook ISO Name ISO Definition XML Tag Type	AT-B025 Activation end date. End Date Date and time at which the debtor activation will be deactivated. EndDt DateAndDateTime2Choice
	1..1		XML Tag	xs:choice
2.170	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++End Date ++++++Date	ISO Name ISO Definition XML Tag Type	Date Specified date. Dt ISODate
2.171	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++End Date ++++++Date Time	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Only UTC time format or local time with UTC offset format can be used. Date Time Specified date and time. DtTm ISODateTime
2.172	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Dedicated Activation Code	SEPA Rulebook ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-B029 Dedicated activation code. Dedicated Activation Code Unique, one-time code that a creditor may require from a debtor for activation purposes, and which is known only by the creditor and the debtor. DdctdActvtnCd Max35Text 1 .. 35 1 .. 35
2.173	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Electronic Invoice Data	ISO Name ISO Definition XML Tag Type	Electronic Invoice Data Further data related to the electronic invoice (e-invoice). ElctrncInvData ElectronicInvoice1
2.174	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Electronic Invoice Data +++++Presentment Type	SEPA Rulebook ISO Name ISO Definition XML Tag Type	AT-B030 Requested e-invoice type. Presentment Type Type of elements to be presented in the electronic invoice (e-invoice). PresntmntTp PresentmentType1Code



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.175	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation	ISO Name ISO Definition XML Tag Type	Original Activation Provides the original activation data. OrgnlActvtn OriginalActivation2Choice
	1..1		XML Tag	xs:choice
2.176	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Debtor Identification	ISO Name ISO Definition    XML Tag Type	Original Debtor Identification Provides the identification to unambiguously identify the debtor as defined in the original request.  Usage: This element must be identical to the debtor identification in the original debtor activation request. OrgnlDbtrId Party49Choice
2.177	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data	SEPA Usage Rule(s)    ISO Name ISO Definition XML Tag Type	<i>The message elements under 'Original Activation Data' must be the same as the mandatory message elements - and where applicable the optional message elements to be changed (if data element available) - of the original activation request 'reda.070' message, populated either with the value of the original reda.070 or when applicable with the value updated in a subsequent reda.071 message, according to the information given under 'Message Name Identification'.</i> Original Activation Data Provides the full original activation data. OrgnlActvtnData DebtorActivation3
2.178	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Debtor Activation Identification	SEPA Rulebook ISO Name ISO Definition    XML Tag Type ISO Length SEPA Length	AT-B027 Activation counterpart reference. Debtor Activation Identification Unique identification, as assigned by the initiating party, to unambiguously identify the activation.  Usage: This element may be used for technical reconciliation purpose. DbtrActvtnId Max35Text 1 .. 35 1 .. 35
2.179	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Display Name	ISO Name ISO Definition   XML Tag Type ISO Length SEPA Length	Display Name Name by which the debtor is known, other than legal name, such as the name to be shown to the creditor. DispNm Max140Text 1 .. 140 1 .. 140
2.180	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Ultimate Debtor	ISO Name ISO Definition  XML Tag Type	Ultimate Debtor Ultimate party that owes an amount of money to the (ultimate) creditor. UltmtDbtr RTPPartyIdentification1

#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.181	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Debtor	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	AT-P001 Name of the Payer. AT-P005 Address of the Payer. AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. AT-P017 Customer Category Code. Debtor Party that owes an amount of money to the (ultimate) creditor. Dbtr RTPPartyIdentification1
2.182	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Debtor Solution Provider	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	AT-N001 Identifier of the Payer's RTP Service Provider. Debtor Solution Provider Organisation servicing the e-invoicing for the debtor (to which the activation status report must be sent). DbtrSolPrvdr RTPPartyIdentification1
2.183	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Customer Identification	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	AT-B028 Identification of the Payer expected by the Payee. Customer Identification Unique identifier of the debtor required by the creditor, for example the reference number or customer number. Unique identification provided by the web bank or web payment services user, with which the creditor may identify the debtor in its system. CstmrId Party49Choice
2.184	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Contract Format Type	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	Contract Format Type Document format type supported to exchange the contracts. CtctFrmtTp DocumentFormat2Choice
2.185	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Contract Reference	<b>SEPA Rulebook</b> <b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	AT-B026 Activation contract reference. Only one occurrence is allowed. Contract Reference Code choice external/prop Description  identical to the Instruction for Debtor CtctRef ContractReference1
2.186	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Creditor	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	AT-E001 Name of the Payee. AT-E004 Address of the Payee. AT-E005 Payee's identification code. AT-E002 Trade Name of the Payee. AT-E006 Merchant Category Code of the Payee. Creditor Party to which an amount of money is due. Cdtr RTPPartyIdentification1
2.187	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Ultimate Creditor	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	Ultimate Creditor Ultimate party to which an amount of money is due. UltmtCdtr RTPPartyIdentification1



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-25	
2.188	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Activation Request Delivery Party	<i>SEPA Rulebook</i> <i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>AT-N002 Identifier of the Payee's RTP Service Provider.</i> <i>AT-E005 Payee's identification code.</i> <i>Mandatory.</i> Activation Request Delivery Party Creditor's service provider address to which the debtor activation has to be delivered. ActvtnReqDlvryPty RTPPartyIdentification1
2.189	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Start Date	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>AT-B024 Activation start date.</i> Start Date Date and time at which the debtor activation will be activated. StartDt DateAndDateTime2Choice
2.190	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++End Date	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>AT-B025 Activation end date.</i> End Date Date and time at which the debtor activation will be deactivated. EndDt DateAndDateTime2Choice
2.191	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Dedicated Activation Code	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <i>SEPA Length</i>	<i>AT-B029 Dedicated activation code.</i> Dedicated Activation Code Unique, one-time code that a creditor may require from a debtor for activation purposes, and which is known only by the creditor and the debtor. DdctdActvtnCd Max35Text 1 .. 35 1 .. 35
2.192	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Supplementary Data	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Supplementary Data Additional information that cannot be captured in the structured elements and/or any other specific block. SplmtryData SupplementaryData1
3.0	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Supplementary Data	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Supplementary Data Additional information that cannot be captured in the structured elements and/or any other specific block. SplmtryData SupplementaryData1



## 2.4 Payee's to Payer's RTP Service Provider Activation Amendment Request Dataset (DSO-09)

This dataset and the message description below correspond with line '3 - ActA-02' in Annex 'Overview of functional activation flows'.

### 2.4.1 Use of the Request To Pay Debtor Activation Amendment Request (reda.071.001.01)

The Payee's RTP Service Provider sends an RTP Activation Amendment Request to the Payer's RTP Service Provider.

The message caters for one single Activation Amendment Request.

The following should be noted:

- Index 1.1 'Message Identification' must start with "PAYEE/".
- The Payee (or a technical provider of the Payee) is identified as the 'Initiating Party' of the Activation Amendment Request.
- Index 2.1 'Original Business Instruction' can refer to information from the original reda.070 or reda.071 (in case of a previous amendment).
- Index 2.32 'Reason/Code' (under 'Amendment Reason') to be populated only with ISO code "CUST" (Requested by Customer).
- Index 2.35 'Amendment': The underlying message elements must be exactly the same as the message elements provided under 'Amendment' in DSO-08 'Payee to Payee's RTP Service Provider RTP Activation amendment request' (EPC253-23).
- Index 2.177 'Original Activation Data': The underlying message elements must be the same as the mandatory message elements - and where applicable the optional message elements to be changed (if data element available) - of the original activation request 'reda.070' message, populated either with the value of the original reda.070 or when applicable with the value updated in a subsequent reda.071 message, according to the information given under element 'Message Name Identification'.



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
		Document	<b>XML Tag Type</b>	Document Document
	1..1	Document +Request To Pay Debtor Activation Amendment Request V01	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Request To Pay Debtor Activation Amendment Request V01 The RequestToPayDebtorActivationAmendmentRequest message is sent by the debtor RTP (Request To Pay) provider to the creditor RTP provider and optionally from the debtor to its RTP provider and from the creditor RTP provider to the creditor to request for the amendment of the debtor activation of the RTP service with that specific creditor. ReqToPayDbtrActvtnAmdmntReq RequestToPayDebtorActivationAmendmentRequestV01
1.0	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Header Set of characteristics to identify the message and parties playing a role in the amendment of the mandate, but which are not part of the mandate. Hdr ActivationHeader2
1.1	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Message Identification	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>Must start with "PAYEE/"</i> Message Identification Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.  Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period. MsgId Max35Text 1 .. 35 1 .. 35
1.2	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Creation Date Time	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Creation Date Time Date and time at which the message was created. CreDtTm ISODateTime
1.3	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Message Originator	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Originator Party that sends the message. MsgOrgtr RTPPartyIdentification1
1.4	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Message Recipient	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Recipient Party that receives the message. MsgRcpt RTPPartyIdentification1
1.5	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Initiating Party	<b>SEPA Usage Rule(s)</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	<i>The initiating party may either be the Payee or a technical provider of the Payee. The identification of the initiating party is agreed with the Payee's RTP Service Provider.</i> Initiating Party Party that initiates the message. This can either be the debtor himself or the party that initiates the request on behalf of the debtor. InitgPty RTPPartyIdentification1



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
1.6	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Initiating Party ++++Name	<i>SEPA Usage Rule(s)</i> 'Name' is limited to 70 characters in length. <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70
1.7	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Initiating Party ++++Postal Address	<b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
1.8	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Initiating Party ++++Identification	<b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
1.9	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Initiating Party ++++Country Of Residence	<b>ISO Name</b> Country Of Residence <b>ISO Definition</b> Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. <b>XML Tag</b> CtryOfRes <b>Type</b> CountryCode <b>Pattern</b> [A-Z]{2,2}
1.10	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Header +++Initiating Party ++++Contact Details	<b>ISO Name</b> Contact Details <b>ISO Definition</b> Set of elements used to indicate how to contact the party. <b>XML Tag</b> CtctDtls <b>Type</b> Contact4
2.0	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed. <b>ISO Name</b> Amendment Data <b>ISO Definition</b> Provides details on the amendment of a debtor activation request. <b>XML Tag</b> AmdmntData <b>Type</b> DebtorActivationAmendment3
2.1	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Business Instruction	<i>SEPA Usage Rule(s)</i> Information from the original reda.070 or reda.071 (in case of a previous amendment). Mandatory. <b>ISO Name</b> Original Business Instruction <b>ISO Definition</b> Unique identification of the original instruction. <b>XML Tag</b> OrgnlBizInstr <b>Type</b> OriginalBusinessInstruction1
2.2	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Business Instruction ++++Message Identification	<b>ISO Name</b> Message Identification <b>ISO Definition</b> Point to point reference, as assigned by the original initiating party, to unambiguously identify the original instruction message. <b>XML Tag</b> MsgId <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.3	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Business Instruction ++++Message Name Identification	<i>SEPA Usage Rule(s) Mandatory.</i> <i>This should reflect the last message exchange i.e. either 'reda.070' or 'reda.071' if a previous amendment was made.</i> <b>ISO Name</b> Message Name Identification <b>ISO Definition</b> Specifies the instruction message name identifier to which the message refers. <b>XML Tag</b> MsgNmId <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.4	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Business Instruction ++++Creation Date Time	<b>ISO Name</b> Creation Date Time <b>ISO Definition</b> Date and time at which the message was created. <b>XML Tag</b> CrDtTm <b>Type</b> ISODateTime
2.5	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason	<i>SEPA Usage Rule(s) Mandatory.</i> <b>ISO Name</b> Amendment Reason <b>ISO Definition</b> Provides detailed information on the amendment reason. <b>XML Tag</b> AmdmntRsn <b>Type</b> DebtorActivationAmendmentReason2
2.6	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator	<i>SEPA Usage Rule(s) The Payee is the Originator of the amendment request.</i> <i>Mandatory.</i> <b>ISO Name</b> Originator <b>ISO Definition</b> Party that issues the amendment request. <b>XML Tag</b> Orgtr <b>Type</b> RTPPartyIdentification1
2.7	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator ++++Name	<i>SEPA Rulebook AT-E001 Name of the Payee.</i> <i>SEPA Usage Rule(s) 'Name' is limited to 70 characters in length.</i> <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70
2.8	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator ++++Postal Address	<b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
2.9	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator ++++Identification	<i>SEPA Rulebook AT-E005 Payee's identification code.</i> <i>SEPA Usage Rule(s) Mandatory.</i> <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
	1..1		<b>XML Tag</b> xs:choice

#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.10	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification	<i>SEPA Usage Rule(s)</i> If AT-E005 is provided it must be present either in 'AnyBIC', 'LEI' or 'Other'. If AT-E005 is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. The occurrence of 'Other' related to AT-E005 must contain the Identification Code of the Payee under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'.  <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.11	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Any BIC	<i>SEPA Rulebook</i> <b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.12	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++LEI	<i>SEPA Rulebook</i> <b>ISO Name</b> LEI <b>ISO Definition</b> Legal entity identification as an alternate identification for a party. <b>XML Tag</b> LEI <b>Type</b> LEIIdentifier <b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}
2.13	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.14	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed. <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1
2.15	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.16	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s) Mandatory.</i> ISO Name Scheme Name ISO Definition Name of the identification scheme. XML Tag SchmeNm Type OrganisationIdentificationSchemeName1Choice
	1..1		XML Tag xs:choice
2.17	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s) Only "BOID" is allowed.</i> ISO Name Code ISO Definition Name of the identification scheme, in a coded form as published in an external list. XML Tag Cd Type ExternalOrganisationIdentification1Code ISO Length 1 .. 4 SEPA Length 1 .. 4
			<i>SEPA Code Restrictions</i>
			<b>BOID</b> BusinessOtherIdentification Other identification of the organisation.
2.18	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Proprietary	ISO Name Proprietary ISO Definition Name of the identification scheme, in a free text form. XML Tag Prtry Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.19	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Issuer	ISO Name Issuer ISO Definition Entity that assigns the identification. XML Tag Issr Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.20	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification	<i>SEPA Usage Rule(s) If AT-E005 is provided it must be present in 'Other'. The occurrence of 'Other' related to AT-E005 must contain the Identification Code of the Payee under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'.</i> ISO Name Private Identification ISO Definition Unique and unambiguous identification of a person, for example a passport. XML Tag PrvId Type PersonIdentification17



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.21	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Date And Place Of Birth	ISO Name ISO Definition XML Tag Type	Date And Place Of Birth Date and place of birth of a person. DtAndPlcOfBirth DateAndPlaceOfBirth1
2.22	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Email Address	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.23	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other	SEPA Usage Rule(s) Mandatory. Only one occurrence is allowed. ISO Name ISO Definition XML Tag Type Other Unique identification of a person, as assigned by an institution, using an identification scheme. Othr GenericPersonIdentification1	
2.24	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Identification	SEPA Rulebook ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-E005 Payee's Identification Code. Identification Unique and unambiguous identification of a person. Id Max35Text 1 .. 35 1 .. 35
2.25	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name	SEPA Usage Rule(s) Mandatory. ISO Name ISO Definition XML Tag Type Scheme Name Name of the identification scheme. SchmeNm PersonIdentificationSchemeName1Choice	
	1..1		XML Tag	xs:choice
2.26	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name +++++++Code	SEPA Usage Rule(s) Only "POID" is allowed. ISO Name ISO Definition XML Tag Type ISO Length SEPA Length Code Name of the identification scheme, in a coded form as published in an external list. Cd ExternalPersonIdentification1Code 1 .. 4 1 .. 4	
			SEPA Code Restrictions	
			POID PersonCommercialIdentification Other identification of the person.	



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.27	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name +++++++Proprietary	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Proprietary Name of the identification scheme, in a free text form. Prtry Max35Text 1 .. 35 1 .. 35
2.28	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Issuer	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.29	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Country Of Residence	ISO Name ISO Definition XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.30	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Originator +++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.31	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Reason	ISO Name ISO Definition XML Tag Type	Reason Specifies the reason for the amendment request. Rsn DebtorActivationAmendmentReason1Choice
	1..1		XML Tag	xs:choice
2.32	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Reason +++++Code	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-B032 Activation amendment reason Code. Only "CUST" is allowed. Code Reason, as published in an external reason code list. Cd ExternalDebtorActivationAmendmentReason1Code 1 .. 4 1 .. 4
			SEPA Code Restrictions	
			CUST	RequestedByCustomer Amendment requested by the customer.



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.33	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Reason +++++Proprietary	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Proprietary Reason, in a proprietary form. Prtry Max35Text 1 .. 35 1 .. 35
2.34	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment Reason ++++Additional Information	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Additional Information Further details on the amendment request reason. AddtlInf Max105Text 1 .. 105 1 .. 105
2.35	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment	<b>SEPA Usage Rule(s)</b> <i>The message elements under 'Amendment' in DSO-09 must be exactly the same as the message elements provided under 'Amendment' in DSO-08.</i>  ISO Name ISO Definition XML Tag Type	
2.36	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation	ISO Name ISO Definition  XML Tag Type	Amendment Provides the amended enrolment data. Amdmnt DebtorActivationAmendment4  Debtor Activation Specific attributes provided the debtor, as requested by the creditor, for the activation request. DbtrActvtn DebtorActivation4
2.37	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Activation Identification	<b>SEPA Rulebook</b> ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	
2.38	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Display Name	ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	AT-B027 Activation counterpart reference. Debtor Activation Identification Unique identification, as assigned by the initiating party, to unambiguously identify the activation.  Usage: This element may be used for technical reconciliation purpose. DbtrActvtnId Max35Text 1 .. 35 1 .. 35  Display Name Name by which the debtor is known, other than legal name, such as the name to be shown to the creditor. DispNm Max140Text 1 .. 140 1 .. 140
2.39	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Ultimate Debtor	ISO Name ISO Definition  XML Tag Type	Ultimate Debtor Ultimate party that owes an amount of money to the (ultimate) creditor. UltmtDbtr RTPPartyIdentification1
2.40	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor	ISO Name ISO Definition  XML Tag Type	Debtor Party that owes an amount of money to the (ultimate) creditor. Dbtr RTPPartyIdentification1



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.41	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Name	<i>SEPA Rulebook</i> AT-P001 Name of the Payer. <i>SEPA Usage Rule(s)</i> 'Name' is limited to 70 characters in length. <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70
2.42	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address	<i>SEPA Rulebook</i> AT-P005 Address of the Payer. <b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
2.43	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Address Type	<b>ISO Name</b> Address Type <b>ISO Definition</b> Identifies the nature of the postal address. <b>XML Tag</b> AdrTp <b>Type</b> AddressType3Choice
2.44	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Department	<b>ISO Name</b> Department <b>ISO Definition</b> Identification of a division of a large organisation or building. <b>XML Tag</b> Dept <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.45	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Sub Department	<b>ISO Name</b> Sub Department <b>ISO Definition</b> Identification of a sub-division of a large organisation or building. <b>XML Tag</b> SubDept <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.46	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Street Name	<b>ISO Name</b> Street Name <b>ISO Definition</b> Name of a street or thoroughfare. <b>XML Tag</b> StrtNm <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.47	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Building Number	<b>ISO Name</b> Building Number <b>ISO Definition</b> Number that identifies the position of a building on a street. <b>XML Tag</b> BldgNb <b>Type</b> Max16Text <b>ISO Length</b> 1 .. 16 <b>SEPA Length</b> 1 .. 16



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.48	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Building Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Building Name Name of the building or house. BldgNm Max35Text 1 .. 35 1 .. 35
2.49	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Floor	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Floor Floor or storey within a building. Flr Max70Text 1 .. 70 1 .. 70
2.50	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Post Box	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Box Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for. PstBx Max16Text 1 .. 16 1 .. 16
2.51	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Room	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Room Building room number. Room Max70Text 1 .. 70 1 .. 70
2.52	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Post Code	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Code Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail. PstCd Max16Text 1 .. 16 1 .. 16
2.53	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Town Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Name Name of a built-up area, with defined boundaries, and a local government. TwnNm Max35Text 1 .. 35 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.54	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Town Location Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Location Name Specific location name within the town. TwnLctnNm Max35Text 1 .. 35 1 .. 35
2.55	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++District Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	District Name Identifies a subdivision within a country sub-division. DstrctNm Max35Text 1 .. 35 1 .. 35
2.56	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Country Sub Division	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Country Sub Division Identifies a subdivision of a country such as state, region, county. CtrySubDvsn Max35Text 1 .. 35 1 .. 35
2.57	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Country	<b>SEPA Usage Rule(s)</b> <i>It is recommended that this element is populated even if the country of the Payer is also mentioned under 'Address Line'.</i>  ISO Name ISO Definition XML Tag Type Pattern	
2.58	0..2	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Postal Address +++++++Address Line	<b>SEPA Usage Rule(s)</b> <i>Only two occurrences are allowed.</i>  ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	
2.59	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification	<b>SEPA Rulebook</b> <i>AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. AT-P017 Customer Category Code.</i>  ISO Name ISO Definition XML Tag Type	
	1..1		XML Tag xs:choice	



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.60	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification	<p><b>SEPA Usage Rule(s)</b> If AT-P009 is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. If AT-P002 and/or AT-P017 are also needed, then up to three occurrences of 'Other' are to be used.</p> <p>- The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'.</p> <p>- The occurrence of 'Other' related to AT-P002 must contain the Trade Name of the Payer under 'Identification' and "BCID" is to be populated in 'Scheme Name/Proprietary'.</p> <p>- The occurrence of 'Other' related to AT-P017 must contain the Customer Category Code under 'Identification' and "BDID" is to be populated in 'Scheme Name/Code'.</p> <p><b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37</p>
2.61	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Any BIC	<p><b>SEPA Rulebook</b> AT-P009 Identifier of the Payer. <b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}</p>
2.62	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++LEI	<p><b>SEPA Rulebook</b> AT-P009 Identifier of the Payer. <b>ISO Name</b> LEI <b>ISO Definition</b> Legal entity identification as an alternate identification for a party. <b>XML Tag</b> LEI <b>Type</b> LEIIdentifier <b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}</p>
2.63	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Email Address	<p><b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256</p>



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.64	0.3	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Other	<b>SEPA Usage Rule(s)</b> Up to 3 occurrences are allowed. <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1
2.65	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Identification	<b>SEPA Rulebook</b> AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. AT-P017 Customer Category Code. <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.66	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name	<b>SEPA Usage Rule(s)</b> Mandatory. <b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> OrganisationIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b> xs:choice
2.67	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Code	<b>SEPA Usage Rule(s)</b> Only "BOID" (AT-P009) or "BDID" (AT-P017) are allowed. <b>ISO Name</b> Code <b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list. <b>XML Tag</b> Cd <b>Type</b> ExternalOrganisationIdentification1Code <b>ISO Length</b> 1 .. 4 <b>SEPA Length</b> 1 .. 4
			<b>SEPA Code Restrictions</b>
			<b>BOID</b> BusinessOtherIdentification Other identification of the organisation.
2.68	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Proprietary	<b>SEPA Usage Rule(s)</b> Only "BCID" (AT-P002) is allowed. <b>ISO Name</b> Proprietary <b>ISO Definition</b> Name of the identification scheme, in a free text form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
			<b>SEPA Code Restrictions</b>	
			<b>BCID</b>	<i>CommercialIdentification</i> Commercial Identification of the organisation (e.g. Trade Name)
2.69	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Issuer	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.70	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification	<b>SEPA Usage Rule(s)</b> <i>If both AT-P009 and AT-P002 are present, then up to two occurrences of 'Other' are to be used.</i> - The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'. - The occurrence of 'Other' related to AT-P002 must contain the Trade Name of the Payer under 'Identification' and "PCID" is to be populated in 'Scheme Name/Proprietary'. <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	
				Private Identification Unique and unambiguous identification of a person, for example a passport. PrvtId PersonIdentification17
2.71	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Date And Place Of Birth	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Date And Place Of Birth Date and place of birth of a person. DtAndPlcOfBirth DateAndPlaceOfBirth1
2.72	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Email Address	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.73	1..2	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Other	<b>SEPA Usage Rule(s)</b> <i>Mandatory.</i> <i>Up to two occurrences are allowed.</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	
				Other Unique identification of a person, as assigned by an institution, using an identification scheme. Othr GenericPersonIdentification1



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.74	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a person. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.75	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s)</i> Mandatory. <b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> PersonIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b> xs:choice
2.76	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s)</i> Only "POID" (AT-P009) is allowed. <b>ISO Name</b> Code <b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list. <b>XML Tag</b> Cd <b>Type</b> ExternalPersonIdentification1Code <b>ISO Length</b> 1 .. 4 <b>SEPA Length</b> 1 .. 4
			<b>SEPA Code Restrictions</b>
			<b>POID</b> PersonCommercialIdentification Other identification of the person.
2.77	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name +++++++Proprietary	<i>SEPA Usage Rule(s)</i> Only "PCID" (AT-P002) is allowed. <b>ISO Name</b> Proprietary <b>ISO Definition</b> Name of the identification scheme, in a free text form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
			<b>SEPA Code Restrictions</b>
			<b>PCID</b> CommercialIdentification Commercial Identification of the person (e.g. Trade Name)



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.78	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Identification +++++++Private Identification +++++++Other +++++++Issuer	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.79	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Country Of Residence	ISO Name ISO Definition XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.80	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor ++++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.81	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider	ISO Name ISO Definition XML Tag Type	Debtor Solution Provider Organisation servicing the e-invoicing for the debtor (to which the activation status report must be sent). DbtrSolPrvdr RTPPartyIdentification1
2.82	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 140
2.83	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Postal Address	ISO Name ISO Definition XML Tag Type	Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.84	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-N002 Identifier of the Payee's RTP Service Provider. Mandatory. Identification Unique and unambiguous identification of a party. Id Party49Choice
	1..1		XML Tag	xs:choice

#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.85	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification +++++++Organisation Identification	<b>SEPA Usage Rule(s)</b> <i>If the Payee's RTP Service Provider is a PSP, either 'AnyBIC', 'LEI' or 'Other/Identification' must be used. If the Payee's RTP Service Provider is not a PSP, 'Other/Identification' must be used.</i>  <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.86	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification +++++++Organisation Identification +++++++Any BIC	<b>SEPA Usage Rule(s)</b> <i>To be used only if the Payee's RTP Service Provider is a PSP.</i>  <b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.87	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification +++++++Organisation Identification +++++++LEI	<b>SEPA Usage Rule(s)</b> <i>To be used only if the Payee's RTP Service Provider is a PSP.</i>  <b>ISO Name</b> LEI <b>ISO Definition</b> Legal entity identification as an alternate identification for a party. <b>XML Tag</b> LEI <b>Type</b> LEIIdentifier <b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}
2.88	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification +++++++Organisation Identification +++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.89	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification +++++++Organisation Identification +++++++Other	<b>SEPA Usage Rule(s)</b> <i>To be used if the Payee's RTP Service Provider is a PSP and AT-N002 relates to another identifier than 'AnyBIC' or 'LEI'. Always to be used if the Payee's RTP Service Provider is NOT a PSP. Only one occurrence is allowed.</i>  <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.90	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++Debtor Solution Provider +++++Identification ++++++Organisation Identification +++++++Other +++++++Identification	<i>SEPA Usage Rule(s)</i> To be used if the Payee's RTP Service Provider is a PSP and AT-N002 relates to another identifier than 'BIC' or 'LEI'. If the Payee's RTP Service Provider is NOT a PSP, any type of identifier which AT-N002 relates to must be provided here.  ISO Name Identification ISO Definition Identification assigned by an institution. XML Tag Id Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.91	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++Debtor Solution Provider +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s)</i> If the Payee's RTP Service Provider is a PSP and 'Other/Identification' is used then the appropriate 'Scheme Name' may be populated here. If the Payee's RTP Service Provider is NOT a PSP, this element should be populated with "ANYBIC" or "LEI" under 'Proprietary', if applicable. In case of another identification, the appropriate 'Scheme Name' may be populated here.  ISO Name Scheme Name ISO Definition Name of the identification scheme. XML Tag SchmeNm Type OrganisationIdentificationSchemeName1Choice
	1..1		XML Tag xs:choice
2.92	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++Debtor Solution Provider +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Code	ISO Name Code ISO Definition Name of the identification scheme, in a coded form as published in an external list.  XML Tag Cd Type ExternalOrganisationIdentification1Code ISO Length 1 .. 4 SEPA Length 1 .. 4
2.93	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++Debtor Solution Provider +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Proprietary	<i>SEPA Usage Rule(s)</i> If applicable, "ANYBIC" or "LEI" must be mentioned here.  ISO Name Proprietary ISO Definition Name of the identification scheme, in a free text form.  XML Tag Prtry Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.94	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++Debtor Solution Provider +++++Identification ++++++Organisation Identification +++++++Other +++++++Issuer	ISO Name Issuer ISO Definition Entity that assigns the identification. XML Tag Issr Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.95	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Identification +++++++Private Identification	ISO Name ISO Definition XML Tag Type	Private Identification Unique and unambiguous identification of a person, for example a passport. PrvtId PersonIdentification17
2.96	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Country Of Residence	ISO Name ISO Definition XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.97	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Debtor Solution Provider ++++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.98	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Customer Identification	SEPA Rulebook ISO Name ISO Definition XML Tag Type	AT-B036 Identification of the Payee expected by the Payer. Customer Identification Unique identifier of the debtor required by the creditor, for example the reference number or customer number. Unique identification provided by the web bank or web payment services user, with which the creditor may identify the debtor in its system. CstmId Party49Choice
2.99	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Contract Format Type	ISO Name ISO Definition XML Tag Type	Contract Format Type Document format type supported to exchange the contracts. CtrctFmtTp DocumentFormat2Choice
2.100	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Contract Reference	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Only one occurrence is allowed. Contract Reference Code choice external/prop Description  identical to the Instruction for Debtor CtrctRef ContractReference1
2.101	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Contract Reference ++++++Type	ISO Name ISO Definition XML Tag Type	Type Type of the contract referred to. Tp DocumentType1Choice



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.102	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Contract Reference ++++++Reference	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-B026 Activation contract reference.</i> Reference Reference of the contract. Ref Max500Text 1 .. 500 1 .. 500
2.103	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Creditor Party to which an amount of money is due. Cdr RTPPartyIdentification1
2.104	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Name	<i>SEPA Rulebook</i> <i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-E001 Name of the Payee.</i> <i>'Name' is limited to 70 characters in length.</i> Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 70
2.105	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>AT-E004 Address of the Payee.</i> Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.106	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address ++++++Address Type	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Address Type Identifies the nature of the postal address. AdrTp AddressType3Choice
2.107	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address ++++++Department	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Department Identification of a division of a large organisation or building. Dept Max70Text 1 .. 70 1 .. 70
2.108	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address ++++++Sub Department	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Sub Department Identification of a sub-division of a large organisation or building. SubDept Max70Text 1 .. 70 1 .. 70



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.109	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Street Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Street Name Name of a street or thoroughfare. StrtNm Max70Text 1 .. 70 1 .. 70
2.110	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Building Number	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Building Number Number that identifies the position of a building on a street. BldgNb Max16Text 1 .. 16 1 .. 16
2.111	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Building Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Building Name Name of the building or house. BldgNm Max35Text 1 .. 35 1 .. 35
2.112	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Floor	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Floor Floor or storey within a building. Flr Max70Text 1 .. 70 1 .. 70
2.113	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Post Box	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Post Box Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for. PstBx Max16Text 1 .. 16 1 .. 16
2.114	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Room	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Room Building room number. Room Max70Text 1 .. 70 1 .. 70



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.115	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Post Code	ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	Post Code Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.  PstCd Max16Text 1 .. 16 1 .. 16
2.116	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Town Name	ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	Town Name Name of a built-up area, with defined boundaries, and a local government.  TwnNm Max35Text 1 .. 35 1 .. 35
2.117	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Town Location Name	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Town Location Name Specific location name within the town. TwnLctnNm Max35Text 1 .. 35 1 .. 35
2.118	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++District Name	ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	District Name Identifies a subdivision within a country sub-division. DstrctNm Max35Text 1 .. 35 1 .. 35
2.119	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Country Sub Division	ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	Country Sub Division Identifies a subdivision of a country such as state, region, county. CtrySubDvsn Max35Text 1 .. 35 1 .. 35
2.120	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Country	<b>SEPA Usage Rule(s)</b> <i>It is recommended that this element is populated even if the country of the Payee is also mentioned under 'Address Line'.</i>  ISO Name ISO Definition XML Tag Type Pattern	



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.121	0..2	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Postal Address +++++++Address Line	<b>SEPA Usage Rule(s)</b> Only two occurrences are allowed. <b>ISO Name</b> Address Line <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services, presented in free format text. <b>XML Tag</b> AdrLine <b>Type</b> Max70Text <b>ISO Length</b> 1 .. 70 <b>SEPA Length</b> 1 .. 70
2.122	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification	<b>SEPA Rulebook</b> AT-E005 Payee's identification code. AT-E002 Trade Name of the Payee. AT-E006 Merchant Category Code of the Payee. <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
	1..1		<b>XML Tag</b> xs:choice
2.123	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification	<b>SEPA Usage Rule(s)</b> If AT-E005 'Payee's identification code' is provided it must be present either in 'AnyBIC', 'LEI' or 'Other'. If AT-E005 'Payee's identification code' is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. If AT-E002 'Trade Name of the Payee' and/or AT-E006 'Merchant Category Code of the Payee' are also needed, then up to three occurrences of 'Other' are to be used. - The occurrence of 'Other' related to AT-E005 must contain the Identification Code of the Payee under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'. - The occurrence of 'Other' related to AT-E002 must contain the Trade Name of the Payee under 'Identification' and "BCID" is to be populated in 'Scheme Name/Proprietary'. - The occurrence of 'Other' related to AT-E006 must contain the Merchant Category Code of the Payee under 'Identification' and "BDID" is to be populated in 'Scheme Name/Code'. <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.124	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Any BIC	<b>SEPA Rulebook</b> AT-E005 Payee's identification code. <b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.125	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++LEI	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>Pattern</b>	<i>AT-E005 Payee's identification code.</i> LEI Legal entity identification as an alternate identification for a party. LEI LEIIdentifier [A-Z0-9]{18,18}[0-9]{2,2}
2.126	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Email Address	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.127	0..3	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Other	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>Up to three occurrences are allowed.</i> Other Unique identification of an organisation, as assigned by an institution, using an identification scheme. Othr GenericOrganisationIdentification1
2.128	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Identification	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-E005 Payee's identification code.</i> <i>AT-E002 Trade Name of the Payee.</i> <i>AT-E006 Merchant Category Code of the Payee.</i> Identification Identification assigned by an institution. Id Max35Text 1 .. 35 1 .. 35
2.129	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>Mandatory.</i> Scheme Name Name of the identification scheme. SchmeNm OrganisationIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b>	xs:choice



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.130	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Code	<p><b>SEPA Usage Rule(s)</b> Only "BOID" (AT-E005) or "BDID" (AT-E006) are allowed.</p> <p><b>ISO Name</b> Code</p> <p><b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list.</p> <p><b>XML Tag</b> Cd</p> <p><b>Type</b> ExternalOrganisationIdentification1Code</p> <p><b>ISO Length</b> 1 .. 4</p> <p><b>SEPA Length</b> 1 .. 4</p> <p><b>SEPA Code Restrictions</b></p> <p><b>BDID</b> BusinessDomainIdentifier Identifier of the business domain in which the organisation is active.</p> <p><b>BOID</b> BusinessOtherIdentification Other identification of the organisation.</p>
2.131	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Proprietary	<p><b>SEPA Usage Rule(s)</b> Only "BCID" (AT-E002) is allowed.</p> <p><b>ISO Name</b> Proprietary</p> <p><b>ISO Definition</b> Name of the identification scheme, in a free text form.</p> <p><b>XML Tag</b> Prtry</p> <p><b>Type</b> Max35Text</p> <p><b>ISO Length</b> 1 .. 35</p> <p><b>SEPA Length</b> 1 .. 35</p> <p><b>SEPA Code Restrictions</b></p> <p><b>BCID</b> CommercialIdentification Commercial Identification of the organisation (e.g. Trade Name)</p>
2.132	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Organisation Identification +++++++Other +++++++Issuer	<p><b>ISO Name</b> Issuer</p> <p><b>ISO Definition</b> Entity that assigns the identification.</p> <p><b>XML Tag</b> Issr</p> <p><b>Type</b> Max35Text</p> <p><b>ISO Length</b> 1 .. 35</p> <p><b>SEPA Length</b> 1 .. 35</p>



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.133	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification	<b>SEPA Usage Rule(s)</b> If AT-E005 'Payee's identification code' is provided it must be present in 'Other'. If AT-E005 'Payee's identification code' and/or AT-E002 'Trade Name of the Payee' is to be provided, then up to two occurrences of 'Other' are to be used. - The occurrence of 'Other' related to AT-E005 must contain the Identification Code of the Payee under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'. - The occurrence of 'Other' related to AT-E002 must contain the Trade Name of the Payee under 'Identification' and "PCID" is to be populated in 'Scheme Name/Proprietary'.  <b>ISO Name</b> Private Identification <b>ISO Definition</b> Unique and unambiguous identification of a person, for example a passport. <b>XML Tag</b> PrvtId <b>Type</b> PersonIdentification17
2.134	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Date And Place Of Birth	<b>ISO Name</b> Date And Place Of Birth <b>ISO Definition</b> Date and place of birth of a person. <b>XML Tag</b> DtAndPlcOfBirth <b>Type</b> DateAndPlaceOfBirth1
2.135	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.136	1..2	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Other	<b>SEPA Usage Rule(s)</b> <i>Mandatory.</i> <i>Up to two occurrences are allowed.</i> <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of a person, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericPersonIdentification1
2.137	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Other +++++++Identification	<b>SEPA Rulebook</b> AT-E005 Payee's Identification Code. AT-E002 Trade Name of the Payee. <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a person. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.138	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s) Mandatory.</i> ISO Name Scheme Name ISO Definition Name of the identification scheme. XML Tag SchmeNm Type PersonIdentificationSchemeName1Choice
	1..1		XML Tag xs:choice
2.139	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s) Only "POID" (AT-E005) is allowed.</i> ISO Name Code ISO Definition Name of the identification scheme, in a coded form as published in an external list. XML Tag Cd Type ExternalPersonIdentification1Code ISO Length 1 .. 4 SEPA Length 1 .. 4
			<i>SEPA Code Restrictions</i>
			<b>POID</b> PersonCommercialIdentification Other identification of the person.
2.140	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name +++++++Proprietary	<i>SEPA Usage Rule(s) Only "PCID" (AT-E002) is allowed.</i> ISO Name Proprietary ISO Definition Name of the identification scheme, in a free text form. XML Tag Prtry Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
			<i>SEPA Code Restrictions</i>
			<b>PCID</b> CommercialIdentification Commercial Identification of the person (e.g. Trade Name)
2.141	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Identification +++++++Private Identification +++++++Other +++++++Issuer	ISO Name Issuer ISO Definition Entity that assigns the identification. XML Tag Issr Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.142	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Country Of Residence	ISO Name ISO Definition  XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.143	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Creditor ++++++Contact Details	ISO Name ISO Definition  XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.144	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Ultimate Creditor	ISO Name ISO Definition  XML Tag Type	Ultimate Creditor Ultimate party to which an amount of money is due. UltmtCdtr RTPPartyIdentification1
2.145	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++++Activation Request Delivery Party	ISO Name ISO Definition  XML Tag Type	Activation Request Delivery Party Creditor's service provider address to which the debtor activation has to be delivered. ActvtnReqDlvryPty RTPPartyIdentification1
2.146	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++++Activation Request Delivery Party ++++++Name	ISO Name ISO Definition  XML Tag Type ISO Length SEPA Length	Name Name by which a party is known and which is usually used to identify that party. Nm Max140Text 1 .. 140 1 .. 140
2.147	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++++Activation Request Delivery Party ++++++Postal Address	ISO Name ISO Definition  XML Tag Type	Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.148	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation ++++++Activation Request Delivery Party ++++++Identification	SEPA Usage Rule(s)   ISO Name ISO Definition  XML Tag Type	<i>The SRTP address of the Payer is to be provided here, which is the combination of AT-P009 Identifier of the Payer and AT-N001 Identifier of the Payer's RTP Service Provider. Mandatory. 'Private Identification' is to be used if the Payer is a natural person.</i> Identification Unique and unambiguous identification of a party. Id Party49Choice
	1..1		XML Tag	xs:choice



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09
2.149	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification	<i>SEPA Usage Rule(s) Only 'Other' is allowed.</i> <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.150	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++Any BIC	<b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.151	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++LEI	<b>ISO Name</b> LEI <b>ISO Definition</b> Legal entity identification as an alternate identification for a party. <b>XML Tag</b> LEI <b>Type</b> LEIIdentifier <b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}
2.152	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.153	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++Other	<i>SEPA Usage Rule(s) Mandatory.</i> <i>Only one occurrence is allowed.</i> <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1
2.154	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer. <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.155	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++Other +++++++Scheme Name	ISO Name ISO Definition XML Tag Type	Scheme Name Name of the identification scheme. SchmeNm OrganisationIdentificationSchemeName1Choice
2.156	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Organisation Identification +++++++Other +++++++Issuer	SEPA Rulebook ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-N001 Identifier of the Payer's RTP Service Provider. Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.157	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Only 'Other' is allowed. Private Identification Unique and unambiguous identification of a person, for example a passport. PrvtId PersonIdentification17
2.158	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification +++++++Date And Place Of Birth	ISO Name ISO Definition XML Tag Type	Date And Place Of Birth Date and place of birth of a person. DtAndPlcOfBirth DateAndPlaceOfBirth1
2.159	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification +++++++Email Address	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.160	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification +++++++Other	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Mandatory. Only one occurrence is allowed. Other Unique identification of a person, as assigned by an institution, using an identification scheme. Othr GenericPersonIdentification1



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.161	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-P009 Identifier of the Payer.</i> Identification Unique and unambiguous identification of a person. Id Max35Text 1 .. 35 1 .. 35
2.162	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification +++++++Other +++++++Scheme Name	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Scheme Name Name of the identification scheme. SchmeNm PersonIdentificationSchemeName1Choice
2.163	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Identification +++++++Private Identification +++++++Other +++++++Issuer	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-N001 Identifier of the Payer's RTP Service Provider.</i> Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.164	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Country Of Residence	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>Pattern</b>	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.165	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Activation Request Delivery Party ++++++Contact Details	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.166	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Start Date	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>AT-B024 Activation start date.</i> Start Date Date and time at which the debtor activation will be activated. StartDt DateAndDateTime2Choice
	1..1		<b>XML Tag</b>	xs:choice

#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.167	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Start Date ++++++Date	ISO Name ISO Definition XML Tag Type	Date Specified date. Dt ISODate
2.168	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Start Date ++++++Date Time	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Only UTC time format or local time with UTC offset format can be used. Date Time Specified date and time. DtTm ISODateTime
2.169	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++End Date	SEPA Rulebook ISO Name ISO Definition XML Tag Type	AT-B025 Activation end date. End Date Date and time at which the debtor activation will be deactivated. EndDt DateAndDateTime2Choice
	1..1		XML Tag	xs:choice
2.170	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++End Date ++++++Date	ISO Name ISO Definition XML Tag Type	Date Specified date. Dt ISODate
2.171	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++End Date ++++++Date Time	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	Only UTC time format or local time with UTC offset format can be used. Date Time Specified date and time. DtTm ISODateTime
2.172	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Debtor Activation +++++Dedicated Activation Code	SEPA Rulebook ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-B029 Dedicated activation code. Dedicated Activation Code Unique, one-time code that a creditor may require from a debtor for activation purposes, and which is known only by the creditor and the debtor. DdctdActvtnCd Max35Text 1 .. 35 1 .. 35
2.173	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Electronic Invoice Data	ISO Name ISO Definition XML Tag Type	Electronic Invoice Data Further data related to the electronic invoice (e-invoice). ElctrncInvData ElectronicInvoice1
2.174	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Amendment ++++Electronic Invoice Data +++++Presentment Type	SEPA Rulebook ISO Name ISO Definition XML Tag Type	AT-B031 Proposed e-invoice type. Presentment Type Type of elements to be presented in the electronic invoice (e-invoice). PresntmntTp PresentmentType1Code



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.175	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation	ISO Name ISO Definition XML Tag Type	Original Activation Provides the original activation data. OrgnlActvtn OriginalActivation2Choice
	1..1		XML Tag	xs:choice
2.176	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Debtor Identification	ISO Name ISO Definition    XML Tag Type	Original Debtor Identification Provides the identification to unambiguously identify the debtor as defined in the original request.  Usage: This element must be identical to the debtor identification in the original debtor activation request. OrgnlDbtrId Party49Choice
2.177	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data	SEPA Usage Rule(s)    ISO Name ISO Definition XML Tag Type	<i>The message elements under 'Original Activation Data' must be the same as the mandatory message elements - and where applicable the optional message elements to be changed (if data element available) - of the original activation request 'reda.070' message, populated either with the value of the original reda.070 or when applicable with the value updated in a subsequent reda.071 message, according to the information given under 'Message Name Identification'.</i> Original Activation Data Provides the full original activation data. OrgnlActvtnData DebtorActivation3
2.178	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Debtor Activation Identification	SEPA Rulebook ISO Name ISO Definition    XML Tag Type ISO Length SEPA Length	AT-B027 Activation counterpart reference. Debtor Activation Identification Unique identification, as assigned by the initiating party, to unambiguously identify the activation.  Usage: This element may be used for technical reconciliation purpose. DbtrActvtnId Max35Text 1 .. 35 1 .. 35
2.179	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Display Name	ISO Name ISO Definition   XML Tag Type ISO Length SEPA Length	Display Name Name by which the debtor is known, other than legal name, such as the name to be shown to the creditor. DispNm Max140Text 1 .. 140 1 .. 140
2.180	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Ultimate Debtor	ISO Name ISO Definition  XML Tag Type	Ultimate Debtor Ultimate party that owes an amount of money to the (ultimate) creditor. UltmtDbtr RTPPartyIdentification1



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.181	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Debtor	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	AT-P001 Name of the Payer. AT-P005 Address of the Payer. AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. AT-P017 Customer Category Code. Debtor Party that owes an amount of money to the (ultimate) creditor. Dbtr RTPPartyIdentification1
2.182	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Debtor Solution Provider	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	AT-N002 Identifier of the Payee's RTP Service Provider. Debtor Solution Provider Organisation servicing the e-invoicing for the debtor (to which the activation status report must be sent). DbtrSolPrvdr RTPPartyIdentification1
2.183	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Customer Identification	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	AT-B036 Identification of the Payee expected by the Payer. Customer Identification Unique identifier of the debtor required by the creditor, for example the reference number or customer number. Unique identification provided by the web bank or web payment services user, with which the creditor may identify the debtor in its system. CstmrId Party49Choice
2.184	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Contract Format Type	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	Contract Format Type Document format type supported to exchange the contracts. CtctFrmtTp DocumentFormat2Choice
2.185	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Contract Reference	<b>SEPA Rulebook</b> <b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	AT-B026 Activation contract reference. Only one occurrence is allowed. Contract Reference Code choice external/prop Description  identical to the Instruction for Debtor CtctRef ContractReference1
2.186	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Creditor	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	AT-E001 Name of the Payee. AT-E004 Address of the Payee. AT-E005 Payee's identification code. AT-E002 Trade Name of the Payee. AT-E006 Merchant Category Code of the Payee. Creditor Party to which an amount of money is due. Cdtr RTPPartyIdentification1
2.187	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Ultimate Creditor	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	Ultimate Creditor Ultimate party to which an amount of money is due. UltmtCdtr RTPPartyIdentification1



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Amendment Request SEPA Core Requirements - DSO-09	
2.188	1..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Activation Request Delivery Party	<i>SEPA Rulebook</i> <i>SEPA Usage Rule(s)</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>AT-N001 Identifier of the Payer's RTP Service Provider.</i> <i>AT-P009 Identifier of the Payer.</i> <i>Mandatory.</i> Activation Request Delivery Party Creditor's service provider address to which the debtor activation has to be delivered. ActvtnReqDlvryPty RTPPartyIdentification1
2.189	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Start Date	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>AT-B024 Activation start date.</i> Start Date Date and time at which the debtor activation will be activated. StartDt DateAndDateTime2Choice
2.190	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++End Date	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>AT-B025 Activation end date.</i> End Date Date and time at which the debtor activation will be deactivated. EndDt DateAndDateTime2Choice
2.191	0..1	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Original Activation ++++Original Activation Data +++++Dedicated Activation Code	<i>SEPA Rulebook</i> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <i>SEPA Length</i>	<i>AT-B029 Dedicated activation code.</i> Dedicated Activation Code Unique, one-time code that a creditor may require from a debtor for activation purposes, and which is known only by the creditor and the debtor. DdctdActvtnCd Max35Text 1 .. 35 1 .. 35
2.192	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Amendment Data +++Supplementary Data	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Supplementary Data Additional information that cannot be captured in the structured elements and/or any other specific block. SplmtryData SupplementaryData1
3.0	0..n	Document +Request To Pay Debtor Activation Amendment Request V01 ++Supplementary Data	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Supplementary Data Additional information that cannot be captured in the structured elements and/or any other specific block. SplmtryData SupplementaryData1



## 2.5 Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request Dataset (DSO-28)

This dataset and the message description below correspond with line '5 - ActC-03' in Annex 'Overview of functional activation flows'.

### 2.5.1 Use of the Request To Pay Debtor Activation Cancellation Request (reda.072.001.01)

The Payer's RTP Service Provider sends an RTP Activation Cancellation Request to the Payee's RTP Service Provider.

The message caters for one single Activation Cancellation Request.

The following should be noted:

- Index 1.1 'Message Identification' must start with "PAYER/".
- The Payer (or a technical provider of the Payer) is identified as the 'Initiating Party' of the Activation Cancellation Request.
- Index 2.32 'Reason/Code' (under 'Cancellation Reason') to be populated only with ISO code "CUST" (Requested by Customer).
- When a SEPA Usage Rule refers to "DSO-27", please consider that this message is covered under document 'EPC255-23 Payer-Payer's RTP SP SRTP E&A IG 2023 V1.0'.



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-28	
		Document	<b>XML Tag Type</b>	Document Document
	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Request To Pay Debtor Activation Cancellation Request V01 The RequestToPayDebtorActivationCancellationRequest message is sent by the debtor RTP (Request To Pay) provider to the creditor RTP provider and optionally from the debtor to its RTP provider and from the creditor RTP provider to the creditor to request for the cancellation of the debtor activation of the RTP service with that specific creditor. ReqToPayDbtrActvtnCxlReq RequestToPayDebtorActivationCancellationRequestV01
1.0	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Header Set of characteristics to identify the message and parties playing a role in the cancellation of the mandate, but which are not part of the mandate. Hdr ActivationHeader2
1.1	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Message Identification	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>Must start with "PAYER/"</i> Message Identification Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.  Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period. MsgId Max35Text 1 .. 35 1 .. 35
1.2	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Creation Date Time	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Creation Date Time Date and time at which the message was created. CreDtTm ISODateTime
1.3	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Message Originator	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Originator Party that sends the message. MsgOrgtr RTPPartyIdentification1
1.4	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Message Recipient	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Recipient Party that receives the message. MsgRcpt RTPPartyIdentification1
1.5	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Initiating Party	<b>SEPA Usage Rule(s)</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	<i>The initiating party may either be the Payer or a technical provider of the Payer. The identification of the initiating party is agreed with the Payer's RTP Service Provider.</i> Initiating Party Party that initiates the message. This can either be the debtor himself or the party that initiates the request on behalf of the debtor. InitgPty RTPPartyIdentification1



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-28
1.6	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Initiating Party ++++Name	<i>SEPA Usage Rule(s)</i> 'Name' is limited to 70 characters in length. <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70
1.7	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Initiating Party ++++Postal Address	<b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
1.8	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Initiating Party ++++Identification	<b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
1.9	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Initiating Party ++++Country Of Residence	<b>ISO Name</b> Country Of Residence <b>ISO Definition</b> Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. <b>XML Tag</b> CtryOfRes <b>Type</b> CountryCode <b>Pattern</b> [A-Z]{2,2}
1.10	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Initiating Party ++++Contact Details	<b>ISO Name</b> Contact Details <b>ISO Definition</b> Set of elements used to indicate how to contact the party. <b>XML Tag</b> CtctDtls <b>Type</b> Contact4
2.0	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed. <b>ISO Name</b> Cancellation Data <b>ISO Definition</b> Provides details on the debtor activation cancellation request. <b>XML Tag</b> CxIData <b>Type</b> DebtorActivationCancellation2
2.1	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Business Instruction	<i>SEPA Usage Rule(s)</i> Information from the original reda.070. <b>ISO Name</b> Original Business Instruction <b>ISO Definition</b> Unique identification of the original instruction. <b>XML Tag</b> OrgnlBizInstr <b>Type</b> OriginalBusinessInstruction1
2.2	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Business Instruction ++++Message Identification	<b>ISO Name</b> Message Identification <b>ISO Definition</b> Point to point reference, as assigned by the original initiating party, to unambiguously identify the original instruction message. <b>XML Tag</b> MsgId <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-28
2.3	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Business Instruction ++++Message Name Identification	<i>SEPA Usage Rule(s)</i> Only 'reda.070' is allowed. <i>Mandatory.</i> <b>ISO Name</b> Message Name Identification <b>ISO Definition</b> Specifies the instruction message name identifier to which the message refers. <b>XML Tag</b> MsgNmId <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.4	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Business Instruction ++++Creation Date Time	<b>ISO Name</b> Creation Date Time <b>ISO Definition</b> Date and time at which the message was created. <b>XML Tag</b> CreDtTm <b>Type</b> ISODateTime
2.5	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason	<i>SEPA Usage Rule(s)</i> <i>Mandatory.</i> <b>ISO Name</b> Cancellation Reason <b>ISO Definition</b> Provides detailed information on the cancellation reason. <b>XML Tag</b> CxlRsn <b>Type</b> DebtorActivationCancellationReason2
2.6	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator	<i>SEPA Usage Rule(s)</i> <i>The Payer is the Originator of the cancellation request.</i> <i>Mandatory.</i> <b>ISO Name</b> Originator <b>ISO Definition</b> Party that issues the cancellation request. <b>XML Tag</b> Orgtr <b>Type</b> RTPPartyIdentification1
2.7	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Name	<i>SEPA Rulebook</i> AT-P001 Name of the Payer. <i>SEPA Usage Rule(s)</i> 'Name' is limited to 70 characters in length. <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70
2.8	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Postal Address	<b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
2.9	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer. <i>SEPA Usage Rule(s)</i> <i>Mandatory.</i> <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
	1..1		<b>XML Tag</b> xs:choice

#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-28	
2.10	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification	<i>SEPA Usage Rule(s)</i> If AT-P009 is provided it must be present either in 'AnyBIC', 'LEI' or 'Other'. If AT-P009 is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'.	ISO Name ISO Definition XML Tag Type
			Organisation Identification Unique and unambiguous way to identify an organisation. OrgId OrganisationIdentification37	
2.11	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Any BIC	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer.	ISO Name ISO Definition XML Tag Type Pattern
			Any BIC Business identification code of the organisation. AnyBIC AnyBICDec2014Identifier [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}	
2.12	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++LEI	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer.	ISO Name ISO Definition XML Tag Type Pattern
			LEI Legal entity identification as an alternate identification for a party. LEI LEIIdentifier [A-Z0-9]{18,18}[0-9]{2,2}	
2.13	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Email Address	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.14	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed.	ISO Name ISO Definition XML Tag Type
			Other Unique identification of an organisation, as assigned by an institution, using an identification scheme. Othr GenericOrganisationIdentification1	
2.15	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer.	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length
			Identification Identification assigned by an institution. Id Max35Text 1 .. 35 1 .. 35	



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-28
2.16	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s) Mandatory.</i> ISO Name Scheme Name ISO Definition Name of the identification scheme. XML Tag SchmeNm Type OrganisationIdentificationSchemeName1Choice
	1..1		XML Tag xs:choice
2.17	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s) Only "BOID" is allowed.</i> ISO Name Code ISO Definition Name of the identification scheme, in a coded form as published in an external list. XML Tag Cd Type ExternalOrganisationIdentification1Code ISO Length 1 .. 4 SEPA Length 1 .. 4
			<i>SEPA Code Restrictions</i>
			<b>BOID</b> BusinessOtherIdentification Other identification of the organisation.
2.18	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Proprietary	ISO Name Proprietary ISO Definition Name of the identification scheme, in a free text form. XML Tag Prtry Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.19	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Issuer	ISO Name Issuer ISO Definition Entity that assigns the identification. XML Tag Issr Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.20	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification	<i>SEPA Usage Rule(s) If AT-P009 is provided it must be present in 'Other'. The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'.</i> ISO Name Private Identification ISO Definition Unique and unambiguous identification of a person, for example a passport. XML Tag PrvId Type PersonIdentification17



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-28	
2.21	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Date And Place Of Birth	ISO Name ISO Definition XML Tag Type	Date And Place Of Birth Date and place of birth of a person. DtAndPlcOfBirth DateAndPlaceOfBirth1
2.22	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Email Address	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.23	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other	<b>SEPA Usage Rule(s) Mandatory.</b> <i>Only one occurrence is allowed.</i> ISO Name: Other ISO Definition: Unique identification of a person, as assigned by an institution, using an identification scheme. XML Tag: Othr Type: GenericPersonIdentification1	
2.24	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Identification	<b>SEPA Rulebook</b> AT-P009 Identifier of the Payer. ISO Name: Identification ISO Definition: Unique and unambiguous identification of a person. XML Tag: Id Type: Max35Text ISO Length: 1 .. 35 SEPA Length: 1 .. 35	
2.25	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name	<b>SEPA Usage Rule(s) Mandatory.</b> ISO Name: Scheme Name ISO Definition: Name of the identification scheme. XML Tag: SchmeNm Type: PersonIdentificationSchemeName1Choice	
	1..1		XML Tag	xs:choice
2.26	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name +++++++Code	<b>SEPA Usage Rule(s) Only "POID" is allowed.</b> ISO Name: Code ISO Definition: Name of the identification scheme, in a coded form as published in an external list. XML Tag: Cd Type: ExternalPersonIdentification1Code ISO Length: 1 .. 4 SEPA Length: 1 .. 4	
			<b>SEPA Code Restrictions</b>	
			<b>POID</b> PersonCommercialIdentification Other identification of the person.	



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-28	
2.27	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name +++++++Proprietary	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Proprietary Name of the identification scheme, in a free text form. Prtry Max35Text 1 .. 35 1 .. 35
2.28	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Issuer	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.29	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Country Of Residence	ISO Name ISO Definition XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.30	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.31	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Reason	ISO Name ISO Definition XML Tag Type	Reason Specifies the reason for the cancellation request. Rsn DebtorActivationCancellationReason1Choice
	1..1		XML Tag	xs:choice
2.32	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Reason +++++Code	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-B033 Activation cancellation reason Code. Only "CUST" is allowed. Code Reason, as published in an external reason code list. Cd ExternalDebtorActivationCancellationReason1Code 1 .. 4 1 .. 4
			SEPA Code Restrictions	
			CUST	RequestedByCustomer Cancellation requested by the customer.



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-28	
2.33	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Reason +++++Proprietary	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Proprietary Reason, in a proprietary form. Prtry Max35Text 1 .. 35 1 .. 35
2.34	0..n	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Additional Information	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Additional Information Further details on the cancellation request reason. AddtlInf Max105Text 1 .. 105 1 .. 105
2.35	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation	ISO Name ISO Definition XML Tag Type	Original Activation Provides the original activation data. OrgnlActvtn OriginalActivation2Choice
	1..1		XML Tag	xs:choice
2.36	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Debtor Identification	ISO Name ISO Definition    XML Tag Type	Original Debtor Identification Provides the identification to unambiguously identify the debtor as defined in the original request.   Usage: This element must be identical to the debtor identification in the original debtor activation request. OrgnlDbtrId Party49Choice
2.37	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data	ISO Name ISO Definition XML Tag Type	Original Activation Data Provides the full original activation data. OrgnlActvtnData DebtorActivation3
2.38	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Debtor Activation Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition   XML Tag Type ISO Length SEPA Length	AT-B027 Activation counterpart reference. Mandatory if provided in DSO-27. Debtor Activation Identification Unique identification, as assigned by the initiating party, to unambiguously identify the activation.  Usage: This element may be used for technical reconciliation purpose. DbtrActvtnId Max35Text 1 .. 35 1 .. 35
2.39	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Display Name	ISO Name ISO Definition   XML Tag Type ISO Length SEPA Length	Display Name Name by which the debtor is known, other than legal name, such as the name to be shown to the creditor. DispNm Max140Text 1 .. 140 1 .. 140



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-28	
2.40	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Ultimate Debtor	ISO Name ISO Definition XML Tag Type	Ultimate Debtor Ultimate party that owes an amount of money to the (ultimate) creditor. UltmtDbtr RTPPartyIdentification1
2.41	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Debtor	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-P001 Name of the Payer. AT-P005 Address of the Payer. AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. AT-P017 Customer Category Code. Conditional DSO-28 attributes which were present in DSO-27 must be provided here. Debtor Party that owes an amount of money to the (ultimate) creditor. Dbtr RTPPartyIdentification1
2.42	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Debtor Solution Provider	SEPA Rulebook ISO Name ISO Definition XML Tag Type	AT-N001 Identifier of the Payer's RTP Service Provider. Debtor Solution Provider Organisation servicing the e-invoicing for the debtor (to which the activation status report must be sent). DbtrSolPrvdr RTPPartyIdentification1
2.43	0..n	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Customer Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-B028 Identification of the Payer expected by the Payee. Mandatory if provided in DSO-27. Customer Identification Unique identifier of the debtor required by the creditor, for example the reference number or customer number. Unique identification provided by the web bank or web payment services user, with which the creditor may identify the debtor in its system. CstmrId Party49Choice
2.44	0..n	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Contract Format Type	ISO Name ISO Definition XML Tag Type	Contract Format Type Document format type supported to exchange the contracts. CtctFrmtTp DocumentFormat2Choice
2.45	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Contract Reference	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-B026 Activation contract reference. Mandatory if provided in DSO-27. Only one occurrence is allowed. Contract Reference Code choice external/prop Description identical to the Instruction for Debtor CtctRef ContractReference1



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-28	
2.46	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Creditor	<b>SEPA Rulebook</b> <b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	AT-E001 Name of the Payee. AT-E004 Address of the Payee. AT-E005 Payee's identification code. AT-E002 Trade Name of the Payee. AT-E006 Merchant Category Code of the Payee. Conditional DSO-28 attributes which were present in DSO-27 must be provided here. Creditor Party to which an amount of money is due. Cdr RTPPartyIdentification1
2.47	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Ultimate Creditor	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Ultimate Creditor Ultimate party to which an amount of money is due. UltmtCdr RTPPartyIdentification1
2.48	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Activation Request Delivery Party	<b>SEPA Rulebook</b> <b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	AT-N002 Identifier of the Payee's RTP Service Provider. AT-E005 Payee's identification code. Mandatory. Activation Request Delivery Party Creditor's service provider address to which the debtor activation has to be delivered. ActvtnReqDlvryPty RTPPartyIdentification1
2.49	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Start Date	<b>SEPA Rulebook</b> <b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	AT-B024 Activation start date. Mandatory if provided in DSO-27. Start Date Date and time at which the debtor activation will be activated. StartDt DateAndDateTime2Choice
2.50	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++End Date	<b>SEPA Rulebook</b> <b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	AT-B025 Activation end date. Mandatory if provided in DSO-27. End Date Date and time at which the debtor activation will be deactivated. EndDt DateAndDateTime2Choice
2.51	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Dedicated Activation Code	<b>SEPA Rulebook</b> <b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	AT-B029 Dedicated activation code. Mandatory if provided in DSO-27. Dedicated Activation Code Unique, one-time code that a creditor may require from a debtor for activation purposes, and which is known only by the creditor and the debtor. DdctdActvtnCd Max35Text 1 .. 35 1 .. 35
2.52	0..n	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Supplementary Data	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Supplementary Data Additional information that cannot be captured in the structured elements and/or any other specific block. SplmtryData SupplementaryData1



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-28	
3.0	0..n	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Supplementary Data	ISO Name ISO Definition  XML Tag Type	Supplementary Data Additional information that cannot be captured in the structured elements and/or any other specific block. SplmtryData SupplementaryData1



## 2.6 Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request Dataset (DSO-12)

This dataset and the message description below correspond with line '5 - ActC-03' in Annex 'Overview of functional activation flows'.

### 2.6.1 Use of the Request To Pay Debtor Activation Cancellation Request (reda.072.001.01)

The Payee's RTP Service Provider sends an RTP Activation Cancellation Request to the Payer's RTP Service Provider.

The message caters for one single Activation Cancellation Request.

The following should be noted:

- Index 1.1 'Message Identification' must start with "PAYEE/".
- The Payee (or a technical provider of the Payee) is identified as the 'Initiating Party' of the Activation Cancellation Request.
- Index 2.32 'Reason/Code' (under 'Cancellation Reason') to be populated only with ISO code "CUST" (Requested by Customer).
- When a SEPA Usage Rule refers to "DSO-11", please consider that this message is covered under document 'EPC253-23 Payee-Payee's RTP SP SRTP E&A IG 2023 V1.0'.



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-12	
		Document	<b>XML Tag Type</b>	Document Document
	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Request To Pay Debtor Activation Cancellation Request V01 The RequestToPayDebtorActivationCancellationRequest message is sent by the debtor RTP (Request To Pay) provider to the creditor RTP provider and optionally from the debtor to its RTP provider and from the creditor RTP provider to the creditor to request for the cancellation of the debtor activation of the RTP service with that specific creditor. ReqToPayDbtrActvtnCxlReq RequestToPayDebtorActivationCancellationRequestV01
1.0	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Header Set of characteristics to identify the message and parties playing a role in the cancellation of the mandate, but which are not part of the mandate. Hdr ActivationHeader2
1.1	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Message Identification	<b>SEPA Usage Rule(s)</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>Must start with "PAYEE/"</i> Message Identification Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.  Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period. MsgId Max35Text 1 .. 35 1 .. 35
1.2	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Creation Date Time	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Creation Date Time Date and time at which the message was created. CreDtTm ISODateTime
1.3	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Message Originator	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Originator Party that sends the message. MsgOrgtr RTPPartyIdentification1
1.4	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Message Recipient	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Recipient Party that receives the message. MsgRcpt RTPPartyIdentification1
1.5	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Initiating Party	<b>SEPA Usage Rule(s)</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	<i>The initiating party may either be the Payee or a technical provider of the Payee. The identification of the initiating party is agreed with the Payee's RTP Service Provider.</i> Initiating Party Party that initiates the message. This can either be the debtor himself or the party that initiates the request on behalf of the debtor. InitgPty RTPPartyIdentification1



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-12
1.6	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Initiating Party ++++Name	<i>SEPA Usage Rule(s)</i> 'Name' is limited to 70 characters in length. <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70
1.7	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Initiating Party ++++Postal Address	<b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
1.8	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Initiating Party ++++Identification	<b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
1.9	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Initiating Party ++++Country Of Residence	<b>ISO Name</b> Country Of Residence <b>ISO Definition</b> Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. <b>XML Tag</b> CtryOfRes <b>Type</b> CountryCode <b>Pattern</b> [A-Z]{2,2}
1.10	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Header +++Initiating Party ++++Contact Details	<b>ISO Name</b> Contact Details <b>ISO Definition</b> Set of elements used to indicate how to contact the party. <b>XML Tag</b> CtctDtls <b>Type</b> Contact4
2.0	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed. <b>ISO Name</b> Cancellation Data <b>ISO Definition</b> Provides details on the debtor activation cancellation request. <b>XML Tag</b> CxIData <b>Type</b> DebtorActivationCancellation2
2.1	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Business Instruction	<i>SEPA Usage Rule(s)</i> Information from the original reda.070. <b>ISO Name</b> Original Business Instruction <b>ISO Definition</b> Unique identification of the original instruction. <b>XML Tag</b> OrgnlBizInstr <b>Type</b> OriginalBusinessInstruction1
2.2	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Business Instruction ++++Message Identification	<b>ISO Name</b> Message Identification <b>ISO Definition</b> Point to point reference, as assigned by the original initiating party, to unambiguously identify the original instruction message. <b>XML Tag</b> MsgId <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-12
2.3	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Business Instruction ++++Message Name Identification	<i>SEPA Usage Rule(s)</i> Only 'reda.070' is allowed. <i>Mandatory.</i> <b>ISO Name</b> Message Name Identification <b>ISO Definition</b> Specifies the instruction message name identifier to which the message refers. <b>XML Tag</b> MsgNmId <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.4	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Business Instruction ++++Creation Date Time	<b>ISO Name</b> Creation Date Time <b>ISO Definition</b> Date and time at which the message was created. <b>XML Tag</b> CreDtTm <b>Type</b> ISODateTime
2.5	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason	<i>SEPA Usage Rule(s)</i> <i>Mandatory.</i> <b>ISO Name</b> Cancellation Reason <b>ISO Definition</b> Provides detailed information on the cancellation reason. <b>XML Tag</b> CxlRsn <b>Type</b> DebtorActivationCancellationReason2
2.6	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator	<i>SEPA Usage Rule(s)</i> <i>The Payee is the Originator of the cancellation request.</i> <i>Mandatory.</i> <b>ISO Name</b> Originator <b>ISO Definition</b> Party that issues the cancellation request. <b>XML Tag</b> Orgtr <b>Type</b> RTPPartyIdentification1
2.7	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Name	<i>SEPA Rulebook</i> AT-E001 Name of the Payee. <i>SEPA Usage Rule(s)</i> 'Name' is limited to 70 characters in length. <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70
2.8	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Postal Address	<b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
2.9	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification	<i>SEPA Rulebook</i> AT-E005 Payee's identification code. <i>SEPA Usage Rule(s)</i> <i>Mandatory.</i> <b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
	1..1		<b>XML Tag</b> xs:choice

#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-12
2.10	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification	<i>SEPA Usage Rule(s)</i> If AT-E005 is provided it must be present either in 'AnyBIC', 'LEI' or 'Other'. If AT-E005 is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. The occurrence of 'Other' related to AT-E005 must contain the Identification Code of the Payee under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'.  <b>ISO Name</b> Organisation Identification <b>ISO Definition</b> Unique and unambiguous way to identify an organisation. <b>XML Tag</b> OrgId <b>Type</b> OrganisationIdentification37
2.11	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Any BIC	<i>SEPA Rulebook</i> <b>ISO Name</b> Any BIC <b>ISO Definition</b> Business identification code of the organisation. <b>XML Tag</b> AnyBIC <b>Type</b> AnyBICDec2014Identifier <b>Pattern</b> [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.12	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++LEI	<i>SEPA Rulebook</i> <b>ISO Name</b> LEI <b>ISO Definition</b> Legal entity identification as an alternate identification for a party. <b>XML Tag</b> LEI <b>Type</b> LEIIdentifier <b>Pattern</b> [A-Z0-9]{18,18}[0-9]{2,2}
2.13	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Email Address	<b>ISO Name</b> Email Address <b>ISO Definition</b> Address for electronic mail (e-mail). <b>XML Tag</b> EmailAdr <b>Type</b> Max256Text <b>ISO Length</b> 1 .. 256 <b>SEPA Length</b> 1 .. 256
2.14	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed. <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1
2.15	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35

#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-12
2.16	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s) Mandatory.</i> ISO Name Scheme Name ISO Definition Name of the identification scheme. XML Tag SchmeNm Type OrganisationIdentificationSchemeName1Choice
	1..1		XML Tag xs:choice
2.17	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s) Only "BOID" is allowed.</i> ISO Name Code ISO Definition Name of the identification scheme, in a coded form as published in an external list. XML Tag Cd Type ExternalOrganisationIdentification1Code ISO Length 1 .. 4 SEPA Length 1 .. 4
			<i>SEPA Code Restrictions</i>
			<b>BOID</b> BusinessOtherIdentification Other identification of the organisation.
2.18	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Proprietary	ISO Name Proprietary ISO Definition Name of the identification scheme, in a free text form. XML Tag Prtry Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.19	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Issuer	ISO Name Issuer ISO Definition Entity that assigns the identification. XML Tag Issr Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.20	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification	<i>SEPA Usage Rule(s) If AT-E005 is provided it must be present in 'Other'. The occurrence of 'Other' related to AT-E005 must contain the Identification Code of the Payee under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'.</i> ISO Name Private Identification ISO Definition Unique and unambiguous identification of a person, for example a passport. XML Tag PrvtId Type PersonIdentification17



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-12	
2.21	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Date And Place Of Birth	ISO Name ISO Definition XML Tag Type	Date And Place Of Birth Date and place of birth of a person. DtAndPlcOfBirth DateAndPlaceOfBirth1
2.22	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Email Address	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.23	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other	<b>SEPA Usage Rule(s) Mandatory.</b> <i>Only one occurrence is allowed.</i> ISO Name: Other ISO Definition: Unique identification of a person, as assigned by an institution, using an identification scheme. XML Tag: Othr Type: GenericPersonIdentification1	
2.24	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Identification	<b>SEPA Rulebook</b> AT-E005 Payee's Identification Code. ISO Name: Identification ISO Definition: Unique and unambiguous identification of a person. XML Tag: Id Type: Max35Text ISO Length: 1 .. 35 SEPA Length: 1 .. 35	
2.25	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name	<b>SEPA Usage Rule(s) Mandatory.</b> ISO Name: Scheme Name ISO Definition: Name of the identification scheme. XML Tag: SchmeNm Type: PersonIdentificationSchemeName1Choice	
	1..1		XML Tag	xs:choice
2.26	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name +++++++Code	<b>SEPA Usage Rule(s) Only "POID" is allowed.</b> ISO Name: Code ISO Definition: Name of the identification scheme, in a coded form as published in an external list. XML Tag: Cd Type: ExternalPersonIdentification1Code ISO Length: 1 .. 4 SEPA Length: 1 .. 4	
			<b>SEPA Code Restrictions</b>	
			<b>POID</b> PersonCommercialIdentification Other identification of the person.	



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-12	
2.27	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name +++++++Proprietary	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Proprietary Name of the identification scheme, in a free text form. Prtry Max35Text 1 .. 35 1 .. 35
2.28	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Issuer	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.29	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Country Of Residence	ISO Name ISO Definition XML Tag Type Pattern	Country Of Residence Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. CtryOfRes CountryCode [A-Z]{2,2}
2.30	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Originator +++++Contact Details	ISO Name ISO Definition XML Tag Type	Contact Details Set of elements used to indicate how to contact the party. CtctDtls Contact4
2.31	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Reason	ISO Name ISO Definition XML Tag Type	Reason Specifies the reason for the cancellation request. Rsn DebtorActivationCancellationReason1Choice
	1..1		XML Tag	xs:choice
2.32	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Reason +++++Code	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-B033 Activation cancellation reason Code. Only "CUST" is allowed. Code Reason, as published in an external reason code list. Cd ExternalDebtorActivationCancellationReason1Code 1 .. 4 1 .. 4
			SEPA Code Restrictions	
			CUST	RequestedByCustomer Cancellation requested by the customer.

#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-12	
2.33	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Reason +++++Proprietary	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Proprietary Reason, in a proprietary form. Prtry Max35Text 1 .. 35 1 .. 35
2.34	0..n	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Cancellation Reason ++++Additional Information	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Additional Information Further details on the cancellation request reason. AddtlInf Max105Text 1 .. 105 1 .. 105
2.35	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation	ISO Name ISO Definition XML Tag Type	Original Activation Provides the original activation data. OrgnlActvtn OriginalActivation2Choice
	1..1		XML Tag	xs:choice
2.36	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Debtor Identification	ISO Name ISO Definition    XML Tag Type	Original Debtor Identification Provides the identification to unambiguously identify the debtor as defined in the original request.  Usage: This element must be identical to the debtor identification in the original debtor activation request. OrgnlDbtrId Party49Choice
2.37	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data	ISO Name ISO Definition XML Tag Type	Original Activation Data Provides the full original activation data. OrgnlActvtnData DebtorActivation3
2.38	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Debtor Activation Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition   XML Tag Type ISO Length SEPA Length	AT-B027 Activation counterpart reference. Mandatory if provided in DSO-11. Debtor Activation Identification Unique identification, as assigned by the initiating party, to unambiguously identify the activation.  Usage: This element may be used for technical reconciliation purpose. DbtrActvtnId Max35Text 1 .. 35 1 .. 35
2.39	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Display Name	ISO Name ISO Definition   XML Tag Type ISO Length SEPA Length	Display Name Name by which the debtor is known, other than legal name, such as the name to be shown to the creditor. DispNm Max140Text 1 .. 140 1 .. 140



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-12	
2.40	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Ultimate Debtor	ISO Name ISO Definition XML Tag Type	Ultimate Debtor Ultimate party that owes an amount of money to the (ultimate) creditor. UltmtDbtr RTPPartyIdentification1
2.41	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Debtor	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-P001 Name of the Payer. AT-P005 Address of the Payer. AT-P009 Identifier of the Payer. AT-P002 Trade Name of the Payer. AT-P017 Customer Category Code. Conditional DSO-12 attributes which were present in DSO-11 must be provided here. Debtor Party that owes an amount of money to the (ultimate) creditor. Dbtr RTPPartyIdentification1
2.42	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Debtor Solution Provider	SEPA Rulebook ISO Name ISO Definition XML Tag Type	AT-N002 Identifier of the Payee's RTP Service Provider. Debtor Solution Provider Organisation servicing the e-invoicing for the debtor (to which the activation status report must be sent). DbtrSolPrvdr RTPPartyIdentification1
2.43	0..n	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Customer Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-B036 Identification of the Payee expected by the Payer. Mandatory if provided in DSO-11. Customer Identification Unique identifier of the debtor required by the creditor, for example the reference number or customer number. Unique identification provided by the web bank or web payment services user, with which the creditor may identify the debtor in its system. CstmrId Party49Choice
2.44	0..n	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Contract Format Type	ISO Name ISO Definition XML Tag Type	Contract Format Type Document format type supported to exchange the contracts. CrctFrmtTp DocumentFormat2Choice
2.45	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Contract Reference	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-B026 Activation contract reference. Mandatory if provided in DSO-11. Only one occurrence is allowed. Contract Reference Code choice external/prop Description identical to the Instruction for Debtor CrctRef ContractReference1



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-12
2.46	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Creditor	<p><b>SEPA Rulebook</b> AT-E001 Name of the Payee. AT-E004 Address of the Payee. AT-E005 Payee's identification code. AT-E002 Trade Name of the Payee. AT-E006 Merchant Category Code of the Payee.</p> <p><b>SEPA Usage Rule(s)</b> Conditional DSO-12 attributes which were present in DSO-11 must be provided here.</p> <p><b>ISO Name</b> Creditor <b>ISO Definition</b> Party to which an amount of money is due. <b>XML Tag</b> Cdr <b>Type</b> RTPPartyIdentification1</p>
2.47	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Ultimate Creditor	<p><b>ISO Name</b> Ultimate Creditor <b>ISO Definition</b> Ultimate party to which an amount of money is due. <b>XML Tag</b> UltmtCdr <b>Type</b> RTPPartyIdentification1</p>
2.48	1..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Activation Request Delivery Party	<p><b>SEPA Rulebook</b> AT-N001 Identifier of the Payer's RTP Service Provider. AT-P009 Identifier of the Payer.</p> <p><b>SEPA Usage Rule(s)</b> Mandatory.</p> <p><b>ISO Name</b> Activation Request Delivery Party <b>ISO Definition</b> Creditor's service provider address to which the debtor activation has to be delivered. <b>XML Tag</b> ActvtnReqDlvryPty <b>Type</b> RTPPartyIdentification1</p>
2.49	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Start Date	<p><b>SEPA Rulebook</b> AT-B024 Activation start date. <b>SEPA Usage Rule(s)</b> Mandatory if provided in DSO-11.</p> <p><b>ISO Name</b> Start Date <b>ISO Definition</b> Date and time at which the debtor activation will be activated. <b>XML Tag</b> StartDt <b>Type</b> DateAndDateTime2Choice</p>
2.50	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++End Date	<p><b>SEPA Rulebook</b> AT-B025 Activation end date. <b>SEPA Usage Rule(s)</b> Mandatory if provided in DSO-11.</p> <p><b>ISO Name</b> End Date <b>ISO Definition</b> Date and time at which the debtor activation will be deactivated. <b>XML Tag</b> EndDt <b>Type</b> DateAndDateTime2Choice</p>
2.51	0..1	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Original Activation ++++Original Activation Data +++++Dedicated Activation Code	<p><b>SEPA Rulebook</b> AT-B029 Dedicated activation code. <b>SEPA Usage Rule(s)</b> Mandatory if provided in DSO-11.</p> <p><b>ISO Name</b> Dedicated Activation Code <b>ISO Definition</b> Unique, one-time code that a creditor may require from a debtor for activation purposes, and which is known only by the creditor and the debtor. <b>XML Tag</b> DdctdActvtnCd <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35</p>
2.52	0..n	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Cancellation Data +++Supplementary Data	<p><b>ISO Name</b> Supplementary Data <b>ISO Definition</b> Additional information that cannot be captured in the structured elements and/or any other specific block. <b>XML Tag</b> SplmtryData <b>Type</b> SupplementaryData1</p>



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider RTP Activation Cancellation Request SEPA Core Requirements - DSO-12	
3.0	0..n	Document +Request To Pay Debtor Activation Cancellation Request V01 ++Supplementary Data	ISO Name ISO Definition  XML Tag Type	Supplementary Data Additional information that cannot be captured in the structured elements and/or any other specific block. SplmtryData SupplementaryData1



## 2.7 Payee's to Payer's RTP Service Provider RTP Activation/Amendment/Cancellation Status Report Dataset (DSO-31)

This dataset and the message description below correspond with lines '2 - Act-01 SR', '4 – ActA-02 SR' and '6 - ActC-03 SR' in Annex 'Overview of functional activation flows'.

### 2.7.1 Use of the Request To Pay Debtor Activation Status Report (reda.073.001.01)

The Payee's RTP Service Provider sends an RTP Activation Status Report to the Payer's RTP Service Provider to inform about the acceptance or rejection of an Activation Request, Activation Amendment Request or Activation Cancellation Request (as originally sent by the Payer).

The message caters for one single Activation/Amendment/Cancellation Status Report.

The following should be noted:

- The Payee (or a technical provider of the Payee) is the 'Initiating Party'.
- Index 2.3 'Message Name Identification' must refer to reda.070, reda.071 or reda.072.
- Index 2.8 'Status Reason' must only be used in case "RJCT" (Rejected) is provided under Index 2.6 'Status/Code'.
- Index 2.40 'Original Activation Data': The underlying message elements must be populated with the same value as in the message elements of the original instruction (reda.070, reda.071 or reda.072) to which this status report refers to, according to the information given under 'Message Name Identification'.
- Index 2.55 'Effective Activation Date' (under 'Original Activation And Status') is mandatory if "ACPT" is provided under index 2.6 'Status/Code'.

#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-31	
		Document	<b>XML Tag Type</b>	Document Document
	1..1	Document +Request To Pay Debtor Activation Status Report V01	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Request To Pay Debtor Activation Status Report V01 The RequestToPayDebtorActivationStatusReport message is sent from the recipient of the debtor activation request message (initiation, amendment or cancellation), such as the creditor RTP provider or the creditor, to the initiator of the debtor activation request message (debtor, debtor RTP provider or any of the forwarding agent) to provide the status of the request. ReqToPayDbtrActvtnStsRpt RequestToPayDebtorActivationStatusReportV01
1.0	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Header Set of characteristics to identify the message and parties playing a role in the mandate acceptance, but which are not part of the mandate. Hdr ActivationHeader2
1.1	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Message Identification	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Message Identification Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.  Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period. MsgId Max35Text 1 .. 35 1 .. 35
1.2	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Creation Date Time	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Creation Date Time Date and time at which the message was created. CreDtTm ISODateTime
1.3	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Message Originator	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Originator Party that sends the message. MsgOrgtr RTPPartyIdentification1
1.4	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Message Recipient	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Recipient Party that receives the message. MsgRcpt RTPPartyIdentification1
1.5	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Initiating Party	<b>SEPA Usage Rule(s)</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	<i>The initiating party may either be the Payee or a technical provider of the Payee. The identification of the initiating party is agreed with the Payee's RTP Service Provider.</i> Initiating Party Party that initiates the message. This can either be the debtor himself or the party that initiates the request on behalf of the debtor. InitgPty RTPPartyIdentification1



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-31
1.6	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Initiating Party ++++Name	<i>SEPA Usage Rule(s)</i> 'Name' is limited to 70 characters in length. <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70
1.7	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Initiating Party ++++Postal Address	<b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
1.8	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Initiating Party ++++Identification	<b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
1.9	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Initiating Party ++++Country Of Residence	<b>ISO Name</b> Country Of Residence <b>ISO Definition</b> Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. <b>XML Tag</b> CtryOfRes <b>Type</b> CountryCode <b>Pattern</b> [A-Z]{2,2}
1.10	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Initiating Party ++++Contact Details	<b>ISO Name</b> Contact Details <b>ISO Definition</b> Set of elements used to indicate how to contact the party. <b>XML Tag</b> CtctDtls <b>Type</b> Contact4
2.0	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed. <b>ISO Name</b> Original Activation And Status <b>ISO Definition</b> Status of the debtor activation instruction (that is request, amendment or cancellation). <b>XML Tag</b> OrgnlActvtnAndSts <b>Type</b> ActivationStatus2
2.1	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Business Instruction	<i>SEPA Usage Rule(s)</i> Must contain the information of the received reda.070, reda.071 or reda.072 to which this status report refers to. <i>Mandatory.</i> <b>ISO Name</b> Original Business Instruction <b>ISO Definition</b> Unique identification of the original instruction. <b>XML Tag</b> OrgnlBizInstr <b>Type</b> OriginalBusinessInstruction1
2.2	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Business Instruction ++++Message Identification	<b>ISO Name</b> Message Identification <b>ISO Definition</b> Point to point reference, as assigned by the original initiating party, to unambiguously identify the original instruction message. <b>XML Tag</b> MsgId <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-31
2.3	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Business Instruction ++++Message Name Identification	<i>SEPA Usage Rule(s)</i> Either reda.070, reda.071 or reda.072 is allowed. <i>Mandatory.</i> <b>ISO Name</b> Message Name Identification <b>ISO Definition</b> Specifies the instruction message name identifier to which the message refers. <b>XML Tag</b> MsgNmId <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.4	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Business Instruction ++++Creation Date Time	<b>ISO Name</b> Creation Date Time <b>ISO Definition</b> Date and time at which the message was created. <b>XML Tag</b> CreDtTm <b>Type</b> ISODateTime
2.5	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status	<i>SEPA Usage Rule(s)</i> AT-B034 Status of the activation/amendment/cancellation request. <b>ISO Name</b> Status <b>ISO Definition</b> Provides detailed information on the status of the request. <b>XML Tag</b> Sts <b>Type</b> ServiceStatus1Choice
	1..1		<b>XML Tag</b> xs:choice
2.6	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status ++++Code	<b>ISO Name</b> Code <b>ISO Definition</b> Status, in a coded form. <b>XML Tag</b> Cd <b>Type</b> ServiceRequestStatus1Code
2.7	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status ++++Proprietary	<b>ISO Name</b> Proprietary <b>ISO Definition</b> Status, in a proprietary form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.8	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason	<i>SEPA Usage Rule(s)</i> Must only be used in case "RJCT" is provided under 'Status/Code'. <b>ISO Name</b> Status Reason <b>ISO Definition</b> Specifies the reason for the status of the debtor activation request. <b>XML Tag</b> StsRsn <b>Type</b> DebtorActivationStatusReason2
2.9	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator	<i>SEPA Usage Rule(s)</i> The Payee is the Originator of the status report. <b>ISO Name</b> Originator <b>ISO Definition</b> Party that issues the cancellation request. <b>XML Tag</b> Orgtr <b>Type</b> RTPPartyIdentification1
2.10	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Name	<i>SEPA Rulebook</i> AT-E001 Name of the Payee. <i>SEPA Usage Rule(s)</i> 'Name' is limited to 70 characters in length. <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70

#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-31	
2.11	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Postal Address	ISO Name ISO Definition XML Tag Type	Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.12	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-E005 Payee's identification code. Mandatory. Identification Unique and unambiguous identification of a party. Id Party49Choice
	1..1		XML Tag	xs:choice
2.13	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	If AT-E005 is provided it must be present either in 'AnyBIC', 'LEI' or 'Other'. If AT-E005 is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. The occurrence of 'Other' related to AT-E005 must contain the Identifier of the Payee under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'. Organisation Identification Unique and unambiguous way to identify an organisation. OrgId OrganisationIdentification37
2.14	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification ++++++Any BIC	SEPA Rulebook ISO Name ISO Definition XML Tag Type Pattern	AT-E005 Payee's identification code. Any BIC Business identification code of the organisation. AnyBIC AnyBICDec2014Identifier [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.15	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification ++++++LEI	SEPA Rulebook ISO Name ISO Definition XML Tag Type Pattern	AT-E005 Payee's identification code. LEI Legal entity identification as an alternate identification for a party. LEI LEIIdentifier [A-Z0-9]{18,18}[0-9]{2,2}
2.16	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification ++++++Email Address	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-31
2.17	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed. <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1
2.18	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> AT-E005 Payee's identification code. <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.19	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s)</i> Mandatory. <b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> OrganisationIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b> xs:choice
2.20	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s)</i> Only "BOID" is allowed. <b>ISO Name</b> Code <b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list. <b>XML Tag</b> Cd <b>Type</b> ExternalOrganisationIdentification1Code <b>ISO Length</b> 1 .. 4 <b>SEPA Length</b> 1 .. 4
			<b>SEPA Code Restrictions</b>
			<b>BOID</b> BusinessOtherIdentification Other identification of the organisation.
2.21	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Proprietary	<b>ISO Name</b> Proprietary <b>ISO Definition</b> Name of the identification scheme, in a free text form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35

#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-31
2.22	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Issuer	ISO Name Issuer ISO Definition Entity that assigns the identification. XML Tag Issr Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.23	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification	<i>SEPA Usage Rule(s) If AT-E005 is provided it must be present in 'Other'. The occurrence of 'Other' related to AT-E005 must contain the Identifier of the Payee under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'.</i> ISO Name Private Identification ISO Definition Unique and unambiguous identification of a person, for example a passport. XML Tag PrvtId Type PersonIdentification17
2.24	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Date And Place Of Birth	ISO Name Date And Place Of Birth ISO Definition Date and place of birth of a person. XML Tag DtAndPlcOfBirth Type DateAndPlaceOfBirth1
2.25	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Email Address	ISO Name Email Address ISO Definition Address for electronic mail (e-mail). XML Tag EmailAdr Type Max256Text ISO Length 1 .. 256 SEPA Length 1 .. 256
2.26	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other	<i>SEPA Usage Rule(s) Mandatory. Only one occurrence is allowed.</i> ISO Name Other ISO Definition Unique identification of a person, as assigned by an institution, using an identification scheme. XML Tag Othr Type GenericPersonIdentification1
2.27	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> ISO Name Identification ISO Definition Unique and unambiguous identification of a person. XML Tag Id Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-31
2.28	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s) Mandatory.</i> ISO Name Scheme Name ISO Definition Name of the identification scheme. XML Tag SchmeNm Type PersonIdentificationSchemeName1Choice
	1..1		XML Tag xs:choice
2.29	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s) Only "POID" is allowed.</i> ISO Name Code ISO Definition Name of the identification scheme, in a coded form as published in an external list. XML Tag Cd Type ExternalPersonIdentification1Code ISO Length 1 .. 4 SEPA Length 1 .. 4
			<i>SEPA Code Restrictions</i>
			<i>POID</i> PersonCommercialIdentification Other identification of the person.
2.30	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name +++++++Proprietary	ISO Name Proprietary ISO Definition Name of the identification scheme, in a free text form. XML Tag Prtry Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.31	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Issuer	ISO Name Issuer ISO Definition Entity that assigns the identification. XML Tag Issr Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.32	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Country Of Residence	ISO Name Country Of Residence ISO Definition Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. XML Tag CtryOfRes Type CountryCode Pattern [A-Z]{2,2}
2.33	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Contact Details	ISO Name Contact Details ISO Definition Set of elements used to indicate how to contact the party. XML Tag CtctDtls Type Contact4



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-31	
2.34	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Reason	ISO Name ISO Definition XML Tag Type	Reason Specifies the status reason for the debtor activation request. Rsn DebtorActivationStatusReason1Choice
	1..1		XML Tag	xs:choice
2.35	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Reason +++++Code	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Code Reason, as published in an external reason code list. Cd ExternalDebtorActivationStatusReason1Code 1 .. 4 1 .. 4
2.36	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Reason +++++Proprietary	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Proprietary Reason, in a proprietary form. Prtry Max35Text 1 .. 35 1 .. 35
2.37	0..n	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Additional Information	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Additional Information Further details on the cancellation request reason. AddtlInf Max105Text 1 .. 105 1 .. 105
2.38	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference	ISO Name ISO Definition XML Tag Type	Original Activation Reference Provides the reference of the original activation request. OrgnlActvtnRef OriginalActivation2Choice
	1..1		XML Tag	xs:choice
2.39	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Debtor Identification	ISO Name ISO Definition XML Tag Type	Original Debtor Identification Provides the identification to unambiguously identify the debtor as defined in the original request.  Usage: This element must be identical to the debtor identification in the original debtor activation request. OrgnlDbtrId Party49Choice
2.40	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data	SEPA Usage Rule(s)  ISO Name ISO Definition XML Tag Type	<i>The message elements under 'Original Activation Data' must be populated with the same value as in the message elements of the original instruction (reda.070, reda.071 or reda.072) to which this status report refers to, according to the information given under 'Message Name Identification'.</i> Original Activation Data Provides the full original activation data. OrgnlActvtnData DebtorActivation3



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-31	
2.41	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Debtor Activation Identification	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-B027 Activation counterpart reference.</i> Debtor Activation Identification Unique identification, as assigned by the initiating party, to unambiguously identify the activation.  Usage: This element may be used for technical reconciliation purpose. DbtrActvtnId Max35Text 1 .. 35 1 .. 35
2.42	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Display Name	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Display Name Name by which the debtor is known, other than legal name, such as the name to be shown to the creditor. DispNm Max140Text 1 .. 140 1 .. 140
2.43	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Ultimate Debtor	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	Ultimate Debtor Ultimate party that owes an amount of money to the (ultimate) creditor. UltmtDbtr RTPPartyIdentification1
2.44	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Debtor	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	<i>AT-P001 Name of the Payer.</i> <i>AT-P005 Address of the Payer.</i> <i>AT-P009 Identifier of the Payer.</i> <i>AT-P002 Trade Name of the Payer.</i> <i>AT-P017 Customer Category Code.</i> Debtor Party that owes an amount of money to the (ultimate) creditor. Dbtr RTPPartyIdentification1
2.45	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Debtor Solution Provider	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	<i>AT-N001 Identifier of the Payer's RTP Service Provider.</i> Debtor Solution Provider Organisation servicing the e-invoicing for the debtor (to which the activation status report must be sent). DbtrSolPrvdr RTPPartyIdentification1
2.46	0..n	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Customer Identification	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	<i>AT-B028 Identification of the Payer expected by the Payee.</i> Customer Identification Unique identifier of the debtor required by the creditor, for example the reference number or customer number. Unique identification provided by the web bank or web payment services user, with which the creditor may identify the debtor in its system. CstmrlId Party49Choice



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-31	
2.47	0..n	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Contract Format Type	ISO Name ISO Definition XML Tag Type	Contract Format Type Document format type supported to exchange the contracts. CtctFrmtTp DocumentFormat2Choice
2.48	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Contract Reference	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-B026 Activation contract reference. Only one occurrence is allowed. Contract Reference Code choice external/prop Description  identical to the Instruction for Debtor CtctRef ContractReference1
2.49	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Creditor	SEPA Rulebook  ISO Name ISO Definition XML Tag Type	AT-E001 Name of the Payee. AT-E004 Address of the Payee. AT-E005 Payee's identification code. AT-E002 Trade Name of the Payee. AT-E006 Merchant Category Code of the Payee. Creditor Party to which an amount of money is due. Cdtr RTPPartyIdentification1
2.50	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Ultimate Creditor	ISO Name ISO Definition XML Tag Type	Ultimate Creditor Ultimate party to which an amount of money is due. UltmtCdtr RTPPartyIdentification1
2.51	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Activation Request Delivery Party	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-N002 Identifier of the Payee's RTP Service Provider. AT-E005 Payee's identification code. Mandatory. Activation Request Delivery Party Creditor's service provider address to which the debtor activation has to be delivered. ActvtnReqDlvryPty RTPPartyIdentification1
2.52	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Start Date	SEPA Rulebook ISO Name ISO Definition XML Tag Type	AT-B024 Activation start date. Start Date Date and time at which the debtor activation will be activated. StartDt DateAndDateTime2Choice
2.53	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++End Date	SEPA Rulebook ISO Name ISO Definition XML Tag Type	AT-B025 Activation end date. End Date Date and time at which the debtor activation will be deactivated. EndDt DateAndDateTime2Choice



#	SEPA Mult	Message Element	Payee's to Payer's RTP Service Provider Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-31	
2.54	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Dedicated Activation Code	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-B029 Dedicated activation code.</i> Dedicated Activation Code Unique, one-time code that a creditor may require from a debtor for activation purposes, and which is known only by the creditor and the debtor. DdctdActvtnCd Max35Text 1 .. 35 1 .. 35
2.55	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Effective Activation Date	<b>SEPA Rulebook</b> <b>SEPA Usage Rule(s)</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	<i>AT-B035 Effective activation date.</i> <i>Mandatory, if "ACPT" is provided under 'Status/Code'.</i> Effective Activation Date Effective date when the debtor has been activated. FctvActvtnDt DateAndDateTime2Choice
	1..1		<b>XML Tag</b>	xs:choice
2.56	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Effective Activation Date ++++Date	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Date Specified date. Dt ISODate
2.57	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Effective Activation Date ++++Date Time	<b>SEPA Usage Rule(s)</b>  <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>Only UTC time format or local time with UTC offset format can be used.</i> Date Time Specified date and time. DtTm ISODateTime
2.58	0..n	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Supplementary Data	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	Supplementary Data Additional information that cannot be captured in the structured elements and/or any other specific block. SplmtryData SupplementaryData1
3.0	0..n	Document +Request To Pay Debtor Activation Status Report V01 ++Supplementary Data	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	Supplementary Data Additional information that cannot be captured in the structured elements and/or any other specific block. SplmtryData SupplementaryData1



## 2.8 Payer's to Payee's RTP Service Provider RTP Activation/Amendment/Cancellation Status Report Dataset (DSO-15)

This dataset and the message description below correspond with lines '2 - Act-01 SR', '4 – ActA-02 SR' and '6 - ActC-03 SR' in Annex 'Overview of functional enrolment flows'.

### 2.8.1 Use of the Request To Pay Debtor Activation Status Report (reda.073.001.01)

The Payer's RTP Service Provider sends an RTP Activation Status Report to the Payee's RTP Service Provider to inform about the acceptance or rejection of an Activation Request, Activation Amendment Request or Activation Cancellation Request (as originally sent by the Payee).

The message caters for one single Activation/Amendment/Cancellation Status Report.

The following should be noted:

- The Payer (or a technical provider of the Payer) is the 'Initiating Party'.
- Index 2.3 'Message Name Identification' must refer to reda.070, reda.071 or reda.072.
- Index 2.8 'Status Reason' must only be used in case "RJCT" (Rejected) is provided under Index 2.6 'Status/Code'.
- Index 2.40 'Original Activation Data': The underlying message elements must be populated with the same value as in the message elements of the original instruction (reda.070, reda.071 or reda.072) to which this status report refers to, according to the information given under 'Message Name Identification'.
- Index 2.55 'Effective Activation Date' (under 'Original Activation And Status') is mandatory if "ACPT" is provided under index 2.6 'Status/Code'.

#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-15	
		Document	<b>XML Tag Type</b>	Document Document
	1..1	Document +Request To Pay Debtor Activation Status Report V01	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Request To Pay Debtor Activation Status Report V01 The RequestToPayDebtorActivationStatusReport message is sent from the recipient of the debtor activation request message (initiation, amendment or cancellation), such as the creditor RTP provider or the creditor, to the initiator of the debtor activation request message (debtor, debtor RTP provider or any of the forwarding agent) to provide the status of the request. ReqToPayDbtrActvtnStsRpt RequestToPayDebtorActivationStatusReportV01
1.0	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	Header Set of characteristics to identify the message and parties playing a role in the mandate acceptance, but which are not part of the mandate. Hdr ActivationHeader2
1.1	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Message Identification	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Message Identification Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.  Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period. MsgId Max35Text 1 .. 35 1 .. 35
1.2	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Creation Date Time	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Creation Date Time Date and time at which the message was created. CreDtTm ISODateTime
1.3	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Message Originator	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Originator Party that sends the message. MsgOrgtr RTPPartyIdentification1
1.4	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Message Recipient	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag Type</b>	Message Recipient Party that receives the message. MsgRcpt RTPPartyIdentification1
1.5	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Initiating Party	<b>SEPA Usage Rule(s)</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag Type</b>	<i>The initiating party may either be the Payer or a technical provider of the Payer. The identification of the initiating party is agreed with the Payer's RTP Service Provider.</i> Initiating Party Party that initiates the message. This can either be the debtor himself or the party that initiates the request on behalf of the debtor. InitgPty RTPPartyIdentification1



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-15
1.6	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Initiating Party ++++Name	<i>SEPA Usage Rule(s)</i> 'Name' is limited to 70 characters in length. <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70
1.7	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Initiating Party ++++Postal Address	<b>ISO Name</b> Postal Address <b>ISO Definition</b> Information that locates and identifies a specific address, as defined by postal services. <b>XML Tag</b> PstlAdr <b>Type</b> PostalAddress24
1.8	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Initiating Party ++++Identification	<b>ISO Name</b> Identification <b>ISO Definition</b> Unique and unambiguous identification of a party. <b>XML Tag</b> Id <b>Type</b> Party49Choice
1.9	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Initiating Party ++++Country Of Residence	<b>ISO Name</b> Country Of Residence <b>ISO Definition</b> Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. <b>XML Tag</b> CtryOfRes <b>Type</b> CountryCode <b>Pattern</b> [A-Z]{2,2}
1.10	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Header +++Initiating Party ++++Contact Details	<b>ISO Name</b> Contact Details <b>ISO Definition</b> Set of elements used to indicate how to contact the party. <b>XML Tag</b> CtctDtls <b>Type</b> Contact4
2.0	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed. <b>ISO Name</b> Original Activation And Status <b>ISO Definition</b> Status of the debtor activation instruction (that is request, amendment or cancellation). <b>XML Tag</b> OrgnlActvtnAndSts <b>Type</b> ActivationStatus2
2.1	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Business Instruction	<i>SEPA Usage Rule(s)</i> Must contain the information of the received reda.070, reda.071 or reda.072 to which this status report refers to. <i>Mandatory.</i> <b>ISO Name</b> Original Business Instruction <b>ISO Definition</b> Unique identification of the original instruction. <b>XML Tag</b> OrgnlBizInstr <b>Type</b> OriginalBusinessInstruction1
2.2	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Business Instruction ++++Message Identification	<b>ISO Name</b> Message Identification <b>ISO Definition</b> Point to point reference, as assigned by the original initiating party, to unambiguously identify the original instruction message. <b>XML Tag</b> MsgId <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-15	
2.3	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Business Instruction ++++Message Name Identification	<b>SEPA Usage Rule(s)</b> Either reda.070, reda.071 or reda.072 is allowed. <b>ISO Name</b> Message Name Identification <b>ISO Definition</b> Specifies the instruction message name identifier to which the message refers. <b>XML Tag</b> MsgNmId <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35	
2.4	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Business Instruction ++++Creation Date Time	<b>ISO Name</b> Creation Date Time <b>ISO Definition</b> Date and time at which the message was created. <b>XML Tag</b> CreDtTm <b>Type</b> ISODateTime	
2.5	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status	<b>SEPA Usage Rule(s)</b> AT-B034 Status of the activation/amendment/cancellation request. <b>ISO Name</b> Status <b>ISO Definition</b> Provides detailed information on the status of the request. <b>XML Tag</b> Sts <b>Type</b> ServiceStatus1Choice	
	1..1		<b>XML Tag</b> xs:choice	
2.6	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status ++++Code	<b>ISO Name</b> Code <b>ISO Definition</b> Status, in a coded form. <b>XML Tag</b> Cd <b>Type</b> ServiceRequestStatus1Code	
2.7	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status ++++Proprietary	<b>ISO Name</b> Proprietary <b>ISO Definition</b> Status, in a proprietary form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35	
2.8	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason	<b>SEPA Usage Rule(s)</b> Must only be used in case "RJCT" is provided under 'Status/Code'. <b>ISO Name</b> Status Reason <b>ISO Definition</b> Specifies the reason for the status of the debtor activation request. <b>XML Tag</b> StsRsn <b>Type</b> DebtorActivationStatusReason2	
2.9	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator	<b>SEPA Usage Rule(s)</b> The Payer is the Originator of the status report. <b>ISO Name</b> Originator <b>ISO Definition</b> Party that issues the cancellation request. <b>XML Tag</b> Orgtr <b>Type</b> RTPPartyIdentification1	
2.10	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Name	<b>SEPA Rulebook</b> AT-P001 Name of the Payer. <b>SEPA Usage Rule(s)</b> 'Name' is limited to 70 characters in length. <b>ISO Name</b> Name <b>ISO Definition</b> Name by which a party is known and which is usually used to identify that party. <b>XML Tag</b> Nm <b>Type</b> Max140Text <b>ISO Length</b> 1 .. 140 <b>SEPA Length</b> 1 .. 70	



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-15	
2.11	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Postal Address	ISO Name ISO Definition XML Tag Type	Postal Address Information that locates and identifies a specific address, as defined by postal services. PstlAdr PostalAddress24
2.12	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-P009 Identifier of the Payer. Mandatory. Identification Unique and unambiguous identification of a party. Id Party49Choice
	1..1		XML Tag	xs:choice
2.13	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification	SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	If AT-P009 is provided it must be present either in 'AnyBIC', 'LEI' or 'Other'. If AT-P009 is different from 'AnyBIC' or 'LEI' then 'Other' must be populated. The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "BOID" is to be populated in 'Scheme Name/Code'. Organisation Identification Unique and unambiguous way to identify an organisation. OrgId OrganisationIdentification37
2.14	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification ++++++Any BIC	SEPA Rulebook ISO Name ISO Definition XML Tag Type Pattern	AT-P009 Identifier of the Payer. Any BIC Business identification code of the organisation. AnyBIC AnyBICDec2014Identifier [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}
2.15	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification ++++++LEI	SEPA Rulebook ISO Name ISO Definition XML Tag Type Pattern	AT-P009 Identifier of the Payer. LEI Legal entity identification as an alternate identification for a party. LEI LEIIdentifier [A-Z0-9]{18,18}[0-9]{2,2}
2.16	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification ++++++Email Address	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256

#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-15
2.17	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other	<i>SEPA Usage Rule(s)</i> Only one occurrence is allowed. <b>ISO Name</b> Other <b>ISO Definition</b> Unique identification of an organisation, as assigned by an institution, using an identification scheme. <b>XML Tag</b> Othr <b>Type</b> GenericOrganisationIdentification1
2.18	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Identification	<i>SEPA Rulebook</i> AT-P009 Identifier of the Payer. <b>ISO Name</b> Identification <b>ISO Definition</b> Identification assigned by an institution. <b>XML Tag</b> Id <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35
2.19	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s)</i> Mandatory. <b>ISO Name</b> Scheme Name <b>ISO Definition</b> Name of the identification scheme. <b>XML Tag</b> SchmeNm <b>Type</b> OrganisationIdentificationSchemeName1Choice
	1..1		<b>XML Tag</b> xs:choice
2.20	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s)</i> Only "BOID" is allowed. <b>ISO Name</b> Code <b>ISO Definition</b> Name of the identification scheme, in a coded form as published in an external list. <b>XML Tag</b> Cd <b>Type</b> ExternalOrganisationIdentification1Code <b>ISO Length</b> 1 .. 4 <b>SEPA Length</b> 1 .. 4
			<b>SEPA Code Restrictions</b>
			<b>BOID</b> BusinessOtherIdentification Other identification of the organisation.
2.21	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Scheme Name +++++++Proprietary	<b>ISO Name</b> Proprietary <b>ISO Definition</b> Name of the identification scheme, in a free text form. <b>XML Tag</b> Prtry <b>Type</b> Max35Text <b>ISO Length</b> 1 .. 35 <b>SEPA Length</b> 1 .. 35



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-15	
2.22	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Organisation Identification +++++++Other +++++++Issuer	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Issuer Entity that assigns the identification. Issr Max35Text 1 .. 35 1 .. 35
2.23	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification	<i>SEPA Usage Rule(s) If AT-P009 is provided it must be present in 'Other'. The occurrence of 'Other' related to AT-P009 must contain the Identifier of the Payer under 'Identification' and "POID" is to be populated in 'Scheme Name/Code'.</i>  ISO Name ISO Definition XML Tag Type	
			Private Identification Unique and unambiguous identification of a person, for example a passport. PrvtId PersonIdentification17	
2.24	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Date And Place Of Birth	ISO Name ISO Definition XML Tag Type	Date And Place Of Birth Date and place of birth of a person. DtAndPlcOfBirth DateAndPlaceOfBirth1
2.25	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Email Address	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Email Address Address for electronic mail (e-mail). EmailAdr Max256Text 1 .. 256 1 .. 256
2.26	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other	<i>SEPA Usage Rule(s) Mandatory. Only one occurrence is allowed.</i>  ISO Name ISO Definition XML Tag Type	
			Other Unique identification of a person, as assigned by an institution, using an identification scheme. Othr GenericPersonIdentification1	
2.27	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Identification	SEPA Rulebook ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	AT-P009 Identifier of the Payer. Identification Unique and unambiguous identification of a person. Id Max35Text 1 .. 35 1 .. 35



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-15
2.28	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name	<i>SEPA Usage Rule(s) Mandatory.</i> ISO Name Scheme Name ISO Definition Name of the identification scheme. XML Tag SchmeNm Type PersonIdentificationSchemeName1Choice
	1..1		XML Tag xs:choice
2.29	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name +++++++Code	<i>SEPA Usage Rule(s) Only "POID" is allowed.</i> ISO Name Code ISO Definition Name of the identification scheme, in a coded form as published in an external list. XML Tag Cd Type ExternalPersonIdentification1Code ISO Length 1 .. 4 SEPA Length 1 .. 4
			<i>SEPA Code Restrictions</i>
			<i>POID</i> PersonCommercialIdentification Other identification of the person.
2.30	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Scheme Name +++++++Proprietary	ISO Name Proprietary ISO Definition Name of the identification scheme, in a free text form. XML Tag Prtry Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.31	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Identification ++++++Private Identification +++++++Other +++++++Issuer	ISO Name Issuer ISO Definition Entity that assigns the identification. XML Tag Issr Type Max35Text ISO Length 1 .. 35 SEPA Length 1 .. 35
2.32	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Country Of Residence	ISO Name Country Of Residence ISO Definition Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed. XML Tag CtryOfRes Type CountryCode Pattern [A-Z]{2,2}
2.33	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Originator +++++Contact Details	ISO Name Contact Details ISO Definition Set of elements used to indicate how to contact the party. XML Tag CtctDtls Type Contact4



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-15	
2.34	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Reason	ISO Name ISO Definition XML Tag Type	Reason Specifies the status reason for the debtor activation request. Rsn DebtorActivationStatusReason1Choice
	1..1		XML Tag	xs:choice
2.35	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Reason +++++Code	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Code Reason, as published in an external reason code list. Cd ExternalDebtorActivationStatusReason1Code 1 .. 4 1 .. 4
2.36	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Reason +++++Proprietary	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Proprietary Reason, in a proprietary form. Prtry Max35Text 1 .. 35 1 .. 35
2.37	0..n	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Status Reason ++++Additional Information	ISO Name ISO Definition XML Tag Type ISO Length SEPA Length	Additional Information Further details on the cancellation request reason. AddtlInf Max105Text 1 .. 105 1 .. 105
2.38	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference	ISO Name ISO Definition XML Tag Type	Original Activation Reference Provides the reference of the original activation request. OrgnlActvtnRef OriginalActivation2Choice
	1..1		XML Tag	xs:choice
2.39	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Debtor Identification	ISO Name ISO Definition XML Tag Type	Original Debtor Identification Provides the identification to unambiguously identify the debtor as defined in the original request.  Usage: This element must be identical to the debtor identification in the original debtor activation request. OrgnlDbtrId Party49Choice
2.40	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data	SEPA Usage Rule(s)  ISO Name ISO Definition XML Tag Type	<i>The message elements under 'Original Activation Data' must be populated with the same value as in the message elements of the original instruction (reda.070, reda.071 or reda.072) to which this status report refers to, according to the information given under 'Message Name Identification'.</i> Original Activation Data Provides the full original activation data. OrgnlActvtnData DebtorActivation3



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-15	
2.41	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Debtor Activation Identification	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-B027 Activation counterpart reference.</i> Debtor Activation Identification Unique identification, as assigned by the initiating party, to unambiguously identify the activation.  Usage: This element may be used for technical reconciliation purpose. DbtrActvtnId Max35Text 1 .. 35 1 .. 35
2.42	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Display Name	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	Display Name Name by which the debtor is known, other than legal name, such as the name to be shown to the creditor. DispNm Max140Text 1 .. 140 1 .. 140
2.43	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Ultimate Debtor	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	Ultimate Debtor Ultimate party that owes an amount of money to the (ultimate) creditor. UltmtDbtr RTPPartyIdentification1
2.44	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Debtor	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	<i>AT-P001 Name of the Payer.</i> <i>AT-P005 Address of the Payer.</i> <i>AT-P009 Identifier of the Payer.</i> <i>AT-P002 Trade Name of the Payer.</i> <i>AT-P017 Customer Category Code.</i> Debtor Party that owes an amount of money to the (ultimate) creditor. Dbtr RTPPartyIdentification1
2.45	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Debtor Solution Provider	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	<i>AT-N002 Identifier of the Payee's RTP Service Provider.</i> Debtor Solution Provider Organisation servicing the e-invoicing for the debtor (to which the activation status report must be sent). DbtrSolPrvdr RTPPartyIdentification1
2.46	0..n	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Customer Identification	<b>SEPA Rulebook</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	<i>AT-B036 Identification of the Payee expected by the Payer.</i> Customer Identification Unique identifier of the debtor required by the creditor, for example the reference number or customer number. Unique identification provided by the web bank or web payment services user, with which the creditor may identify the debtor in its system. CstmrlId Party49Choice



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-15	
2.47	0..n	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Contract Format Type	ISO Name ISO Definition XML Tag Type	Contract Format Type Document format type supported to exchange the contracts. CtctFrmtTp DocumentFormat2Choice
2.48	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Contract Reference	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-B026 Activation contract reference. Only one occurrence is allowed. Contract Reference Code choice external/prop Description  identical to the Instruction for Debtor CtctRef ContractReference1
2.49	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Creditor	SEPA Rulebook  ISO Name ISO Definition XML Tag Type	AT-E001 Name of the Payee. AT-E004 Address of the Payee. AT-E005 Payee's identification code. AT-E002 Trade Name of the Payee. AT-E006 Merchant Category Code of the Payee. Creditor Party to which an amount of money is due. Cdtr RTPPartyIdentification1
2.50	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Ultimate Creditor	ISO Name ISO Definition XML Tag Type	Ultimate Creditor Ultimate party to which an amount of money is due. UltmtCdtr RTPPartyIdentification1
2.51	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Activation Request Delivery Party	SEPA Rulebook SEPA Usage Rule(s) ISO Name ISO Definition XML Tag Type	AT-N001 Identifier of the Payer's RTP Service Provider. AT-P009 Identifier of the Payer. Mandatory. Activation Request Delivery Party Creditor's service provider address to which the debtor activation has to be delivered. ActvtnReqDlvryPty RTPPartyIdentification1
2.52	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Start Date	SEPA Rulebook ISO Name ISO Definition XML Tag Type	AT-B024 Activation start date. Start Date Date and time at which the debtor activation will be activated. StartDt DateAndDateTime2Choice
2.53	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++End Date	SEPA Rulebook ISO Name ISO Definition XML Tag Type	AT-B025 Activation end date. End Date Date and time at which the debtor activation will be deactivated. EndDt DateAndDateTime2Choice



#	SEPA Mult	Message Element	Payer's to Payee's RTP Service Provider RTP Activation/ Amendment/Cancellation Status Report SEPA Core Requirements - DSO-15	
2.54	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Original Activation Reference ++++Original Activation Data +++++Dedicated Activation Code	<b>SEPA Rulebook</b> <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b> <b>ISO Length</b> <b>SEPA Length</b>	<i>AT-B029 Dedicated activation code.</i> Dedicated Activation Code Unique, one-time code that a creditor may require from a debtor for activation purposes, and which is known only by the creditor and the debtor. DdctdActvtnCd Max35Text 1 .. 35 1 .. 35
2.55	0..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Effective Activation Date	<b>SEPA Rulebook</b> <b>SEPA Usage Rule(s)</b>  <b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	<i>AT-B035 Effective activation date.</i> <i>Mandatory, if "ACPT" is provided under 'Status/Code'.</i> Effective Activation Date Effective date when the debtor has been activated. FctvActvtnDt DateAndDateTime2Choice
	1..1		<b>XML Tag</b>	xs:choice
2.56	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Effective Activation Date ++++Date	<b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	Date Specified date. Dt ISODate
2.57	1..1	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Effective Activation Date ++++Date Time	<b>SEPA Usage Rule(s)</b>  <b>ISO Name</b> <b>ISO Definition</b> <b>XML Tag</b> <b>Type</b>	<i>Only UTC time format or local time with UTC offset format can be used.</i> Date Time Specified date and time. DtTm ISODateTime
2.58	0..n	Document +Request To Pay Debtor Activation Status Report V01 ++Original Activation And Status +++Supplementary Data	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	Supplementary Data Additional information that cannot be captured in the structured elements and/or any other specific block. SplmtryData SupplementaryData1
3.0	0..n	Document +Request To Pay Debtor Activation Status Report V01 ++Supplementary Data	<b>ISO Name</b> <b>ISO Definition</b>  <b>XML Tag</b> <b>Type</b>	Supplementary Data Additional information that cannot be captured in the structured elements and/or any other specific block. SplmtryData SupplementaryData1



### 3 Annex: Overview of functional activation flows

Note: Stemming from SRTP Rulebook Datasets (DS) as well as corresponding ISO 20022 “REDA” messages. The flows within the yellow rectangle are covered in this document.

